

STARSHIP RECOGNITION MANUAL - VOLUME FIVE SHIPS OF THE ROMULAN STAR EMPIRE "AH, ROMULUS. HOW WELL I REMEMBER IT. YOU WILL FIND THE PREDOMINANT COLOUR TO BE GREY-THE BUILDINGS, THE CLOTHES, THE PEOPLE. DID YOU KNOW THAT THE ROMULAN HEART, ITSELF, IS GREY?"

-ELIM GARAK, "INTER ARMA ENIM SILENT LEGES"

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

THE SHIP RECOGNITION MANUAL, VOLUME FIVE: STARSHIPS OF THE ROMULAN STAR EMPIRE

Author: Steven S. Long

Icon System™ Design: Christian Moore, Steven S. Long with Kenneth Hite, Ross Isaacs

Layout: Chris Huth

Special Thanks To: Yves Sakai, for even more tapes from Hawaii; Chris Huth, for doing a stellar job with the layout; and Don "the Man" Mappin and Owen Oulton, for making this book available via TrekRPG.Net.

Special thanks also to all the Spacedock fans who have waited patiently for about two years now (*Er, five years – Ed.*) while I found the time to finish this book! Although I've been happily chugging along with my Hero-ic pursuits in that period, I'm glad I was finally able to complete the Romulan SRM.

Testreaders: My thanks to the fans who took the time to read over the manuscript for this book and help me make it better still: Andreas Bodensohn; Fred Davis; William Elstob; Joe Flynn; Tim Freeby; Dan Gurden; Matt Hegarty; Craig Johnson; Scott MacGregor; Alexandre Maier; Russell McKenry; Phoenix Merrick; Peter Michalenka; Doug Odell; Chris Patrick; Ben Pollack; Bill Ramsey; Jody Rich; Dale Russell; Daniel Ryba; Michael Scott; Paul "Legate Legion" Short; SIRSIG; Daniel Stack; N. Ryan Stewart; Brian Swift

All original material copyright © 2003 by Steven S. Long

CREDITS AND ACCOLADES

INTRODUCTION

CHAPTER ONE: ROMULAN SHIP CLASSIFICATIONS

ROMULAN VESSEL CLASSIFICATIONS
Dreadnoughts
Warbirds
Cruisers
Starbirds
Frigates
Gunships
Birds of Prey
Scouts
Couriers
Specialized, Support, and Auxiliary Vessels
Romulan Starship Names

CHAPTER TWO: ROMULAN SHIP CONSTRUCTION

HULL SYSTEMS
Ablative Armor
Cloak-Enhancing Hull
PERSONNEL SYSTEMS
Table: Romulan Crew Breakdowns
Table: Average Number of Romulan Crewmen By Ship
Туре
Medical Facilities and Systems
Recreation Facilities
Holodeck Power
Sidebar: Romulan Recreation Rating
PROPULSION SYSTEMS
Nullifier Core
Alternate and Advanced Superluminal Drives
Taurhai Gravity Induction Drive
Table: Taurhai Gravity Induction Drive Table
POWER SYSTEMS
Artificial Quantum Singularity Drive
Table: Artifical Quantum Singularity Drive Systems
Table
Warp Core Ejection System
OPERATIONS SYSTEMS
Separation Systems
Detachable Segments
Computer Systems
Tractor Beams
Transporters
Cloaking Devices

1	SECURITY SYSTEMS	
	Sidebar: Romulan Political Officer Overlay	8
	, Sidebar: Romulan Laboratories	8
2	TACTICAL SYSTEMS	
_	Disruptors	8
2	Table: Romulan Disruptors Table	8
2	, Missile Weapons	9
3	Plasma Torpedo	9
3	Table: Plasma Torpedo Table	9
3	Singularity Torpedo	9
3	Deflector Shields	9
4	Table: Romulan Shield Designation Table	9
4	AUXILIARY SPACECRAFT SYSTEMS	
4	Sidebar: Suggested Romulan Shuttle Complements	9
4		
4	CHAPTER THREE: THE ROMULAN SHIP	
	REGISTRY	
	VESSELS OF THE ROMULAN STAR NAVY	11
5	D'deridex-Class Heavy Warbird	12
	Deresus-Class Heavy Scout	16
5	D'gerok-class Assault Gunship	19
5	D'valek-Class Swift Warbird	22
	D'virin-Class Incursion Frigate	25
5	Melek'aan-Class Frigate	28
5	Meret-Class Incursion Cruiser	31
	Neh'vor-Class Research/Laboratory Ship	34
5	Nelvek-class Heavy Cruiser	36
6	Prelar-Class Swift Cruiser	39
6	Thalan-Class Swift Frigate	42
6	Thereus-Class Bird of Prey	45
	Theta-Class Swift Courier	48
6	Tirethi-Class Far Scout	51
6	T'korex-Class Warbird	53
6	T'rasus-Class Starbird	56
6	Vadak-Class Heavy Gunship	59
_	Vel'tar-Class Armored Transport	62
6	Vereleus-Class Dreadnought	64
_	Vidian-Class Heavy Starbird	67
7	V'tir-Class Warbird	70
7	ROMULAN CIVILIAN VESSELS	73
_	Desara-Class Merchant Vessel	74
7	Romulan Senatorial Transport	76
7	ALLIED AND THREAT VESSELS	78
7	Taurhai Star Dragon	79
8	Taurhai Firedrake	82
8	M'rok <i>Wa'h'kr'aa'ta</i> -Class Cruiser	85
8	Sidebar: M′rok Template	88
	Othan <i>Unasha</i> -Class Battle Cruiser	89

INTRODUCTION

Devious, honorable, powerful, clever, forceful, wary... all these words, and more, describe that quintessential Star Trek threat species, the Romulans. From their first appearance in **Balance of Terror**, to the fearsome *D'deridex*-class Heavy Warbirds that bedeviled the *U.S.S. Enterprise-D* and later went on to help the Federation alliance defeat the Dominion, the Romulans have been a significant presence in the Trek universe.

The Ship Recognition Manual, Vol. Five: Starships of the Romulan Star Empire contains a thorough review of Romulan starships—from how they're organized, to how they're built, to what they're like. It's got new technology, new rules for Romulan ships, and 27 templates for Romulan and related starships.

To use this book, you need **Spacedock: The Advanced Starship Construction and Combat Manual**, available as a download from TrekRPG.Net. Without it, you may have difficulty understanding some of the information in the Starship Templates, as well as the new rules. You may find the other SRMs (covering Starfleet, the Cardassians, the Klingons, and the TOS era) helpful as well.

SRM5: Romulans includes several ships that previously appeared elsewhere, such as the *D'deridex* class. Any Starship Templates in this book supercede those published in earlier volumes. The versions in this book use Romulan-specific rules and, where necessary, correct errors in the original templates.

Chapter One, Romulan Ship Classification, describes how the Romulans classify their starships. It includes lists of representative classes of ships for each ship category.

Chapter Two, Romulan Ship Construction, provides special rules and guidelines for constructing Romulan ships, covering such things as cloak-enhancing hulls and artificial quantum singularity drives. Generally, you build Romulan ships using the standard Spacedock rules, but there are a few important changes to reflect the nature of the Empire's starship technology.

Chapter Three, The Romulan Ship Registry, contains the aforementioned 27 Starship Templates, covering everything from the luxury transports used by Romulan senators to the Star Navy's most powerful warships.

Versa D'era!

Steven S. Long

July, 2001



SHIP RECOGNICION MANUAL VILLE FIVE SHIPS OF THE ROMULAN STAR EMPIRE S DELLAS CHAPTER ONE:

P CLASSIFICAT	n S tarfleet
DR	ВА
WB	WA
WBH	WH, BA
WBL	WL
WBST	WA, WH
WBSW	WA, WL
CA	CA
CH	CH
CI	CF
CL	CL
CS	CS
CSW	CS
SB	CEX, SV
SBF	CEX, SVH
SB-GC	None
SBH	CEX
SBL	CEX, CA, or SV
FR	FR
FH	FH
FI	FF
FL	FL
FS	None
FSW	None
GA	FH, DA
GH	DH
GS	FL
BP	ES
1) BPSW	ES, EL
SS	SS
SF	None
SH	SH
SC	SC
SCF	SC
SCSW	SC
GC	None
MC	MD
SRS/SRL	SRS/SRL
TTA	TTA
TC	TC
TMF	TC
TTO	TTA
IS	IS
	CLASSIFICATIO COIDRDRWB WBH WBSTCA CL CL CS CSWSB SB-GC SBH SBLFR FH FI FS FSWGA GA GH GSI)BP BPSWSS SF SHSS SF SHSS SF SHSS SF SHSS SF SHI)SC SCSWSS SF SHSS SF SHSS SF SHSS SF SHSS SF SSSSS SF SHSS SHSS

CHAPTER ONE Romulan Ship Classification

THIS CHAPTER BRIEFLY DISCUSSES the different types of ships fielded by the Romulan Star Navy. It expands upon and slightly updates the information found in Chapter Six of **Book One** of *the Way of* **D'era** boxed set. Readers should refer to that material first before reading the rest of this chapter.

DREADNOUGHTS

Dreadnoughts—of which the Romulans currently only have one class, the dreaded *Vereleus*—are enormous, heavily armed ships designed to serve as fleet flagships, mobile command centers, and the linchpins of many of the Star Navy's strategic plans. Until the Battle of Getha, the next to last confrontation of the Dominion War, no Dreadnought had ever been defeated in battle. The loss of the *Ko'nar* at the hands of the Jem'Hadar has led Romulan starship engineers to propose several upgrades for the rest of the Empire's Dreadnoughts.

The Star Navy is currently developing a second Dreadnought, the *Praetorian* class, and is scheduled to launch the first ship of the class in 2379. However, the need to replace losses suffered during the Dominion War, combined with the desire to install upgrades to eliminate weaknesses revealed in several ships while fighting that war, may cause delays in the *Praetorian* Project.

WARBIRDS

The main fighting ships of the Star Navy, Warbirds (classified as Battleships or Warships by other species) display the best technological advances developed by Romulan engineers. With their powerful disruptors, cloak-enhancing hull shapes, and sophisticated sensor and scientific systems, they can perform any type of mission—from crashing through the Dominion alliance lines at

	3		ะเสก
ROMULAN DREAD CURRENTLY IN SE CLASS Vereleus		ION CODE	
Praetorian (proposed)	DR		
Cont			
Shuttle (warp) Tanker Tender Transport Tug	WS TA TN TT TG	WS TA TN TT TG	

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

ROMULA		DS CURREN		RICARH
CLASS		CLASSIFIC	ATION CODE	
D'deridex		WBH		
D'sera		WBL		
D'valek		WBSW		
D'vanga		WBH		
T'korex		WB		
T'varo		WBSW		
V'tir		WB		
T′kassan (pro	posed)	WBST		

Benzar to exploring astronomical anomalies. The most common and popular ship of this type, the D'deridex-class Heavy Warbird, will undergo a series of class-wide refinements and upgrades beginning in 2377 (again, assuming the outcome of the Dominion War does not change the Star Navy's schedule).

CRUISERS

Compared to Starfleet or the Cardassians, the Romulans build relatively few Cruiser classes. Instead of taking basic Cruiser templates and varying them to create specialized types of ships, the Romulans prefer to establish new types of ships—Warbirds for heavy combat missions, Starbirds for exploration, Gunships for rapid deployment, and so forth.

Romulans typically use their Cruisers for long-range reconnaissance, incursion, patrol, and search-and-destroy missions. Able to remain in the field for long periods of time without resupply, they have proven to be some of the most adaptable vessels in the Star Empire.

STARBIRDS

"Starbird" is the Romulan term for a type of ship that Starfleet typically refers to as an Exploratory Cruiser. Equipped with advanced sensors, copious laboratory resources, and strong shields to protect the crew against radiation and other astronomical phenomena, it can conduct lengthy scientific missions in deep space. Thanks to the Starbird fleet, the boundaries of the Romulan Star Empire, the extent of its scientific knowledge, and the apprecia-

20 10

(KEI KEJENIAII	VE SELECTION)	
CLASS	CLASSIFICATION CODE	
Ak'tel	CA	
D'viret	CI	
Meret	CI	
Nelvek	СН	
Prelar	CSW	
Shar'ves	CA	
Vercaal	CL	

ROMULAN STAR	BIRDS CURRENTLY IN SERVICE E SELECTION) CLASSIFICATION CODE
Ralek	SB
T'rasus	SB
V′tana	SBF
Vidian	SBH
T'kairin (proposed)	SB-GC

tion of the fundamental truth of *D'era* have all expanded within the past several decades.

Perhaps the most unusual of the Starbirds is the *T'kairin*-class Generational Cruiser, due to leave stardock in 2378. The first of its kind in the Star Navy, it's designed to carry a crew of up to 1,000 on decades-long journeys to other quadrants and galaxies. If the *T'kairin* Exploration and Colonization Program goes as planned, within a century the Star Empire could easily become the largest political entity in the galaxy.

FRIGATES

The Romulans use Frigates for a wide variety of missions. Standard Frigates assist with planetary occupation and pacification, long-range patrols, and the Empire's internal security. Incursion Frigates penetrate enemy territory on reconnaissance runs and raids, using their cloaks to excellent effect. Heavy and Strike Frigates fill various and sundry military roles; many were destroyed by the Jem'Hadar during the Dominion War. Swift and Light Frigates conduct long-range patrols, perform rapid response missions, and protect important trade routes on the frontiers.

GUNSHIPS

Gunships are the Star Navy's equivalent of a Destroyer—a fairly small, heavily-armed ship used for patrol and military support missions. Whenever the Romulans launch a major offensive, pacify a planet, or smash a defense perimeter, Gunships, often carried to the battlefield in enormous *Vasteme*-class Gunship Carriers, are there to help. However, their relative lack of maneuverability and speed hampers them when confronting an enemy with more mobile vessels; in such situations, Romulan commanders often

ROMULAN FRIGATES CURRENTLY IN SERVICE (REPRESENTATIVE SELECTION)					
CLASS	CLASSIFICATION CODE				
Brentoc	FR				
D'tavan	FS				
D'theros	FL				
D'virin	FI				
Melek'aan	FR				
Serex	FH				
Thalan	FSW				

	252 5 52			
ROMULAN GUN (REPRESENTATI	ROMULAN GUNSHIPS CURRENTLY IN SERVICE (REPRESENTATIVE SELECTION)			
CLASS	CLASSIFICATION CODE			
D'gerok	GA			
Hoteb	GA			
Nuur'shet	GH			
Vadak	GH			
V'gurin	GS			
,				

use them to fill gaps in their defensive lines, or to protect a fleet's flanks by forming a powerfully-armed bulwark.

BIRDS OF PREY

Birds of Prey are small, fast ships used for short-range reconnaissance missions, raids, and escort duties. Though not heavily armed, they have powerful cloaks, and their pilots are skilled at decloaking, attacking, and then recloaking and fleeing before an enemy can react.

In light of the Birds of Prey's excellent record in recent decades, in the 2360s the Star Navy began a program to build two classes of a new type, the Swift Bird of Prey. With better weapons and engines, these ships will be faster and deadlier than any Bird of Prey to date. The Birds of Prey's performance during the Dominion War, in which they accounted for 37% more casualties than they suffered, validates this decision and has led the Star Navy to allocate additional resources to these programs to ensure they are completed by their 2377 (*Mithras*) and 2379 (*Vithrel*) scheduled dates.

SCOUTS

The Star Empire's expansion and renewed emphasis on intelligence-gathering during the 24th century have led it to build more Scout ships, and use them for more missions, than ever before. Every fleet has its own contingent of Scouts, many of them upgraded or altered to optimize their ability to perform specific types of missions.

COURIERS

Due to the vast size of their Empire, and their nigh-pathological need for secrecy, the Romulans use more types of Courier vessels

	<u>3 97797 MR 767</u>						
ROMULAN BIRDS OF PREY CURRENTLY IN SERVICE (REPRESENTATIVE SELECTION)							
CLASS	CLASSIFICATION CODE						
Ganum	BP						
Krenet	BP						
Thereus	RP						

BPSW BPSW

<i>Mithras</i> (proposed) <i>Vithrel</i> (proposed)	

CHAPTER

ROMULAN SO	COUTS C	URRENT	'LY IN SI		apr
CLASS			FICATION C	ODE	
Cho'chet		SS			
Deresus		SH			
Kelkarrum		SS			
Nir′at		SH			
Tirethi		SF			

than any other known major galactic civilization. From their wellknown *Theta*-class Swift Courier, to the *Theron*-class Far Courier able to cross huge amounts of space on its important missions, to the more ordinary *Belvidos* and *Rehntet* Couriers, they have a plethora of options available whenever they need to send a message or an operative somewhere.

ROMULAN STARSHIP NAMES

Unlike Starfleet, with its "U.S.S.," the Romulans do not attach prefixes to the names of their ships. Vessels simply have names, such as the *T'brath*. A suffix naming the fleet the ship belongs to further distinguishes it. For example, if the *T'brath* were part of Senator Chevet's fleet, Romulans would refer to it as the *T'brath* Chevet.

VRD 8 PT DATAR

ROMULAN COURIERS CURRENTLY IN SERVICE (REPRESENTATIVE SELECTION)

CLASS	CLASSIFICATION CODE
Belvidos	SC
Rehntet	SC
Theron	SCF
Theta	SCSH

<u>343 PA RPRX (PR 38</u>

ROMULAN SPECIALIZED, SUPPORT, AND AUXILIARY VESSELS CURRENTLY IN SERVICE (REPRESENTATIVE SELECTION)

CLASS	CLASSIFICATION CODE	
D'seren	TN	
Horos	SVH	
Neh'vor	SRS/SRL	
Phaeros	MC	
Sethen	TC	
Thoren′a	MC	
Vasteme	GC	
Vel′tar	TTA	
V′geren	TTA	
Veranal	TTO	

ROMULAN SHIP CLASSIFICATION

CHAPTER TWO: Romulan Starship Construction

FOR THE MOST PART, Romulan ships use the same basic types of systems and technology as Starfleet vessels, albeit with occasional variations in construction, underlying scientific principles or doctrines, and of course aesthetics. Romulan ships and technology are, generally speaking, more like Starfleet ships than either Klingon or Cardassian craft—though important differences do exist, such as the use of cloaking devices and artificial quantum singularity drives. Except where noted below, all of the regular **Spacedock** rules for ship construction apply to Romulan vessels.

HULL SYSTEMS Ablative Armor

The Romulans have access to ablative armor as of 2371, though they have not yet introduced it widely. Unfortunately, they cannot make it compatible with cloak-enhancing hulls (see below); a ship with one cannot have the other.

CLOAK-ENHANCING HULL SU Cost: 2 x Size

Power Cost: None

The Romulans construct some of their vessels, such as the D'deridex-class Heavy Warbird, with special hulls whose shape and composition enhance the effectiveness of a cloaking device. Generally such hulls have a curvilinear shape, with relatively few straight lines or sharp corners to reflect an enemy vessel's sensor waves back to it. Typically the body of the vessel sort of encloses the warp nacelles within this curvilinear framework, though the nacelles do not thereby qualify as embedded.

A ship with a cloak-enhancing hull increases the effectiveness of its cloaking device by 1. For example, a ship with a Class 6 cloak and a cloak-enhancing hull imposes a +7 Difficulty on attempts to detect it, rather than the usual +6.

A ship with a cloak-enhancing hull cannot also have ablative armor, an energy sheath, or a ramming hull.

Personnel Systems

The accompanying tables provide information on Romulan crew complements. The statistics represent average percentages by department; individual ships' complements may vary considerably from these figures. Some fleets like to staff their ships more densely; others, by preference or necessity, use fewer crewmembers.

MEDICAL FACILITIES AND SYSTEMS

The Romulans have created their own version of EMH technology, but have not yet installed it on more than a few testbed ships. Romulan personnel seem much less sanguine about trusting their medical care to a "machine" than Starfleet crewmembers.

CAR CRU B ARA PCBR-

AVERAGE NUMBER OF ROMULAN CREWMEN BY SHIP TYPE

Ship Type	Average Number of Crewmen per 100 SUs
Bird of Prey	3
Courier	3
Cruiser	25
Dreadnought	50
Frigate	23
Gunship	8
Medical	42
Research/Laboratory	8
Scout	6
Starbird	22
Surveyor	30
Transport	3
Warbird	40

A Romulan ship's Passenger complement is usually about 10-20% of its Crew, but this may vary depending upon the nature of the ship (a personnel transport or medical ship can typically carry more passengers than a Dreadnought or Warbird). A ship's Evac complement ranges from 5-15 times the size of its Crew (again, this may vary from ship to ship).

120 3 97 DAMAR

KOMULAN CKEW	BREAKDOW	N S					
BRANCHT	Dreadnought	WARBIRD	Cruiser/ Starbird	Frigate	GUNSHIP	Scout/ Bird of Prey	Science/ Medical
Command	18	17	17	20	18	14	12
Operations							
Engineering/Technical	14	15	14	17	18	16	11
Operations, General	22	23	25	19	18	27	10
Security/Tactical	17	16	22	24	23	19	14
Science							
Medical/Support	12	13	10	10	15	08	34
Science/Research	17	16	12	10	08	16	29
Officers/Enlisted	32/68	30/70	29/71	27/73	34/66	65/35	33/67

ROMULAN CREW BREAKDOWNS

ROMULAN STARSHIP CONSTRUCTION

CAR CAN B ABA FEBRA

ROMULAN RECREATION RATINGS

бнір Туре	Typical Recreation Rating
Bird of Prey	2-5
ourier	1-3
Truiser	4-10
Dreadnought	6-10
rigate	2-7
Sunship	2-6
Nedical	3-6
Research/Laboratory	3-6
cout	1-2
starbird	5-10
urveyor	3-6
ransport	4-10
Varbird	4-9

RECREATION FACILITIES

Romulan ships use the same Recreation Ratings as Starfleet vessels. The accompanying table indicates the typical Recreation Rating by ship type.

HOLODECK POWER

The Romulans do not have holodeck reactors to power their holodecks separately from a ship's main power grid. Their holodecks run off ship's power like almost every other system onboard.

PROPULSION SYSTEMS Nullifier Core

Every Romulan ship with a cloaking device includes a nullifier core to ensure that its movement does not betray its position while cloaked. If the engineering crew does not keep the nullifier core in precise alignment with the propulsion systems, the ship creates magnetic disruptions that other ships can detect with routine sensor scans. This requires a Moderate (6) Propulsion Engineering (AQSD) or Systems Engineering (Cloaking Device) Test at least once a day; the Narrator may also require a Test during any crisis situation when the ship uses its cloak.

ALTERNATE AND ADVANCED SUPERLUMINAL DRIVES

The Romulans have conducted experiments with transwarp drive, coaxial warp drive, and soliton propulsion, but like the Federation they have yet to develop practical working models of these drives. However, their enemies the Taurhai employ a gravity induction drive which they have studied and may one day find a way to duplicate.

TAURHAI GRAVITY INDUCTION DRIVE

As described on page 96 of Book One of the Way of D'era boxed set, the Taurhai use a gravity induction drive (also referred to as a "subspace funnel") to create what amount to "micro-wormholes" (though they don't necessarily function identically to naturallyoccurring wormholes found in space). Their ships then "fall" or "slide" through these funnels in subspace, crossing light-years in mere seconds. Though the use of a gravity induction drive creates a graviton wavefront and wake which other ships can detect, once

the ship enters subspace via its "funnel" other ships cannot detect it, allowing it to "appear" seemingly instantaneously in position to make devastating surprise attacks.

Activating and using a gravity induction drive requires two full rounds of effort by most of the ship's engineering crew per jump (one round to prepare the drive, one round to activate it). During normal travel, simply use the "LY Per Minute" column in the accompanying table to determine how fast the ship travels with its ongoing series of jumps. In combat situations or other crises, the "Maximum Jump Length" column may come into play, giving the Romulans a slim chance to catch a Taurhai ship before it escapes them completely.

Taurhai ships have matter/antimatter cores to generate Power on their ships—large ones, given the Power requirement of their gravity induction drives. They buy them using the normal **Spacedock** rules. They do not buy nacelles or other warp propulsion system elements to drive their ships directly with M/AM power.

The accompanying table provides details on gravity induction drives, including the maximum length of the "jump" the ship can make, and the maximum number of light-years the ship can cross per minute using the drive. The Power cost represents a cost per round when the drive is in use (the ship must pay this cost both in the round when it's preparing the drive, and the round it actually uses the drive).

Typically a ship can only use its Gravity Induction Drive for about two to three hours per day total, either continuously or spread over the course of the day; this means a maximum of 1,080 jumps per day. More than that poses a severe risk of breakdown. For each jump beyond 1,080, the Narrator rolls 1d6; on a roll of 1, the engine breaks down and requires 2d6 x 4 hours to repair.

POWER SYSTEMS ARTIFICIAL QUANTUM SINGULARITY DRIVE SU Cost: See table

Power Cost: See text

During the late 2340s and early 2350s, the Romulans began scaling back their development of matter/antimatter warp drives in favor of developing a more powerful, albeit potentially more dangerous, energy source: the artificial quantum singularity drive (AQSD). As described on page 68 of Book One of the Way of D'era boxed set, an AQSD functions by creating a collapsar—a collapsed star, a singularity—and containing it within a subspace containment field (so that the ship can move despite the singulari-

TAURH	IAI GRA	VITY IN	오오기 DUCTION DRIV	E TABLE
TYPE OF DRIVE Class I	SU Созт 200	Power Cost 150	Maximum Jump Length .5 light-year	LY Per Minute 3
Class II	250	200	1 light-year	6
Class III	300	250	2 light years	12
Class IV	350	300	3 light-years	18

CHAPTER 2

ROMULAN STARSHIP CONSTRUCTION

ABLE		SINGULARITY D	
QSD Type	SU	P ower Generated	Per Round
ype I	45	50-149	
ype II	60	150-249	
ype III	75	250-349	
ype IV	90	350-449	
ype V	105	450-549	
ype VI	120	550-649	
ype VII	135	650-749	
ype VIII	150	750-849	

The base SU cost listed in the table indicates the SU cost for the lowest figure in the "Power Generated" column—for example, 350 Power for a Type IV engine. For each +10 Power (or fraction thereof) beyond that, the engine costs an additional +1 SU. Thus, a top-of-the-line Type IV engine, which generates 449 Power per round, costs 100 SUs.

ty's mass). While this type of engine generates enormous amounts of power with comparatively little fuel, it carries with it a significant risk: the user can never turn it off, or else the containment fields holding the singularity release it, causing a black hole to form instantly. For this reason, the Romulans build their AQSDs to be extremely sturdy and difficult to damage. Even when, as in the Dominion War, a Romulan ship becomes so badly damaged that the Empire cannot salvage and repair it, the safety features on its AQSD usually maintain power to the containment field.

In most other respects, an AQSD functions similarly to a warp drive. It contains a segment, the engine core, that the ship can eject to save the rest of the drive if its containment fields are in danger of collapsing.

In game terms, maintaining an AQSD requires 1 Power per round, every round. Additionally, the system has a battery capable of supplying this power for up to a year, and it can recharge itself via solar energy or many other methods. (The Romulans use the battery for emergencies only; even in desperate combat situations they keep providing that 1 Power to the AQSD every round.) If an attack or event destroys an AQSD, or disrupts the power to its containment field, the battery activates immediately. If something (for example, sabotage) prevents the battery from activating, the artificial quantum singularity immediately becomes a real black hole, destroying the Romulan ship (through either gravity or the creation of Hawking radiation) and affecting nearby vessels as if a total catastrophic failure of a warp core had occurred (Spacedock, page 93). Thereafter a black hole exists where the ship was destroyed, assuming there's sufficient matter nearby to feed it; otherwise it may vanish quickly. (See Spacedock, page 174, for rules on black holes, a.k.a. quantum singularities.)

Many Romulan ships continue to use standard matter/antimatter warp drives, for safety and technical reasons. They buy these using the normal *Spacedock* rules. Vessels with AQSDs use standard nacelles, PISs, and upgrades thereto (see *Spacedock*, page 35 et seq.). Ships of Size 4 and smaller cannot have AQSDs; the mass of the drive is too large for it to function efficiently aboard such vessels.

WARP CORE EJECTION SYSTEM SU Cost: 1 x Size

Power Cost: None

Unlike Starfleet vessels, which eject their damaged warp cores ventrally to get them as far away from the ship as possible, Romulan ships eject theirs in a dorsal forward arc—to use them as a weapon. The Romulans believe that if a ship reaches the point where it's so badly damaged it must eject its warp core, it's probably too badly damaged to salvage or save, so it should make one last, devastating strike against the enemy.

When ejected, a Romulan warp core travels up to 200 kilometers forward of the ship per round. An appropriate officer—typically the Tactical Officer or Chief Engineer—must make a Moderate (8) Shipboard Systems (Tactical) Test to hit the target. Since the explosion of the warp core causes damage to ships over a 3 MU radius (see **Spacedock**, pages 93-94), the character need not make a direct hit to damage the target. But if he does score a hit, increase the damage caused to the target by the explosion by 50%.

Romulan ships with AQSDs can use this weapon to eject their engine cores.

OPERATIONS SYSTEMS SEPARATION SYSTEMS

Generally speaking, the Romulans avoid separation systems (though they covet the Federation's multivector assault mode technology, which they have already tried to steal once). However, some of their ships do have a command hull separation feature, which functions identically, in game terms, to saucer separation.

DETACHABLE SEGMENTS

SU Cost: 1 x Size per detachable segment

Power Cost: 5 Power to detach each segment

Some Taurhai ships can detach one or more of their segments (including the command hull), with each segment having the ability to maneuver under its own impulse power. This allows at least part of the crew to escape the general destruction of the ship, or to perform various unusual combat maneuvers

A detached segment has the equivalent of a Class 4 impulse engine for purposes of maneuvering (or the impulse engine indicated as being part of itself in the Starship Template). This impulse engine, along with one auxiliary power generator and a 10 Power emergency Power generator, provides Power for life support, flight, weapons, sensors, and the like. The detached segment should be considered to have systems equivalent to those of the full ship, except where the Narrator feels this would be illogical.

A ship may detach a segment and then lose it due to an accident, destruction in battle, or the like. If this occurs frequently enough, it may reduce the ship's Size for combat purposes until such time as the it can replace the lost segments.

COMPUTERS

The Romulans have their own version of bio-neural computer technology, and may buy such systems using the regular **Spaced**-

ock rules. Their "biogenically enhanced computer system," or BECS, differs from a bio-neural computer system in various minor ways, but the two function identically in game terms.

TRACTOR BEAMS

The Taurhai, with their mastery of subspace and gravitic technology, have tractor beams which are stronger and more efficient than Romulan or Starfleet tractors. They cost only 2 Power per point of Strength. Additionally, when making a Test to improve the performance of Taurhai tractor beams (*Spacedock*, page 56), reduce the Difficulty of the Test by 1.

TRANSPORTERS

The Taurhai have access to all emitter/receiver types listed in the table on page 60 of **Spacedock**, including those marked as being beyond the capabilities of the Romulans, the Federation, and other like species.

CLOAKING DEVICES

With their preference for stealth and subterfuge, it seems only natural the Romulans would invent the cloaking device so early in their history. Even before they had fully-functional warp drives, they had cloaking devices, and they made good use of them to spy on the Federation and other enemies. Today, every Romulan military vessel comes equipped with a powerful cloaking device. Many Romulan civilian ships have them as well, though not always legally.

Generally speaking, Romulans don't use other forms of hiding ships, such as interferometric dispersion. They seem to prefer to rely on their tried and trusted cloaks for reasons unclear to the Federation. Though they have fought long and hard with enemies such as Starfleet, using their technical expertise to counteract various methods developed for penetrating cloaks, they have no doubt they will eventually triumph over those who wish to dispel their treasured veil of secrecy.

ROMULAN LABORATORIES

Romulans use the same rules for Science Systems and laboratories that other ships do. The table below lists the average number of labs per Size on Romulan vessels.

SHIP TYPE	Average Num	BER OF LABS	Per Size
Bird of Prey	1-3		
Courier	0-1		
Cruiser	2-4		
Dreadnought	2-7		
Frigate	1-3		
Gunship	1-2		
Medical	3-6		
Research/Labora	tory 3-7		
Scout	0-1		
Starbird	2-6		
Surveyor	2-5		
Transport	0-1		
Warbird	1-4		

	200300 0002 3 VOK2D
	ROMULAN POLITICAL OFFICER OVERLAY
	Athletics (choose Specialization) 1 (2) Computer (choose Specialization) 1 (2)
	Dodge 1 Energy Weapon (Disruptor) 1 (2) Espionage (Romulan Intelligence Techniques) 1 (2)
ļ	Interrogation (choose Specialization) 2 (3) Law (Romulan) 2 (3)
	Personal Equipment (choose Specialization) 1 (2) Planetside Survival (choose Specialization) 1 (2) Politics (Romulan) 2 (3)
	Security (choose Specialization) 2 (3) Shipboard Systems (choose Specialization) 1 (2)
	Surveillance (choose Specialization) 1 (2)

SECURITY SYSTEMS

Romulan military vessels almost always have Security ratings of at least 4. This reflects not only the high level of general watchfulness on a Romulan ship, but the presence of political officers in the crew. Political officers monitor the crew for compliance with official Romulan political and cultural doctrines and laws, reporting anyone whose belief in *D'era* seems less than devout to the appropriate authorities. The higher a ship's Security rating, the more political officers it has, and the more skilled they are at their jobs.

Vehicle Operations (choose Specialization) 1 (2)

TACTICAL SYSTEMS DISRUPTORS

The accompanying table provides Romulan terminology for disruptors. Romulan disruptors function identically to the ones described in *Spacedock*. The Romulans identify each type of disruptor with a letter from their alphabet.

Romulan Disruptor	Standard Disruptor	SU	DAMAGE	Shots per Round
ype <i>Kelcheb</i>	Type 1	4	40	2
ype <i>Suk'aa</i>	Type 1	8	60	2
ype Bethaal	Type 3	12	80	2
ype Vobac	Type 4	16	100	2
Type Eb'el	Type 5	20	120	2
ype Domash	Type 6	24	140	3
ype Chareth	Type 7	28	160	3
ype Anthep	Type 8	32	180	3
ype Prenak	Type 9	36	200	3
ype Tethpet	Type 10	40	220	3
ype Uregal	Type 11	44	240	5
ype Valkar	Type 12	48	260	5
Type Arendev	Type 13	52	280	5

CHAPTER 2

ROMULAN STARSHIP CONSTRUCTION

Туре	Base Damage	Damage Loss
Class XIV	600	6 points per +30,000 km (+1 MU)
Class XV	900	6 points per +30,000 km (+1 MU)
Class XVI	1,000	6 points per +10,000 km (+0.33 MU)
Class XVII		6 points per +10,000 km (+0.33 MU)
Class XVIII	*1,500	6 points per +10,000 km (+0.33 MU)
*• Theoret	ical advance not yet	in production

Romulan disruptors leave an anti-proton residue. The anti-proton decay allows an investigator to estimate the time of use (this requires a Routine (5) Shipboard Systems (Sensors) Test).

MISSILE WEAPONS

PLASMA TORPEDO

The primary Romulan missile weapon is the plasma torpedo (though the Star Navy also uses standard photon torpedoes in many situations). The accompanying table provides information on the various types of plasma torpedoes currently used (see also *Spacedock*, page 145, for general information on this weapon). All plasma torpedoes count as high-yield torpedoes.

Romulan plasma torpedo launchers usually have Spreads in excess of 1, even though they can only fire one plasma torpedo at a time. This allows the crew to use a launcher to fire spreads of photon or singularity torpedoes if desired.

SINGULARITY TORPEDO

The singularity torpedo is the Romulan equivalent of Starfleet's quantum torpedo, and has been a part of the Romulan arsenal since it was first introduced aboard the Vereleus-class Dread-nought in 2373. In game terms, it functions virtually identically to, and has the same ratings and effects in game terms as, a Starfleet quantum torpedo (see *Spacedock*, page 145). The Romulans designate their equivalent of the Mark I quantum torpedo as the Type

			E
Romulan Shield Generator Designation	Standard Shield Generator Designation	SU Cost	Protection
/pe R-I or R-IA	Class 1	1 x Size	10-200
ype R-IB	Class 2	2 x Size	210-400
ype R-IC	Class 3	3 x Size	410-600
ype R-ID	Class 4	4 x Size	610-800
Type R-II	Class 5	5 x Size	810-1000
Type R-III	Class 6	6 x Size	1010-1200
Type R-IV	Class 7	7 x Size	1210-1400

SUGGESTED ROM	ULAN SHUTTLE COMPLEMENTS
(shuttlecraft) Romulan s shuttlepods). A ship may permission.	es indicate the average number of Size 2 ships starships tend to carry (they can also carry Size 1 y substitute other small vessels, with the Narrator's
Bird of Prey: 0-2	Courier: 0-1
Cruiser: 20-40	Dreadnought: 30-50
Frigate: 25-40	Gunship: 5-10
Medical: 4-10	Research/Laboratory 5-15
Scout: 0-1	Starbird: 20-40
Survevor: 5-15	Transport: 0-2
Warbird: 20-30	

G-II, the Mark II as Type G-III, and so forth.

DEFLECTOR SHIELDS

The Romulans use a slightly different technology for their shields. Known as phase deflector shields, they function more or less the same as other types of shields in game terms. Narrators may wish to use the minor technical differences between Romulan and other shields as a plot point in an episode. For example, maybe analyzing the phase deflection frequency of a Romulan ship's shields, a Starfleet vessel could find a way to penetrate them more easily. The Romulans, realizing what happened in the battle, would quickly correct the flaw so that their enemies could never exploit it again.

The accompanying table provides the Romulan designations for various shield generator types. They provide the same Protection, and use the same rules, as normal *Spacedock* shields. The Romulans may also use advanced or variant forms of shields, such as regenerative force fields.

ship recognition manual volume five Ships of the Romulan Star Empire

- PEARA REDART.

RECENT ROMULAN HISTORY

The following timeline describes some of the major events (primarily military conflicts) in Romulan history for the past 40 years, many of which have influenced, or been influenced by, starship design.

YEAR	Event
2343	Battle of Chi'tan; Star Empire defeats the Taurhai by attacking their homeworld.
2344	Attack on Klingon outpost of Narendra III
2346	Romulans attack Khitomer and massacre many Klingons
2349-51	First Taurhai Offensive
2350	Battle of Rhendasa IV
2353-57	Second Taurhai Offensive
2357	Battle of Tendasha
2354	Battle of Norkan; Admiral Alidar Jarok destroys several Federa tion colonies
2361	Blockade of Serus III
2364	First re-contact with UFP
2364	First contact with the M'rok
2365-66	Third Taurhai Offensive
2365	Battle of Yarra Sarnel
2366	Treaty of alliance signed with the M'rok
2367-68	Fourth Taurhai Offensive
2368	Battle of Eridam
2367	Battle of Vendrath Prime
2369-74	
2371	Battle of the Blue Spiral Nebula
2374	Battle of Destrix
2372	Battle of Delta Corescus; Romulans defeat a large band of piratical raiders
2374-75	Dominion War



ROMULAN STARSHIP CONSTRUCTION

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

CHAPTER THREE: The Romulan Ship Registry

PART ONE VESSELS OF THE ROMULAN STAR NAVY



VESSELS OF THE ROMULAN STAR NAVY

ship recognition ma GHIPG OF THF ROM

D'DERIDEX CLASS

Class and Type: D'deridex-Class Heavy Warbird Commissioning Date: 2361; underwent class-wide upgrades 2371

SYSTEM

HULL SYSTEMS

Size: 10

Length: 1,041.65 meters Beam: 772.43 meters Height: 285.47 meters Decks: 63 Mass: 4,320,000 metric tonnes SUs Available: 3,450 SUs Used: 3,415 Hull **O**uter

Inner

Resistance

Outer Hull: 10 Inner Hull: 10

Structural Integrity Field Main: Class 7 (Protection 100/150) [1 Power/10 Protection/round] Backup: Class 7 (Protection 50) [1 Power/10 Protection/round] Backup: Class 7 (Protection 50) [1 Power/10 Protection/round] Specialized Hull: Cloak-Enhancing

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 1,500/400/10,000

CREW QUARTERS

CREW QUARTERS
Spartan: 200
Basic: 1,000
Expanded: 300
Luxury: 85
Unusual: 20
Environmental Systems
Basic Life Support [12 Power/round]
Reserve Life Support [6 Power/round]
Emergency Life Support (60 emergency shelters)
Gravity [5 Power/round]
Consumables: 3 years' worth
Replicator Systems
Food Replicators [10 Power/round]
Industrial Replicators
Type: Two networks of small replicators [2 Power/round]
Type: 3 large units [2 Power/replicator/round]
Medical Facilities: 9 (+2) [9 Power/round]
Recreation Facilities: 7 [14 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [1 Power/round when active]
Cargo Holds: 100,000 cubic meters
Locations: Ventral main hull, dorsal main hull, 15 other locations
Escape Pods
Number: 220

Capacity: 8 persons per pod

PROPULSION SYSTEMS

SUs

Js	WARP PROPULSION SYSTEM Nacelles: Type 5C6	68
	Speed: 5.0/8.2/9.6 [1 Power/.2 warp speed] PIS: Type H (12 hours of Maximum warp)	16
	Uprating: Package 2 (+0.2 for Sustainable)	4
	Impulse Engine	•
	Type: Class 4A (.6c/.85c) [6/8 Power/round]	22
	Location: Main hull	
	Impulse Engine	
	Type: Class 4A (.6c/.85c) [5/7 Power/round]	22
	Location: Main hull	10
	Reaction Control System (.025c) [2 Power/round when in use]	10
	POWER SYSTEMS	
40	Artificial Quantum Singularity Drive	
40	Type: Type VIII (generates 780 Power/round)	153
12	Location: Main hull	
12	Engine Core Ejection System: Yes	10
12	Impulse Engine[s]: 2 Class 4A (generate 35 Power/engine/round)	
40	Auxiliary Power: 6 reactors (generate 5 Power/reactor/round)	18
20	Emergency Power: Type F (generates 50 Power/round)	50
20	EPS: Standard Power flow, +400 Power transfer/round	90
20	Standard Usable Power: 850	
	OPERATIONS SYSTEMS Bridge: Command hull dorsal forward	50
	Auxiliary Control Room: Main hull	30
10	Computers	
100 60	Computers Core 1: Command hull [5 Power/round]	20
85	Core 2: Main hull [5 Power/round]	20
20	Core 3: Main hull [5 Power/round]	20
20	Uprating: Class Beta (+2) [2 Power/computer/round]	4
40	ODN	30
20	Navigational Deflector [5 Power/round]	40
20	Range: 10/20,000/50,000/150,000	
10	Accuracy: 5/6/8/11	
30	Location: Ventral	
	SENSOR SYSTEMS	
10	Long-range Sensors [5 Power/round]	40
29	Range Package: Type 4 (Accuracy 3/4/7/10)	
	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	
	Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
45	Strength Package: Class 9 (Strength 9)	
56	Gain Package: Class Beta (+2) Coverage: Standard	
30 10	Lateral Sensors [5 Power/round]	24
3	Strength Package: Class 9 (Strength 9)	24
9	Gain Package: Class Beta (+2)	
12	Coverage: Štandard	
-	Navigational Sensors [5 Power/round]	22
	Strength Package: Class 9 (Strength 9)	
	Gain Package: Class Beta (+2)	

CHAPTER 3 D'DERIDEX 1/4

ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

Probes: 120 Sensors Skill: 5	12
FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use] Navigational Computer	11
Main: Class 3 (+2) [2 Power/round] Backups: 2	4 2
Inertial Damping Field Main Strength: 9 [3 Power/round]	100
Number: 5 Backup Strength: 6 [2 Power/round]	25
Number: 5 Attitude Control [2 Power/round]	3
COMMUNICATIONS SYSTEMS Type: Class 8 [2 Power/round] Strength: 8 Security: -5 (Class Delta uprating)	26
Basic Uprating: Class Beta (+2) Emergency Communications: Yes [2 Power/round]	1
TRACTOR BEAMS Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Forward dorsal Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Forward ventral, on boom between main and command hulls Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Aft ventral Emitter: Class Alpha [3 Power/Strength used/round] Accuracy: 5/6/8/11 Location: One in each shuttlebay	6
TRANSPORTERS Type: Personnel [5 Power/use] Pads: 6	144
Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class I (Strength 9) Number and Location: Four in command hull, four in main hull	144
Type: Emergency [7 Power/use] Pads: 24 Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class I (Strength 9)	144
Number and Location: Four in command hull, four in main hull Type: Cargo [4 Power/use] Pads: 400 kg	112
Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class I (Strength 9) Number and Location: Two in command hull, six in main hull Cloaking Device: Class 10 [40 Power/class/round]	40
SECURITY SYSTEMS Rating: 5	20
Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]	10 10

Z	SCIENCE SYSTEMS		
	Rating 3 (+2) [3 Power/round]	25	
	Specialized Systems: 3	15	
	Laboratories: 25	6	
		·	
11	TACTICAL SYSTEMS		
	Forward Disruptor Array	58	
4		50	
2	Type: Arendev		
	Damage: 280 [28 Power]		
)0	Number of Emitters: Up to 5 shots per round		
	Targeting System: Accuracy 4/5/7/10		
	Range: 10/30,000/100,000/300,000		
25	Location: Forward command hull		
	Firing Arc: 360 degrees forward		
	Firing Modes: Standard, Pulse		
3	Forward Dorsal Disruptor Array	50	
5	Type: Uregal		
	Damage: 240 [24 Power]		
26	Number of Emitters: Up to 5 shots per round		
	Targeting System: Accuracy 4/5/7/10		
	Range: 10/30,000/100,000/300,000		
	Location: Forward dorsal		
1			
	Firing Arc: 360 degrees dorsal		
2	Firing Modes: Standard, Pulse	50	
4	Forward Ventral Disruptor Array	50	
	Type: Uregal		
2	Damage: 240 [24 Power]		
2	Number of Emitters: Up to 5 shots per round		
	Targeting System: Accuracy 4/5/7/10		
	Range: 10/30,000/100,000/300,000		
2	Location: Forward ventral		
	Firing Arc: 360 degrees ventral		
	Firing Modes: Standard, Pulse		
6	Aft Dorsal Disruptor Array	50	
	Type: Uregal		
	Damage: 240 [24 Power]		
	Number of Emitters: Up to 5 shots per round		
4	Targeting System: Accuracy 4/5/7/10		
	Range: 10/30,000/100,000/300,000		
	Location: Aft dorsal		
	Firing Arc: 360 degrees dorsal		
	Firing Modes: Standard, Pulse		
14	Aft Ventral Disruptor Array	50	
	Type: Uregal	50	
	Damage: 240 [24 Power]		
	Number of Emitters: Up to 5 shots per round		
	Targeting System: Accuracy 4/5/7/10		
2	Range: 10/30,000/100,000/300,000		
	Location: Aft ventral		
	Firing Arc: 360 degrees ventral		
	Firing Modes: Standard, Pulse		
	Command Hull Ventral Disruptor Array	50	
10	Type: Uregal		
	Damage: 240 [24 Power]		
20	Number of Emitters: Up to 5 shots per round		
10	Targeting System: Accuracy 4/5/7/10		
10	Range: 10/30,000/100,000/300,000		
	Location: Command hull ventral		
	Firing Arc: 360 degrees ventral		
	Firing Modes: Standard, Pulse		
	- · · ·		

D'DERIDEX 2/4

Forward Plasma Torpedo Launcher (High-Yield)	28
Standard Load: Class XIV plasma torpedo (600 Damage; see rules)	
Spread: 10	
Range: See text	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Forward	
Firing Arc: Forward, but are self-guided	
Aft Plasma Torpedo Launcher (High-Yield)	28
Standard Load: Class XIV plasma torpedo (600 Damage; see rules)	
Spread: 10	
Range: See text	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Aft	
Firing Arc: Aft, but are self-guided	
Torpedoes Carried: 60 Class XIVplasma; 240 Type G-II singularity	30
TA/T/TS: Class Gamma [2 Power/round]	12
Strength: 9	
Bonus: +2	
Weapons Skill: 5	
Shields (Forward, Aft, Port, Starboard) 14	7 (x4)
Shield Generator: Type R-IV (Protection 1300) [130 Power/round]	
Shield Grid: Type C (50% increase to 1950 Protection)	
Subspace Field Distortion Amplifiers: Class lota (Threshold 430)	
Recharging System: Class 1 (45 seconds)	
Backup Shield Generators: 4 (1 per shield)	12
Auto-Destruct System	10
AUXILIARY SPACECRAFT SYSTEMS	
Shuttlebay(s): Capacity for 40 Size worth of ships	80

Standard Complement: 16 shuttlecraft, 8 shuttlepods Location(s): Main hull ventral, main hull dorsal

Captain's Yacht: Yes

DESCRIPTION AND NOTES

FLEET DATA: The *D'deridex*-class warbird, a vessel whose very appearance strikes fear into the heart of the enemies of the Star Empire, is the primary capital ship of the Romulan people (though not the largest; that distinction goes to the Vereleus-class Dreadnought). Since the Empire first fielded it in 2361, it has become the core ship of the Star Navy and its most commonly seen ship, both by the Romulan people and by their enemies.

The D'deridex's design lineage begins in the late 23rd century, when the Star Empire first fielded the Argus-class Warbird in its many conflicts against the Klingons and other species. After the disastrous outcome of the Tomed Incident (2311), in which Starfleet inflicted substantial losses on the Star Navy, and ultimately defeated it, by discovering and exploiting certain weaknesses in the Argus class, Romulan engineers began developing other ships which would include the Argus's strengths but lack its weaknesses. The result was the Men'los class Warbird, which entered service in 2322. The Men'los resembled the Argus in certain respects, but was larger, more powerful, and had a slightly "rounded" hull to improve the effectiveness of the cloaking device. Several upgrades of the class, to exploit new technologies, occurred over the next 20 years, during which the class served with distinction. In the late 2340s, when the Men'los began to show its age, the Star Navy put its best designers to work again.

I'DERID

28 The result, over 15 years later, was the D'deridex, at the time the largest and most powerful ship the Star Navy had ever designed. It contained a number of key technological innovations which have since become standard on Romulan ships. First, the shape and composition of its hull enhance the functioning of the cloaking device (as do the power management systems, which the engineers designed for maximum efficiency to free up as much power as possible for the cloak and, in battle, weapons). Second, its 28 deep-space sensors were also optimized to work while cloaked, thus eliminating a problem that had plagued the Star Navy for almost a century. Third, its bilateral navigation arrays enabled it to travel further, and more accurately, than any other Romulan ship ever designed. Class-wide upgrades in 2371 improved the D'deridex's systems, and a second round of upgrades, scheduled to begin in 2378, will allow the D'deridex to continue its role as a frontline vessel into the 2380s and beyond.

Initially, the D'deridex served as a jack-of-all-trades, performing missions ranging from defense against the Taurhai, to covert aggression against the Federation, to exploration of deep space. Since it was first launched, the Star Navy has designed and commissioned many new, more specialized ships and transferred some of the D'deridex's missions to them, thus freeing the ship up for the more purely military assignments it was originally intended for. But regardless of this "diminishment" of its responsibilities, it remains the most frequently manufactured ship in the Star Empire; every spacedock and shipyard throughout Romulan space builds or repairs D'deridexs on a regular basis. Most Romulans powerful

enough to control their own fleets use a D'deridex as their flagship.

10

The D'deridex carries many potent offensive systems (and moreover, as some Starfleet personnel suspect, the ship's very size is a subtle psychological weapon, designed to intimidate existing and potential opponents). Its powerful forward disruptor, of type Arendev, allows it to meet any challenge head-on, and if that's not enough, it also has a plasma torpedo launcher mounted in the same place. Five other disruptors (all type Uregal) and an aft plasma torpedo launcher complete its primary tactical package. After observing the ships of several other species during the Dominion War, the Star Navy's engineers have begun planning to add more disruptors, and perhaps some smaller photon torpedo launchers, to the ship during the 2378 upgrade process. But of course, the ship's most powerful weapon is its cloaking device, which it uses to, among other things, cross into the Federation Neutral Zone on covert missions.

NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: D'deridex, prototype; T'dir, destroyed by an unknown enemy vessel (now believed to be a Borg cube) while defending Outpost 47 (2364); Haakona, while under the command of Subcommander Taris, nearly destroyed by Iconian software weapon while investigating illegal Federation activities in the Neutral Zone (2365); D'dereq, lost following a bizarre, garbled transmission about "colored lights" and "firey clouds" while patrolling the Federation Neutral Zone (2366); Nacares, destroyed while attempting to capture or destroy "Tin Man" interstellar life form in the Beta Stromgren system (2366); D'seret, a member of the fleet assigned to Commander Sela for her partly successful effort to destabilize the Klingon government (2367); Devoras, under command of Admiral Mendak rendezvoused with the Federation starship U.S.S.

Enterprise-D for supposed negotiations which actually involved the recovery of the deep-cover Tal Shiar agent Subcommander Selok (2367), D'vairin, patrolled the Federation Neutral Zone, detecting and preventing three separate attempts by the Federation to enter the Zone and/or Romulan space in violation of treaty (2368-69); Tarlon, the wingship of the Imperial Response Fleet, Diodor Sector (2368-73); Khazara, while under command of Commander Toreth, captured by Federation agents assisting Vice-Proconsul M'ret to defect to the UFP (2369); T'deret, the legendary wingship of the Third Tullan Fleet, destroyed three Taurhai Star Dragons during the Fifth Taurhai Offensive (2369-74); Terix, while under command of Commander Sirol, attempted to acquire wreckage of Federation starship U.S.S. Pegasus to prove Starfleet had engaged in illegal cloaking device experimentation (2370); Dividices, survived the massacre at Pennral VII due to the cleverness of her commander, Centurion Breget, who dodged several Taurhai attacks and escaped to bring word of the surprise attack to the Star Empire (2371); Makar, lost, along with several other ships, during Tal Shiar-orchestrated attack on the homeworld of the Founders (2371); T'salvan, crippled by the Jem'Hadar during efforts to liberate Betazed (2375); D'dara, destroyed during the Battle of Cardassia after herself destroying two Jem'Hadar Battle Cruisers (2375); D'taret, entered Gamma Quadrant on three-year exploratory mission (2376).

D'DERIDEX 4/4

recognition m GHIPG OF THF RN

DERESEUS CLASS

Class and Type: Deresus-Class Heavy Scout **Commissioning Date: 2321**

SYSTEM

HULL SYSTEMS

Size: 5

Length: 217.18 meters Beam: 94.32 meters Height: 29.55 meters Decks: 5 Mass: 376,550 metric tonnes SUs Available: 1,300 SUs Used: 1,270

HULL

Outer Inner

RESISTANCE

Outer	Hull:	8
Inner	Hull:	8

STRUCTURAL INTEGRITY FIELD

Main: Class 4 (Protection 70/110) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]
Specialized Hull: Atmospheric Capability; Planetfall Capability

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 45/150/2,675

CREW QUARTERS

Spartan: 80
Basic: 40
Expanded: 5
Luxury: 3
Unusual: 1
Environmental Systems
Basic Life Support [10 Power/round]
Reserve Life Support [5 Power/round]
Emergency Life Support (30 emergency shelters)
Gravity [3 Power/round]
Consumables: 2 years' worth

REPLICATOR **S**YSTEMS

Food Replicators [5 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Medical Facilities: 5 (+1) [5 Power/round] **Recreation Facilities:** 4 [8 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 10,000 cubic meters Locations: Four locations throughout ship Escape Pods Number: 120

DEREGUG 1/3 <

Capacity: 4 persons per pod

CHAPTER 3

PROPULSION SYSTEMS

SUS	WARP PROPULSION SYSTEM Nacelles: Type 5D Speed: 5.0 (2.5 (0.1.5) Power (2. warp speed)	70
	Speed: 5.0/8.5/9.1 [1 Power/.2 warp speed] PIS: Type E (8 hours of Maximum warp) Uprating: Package 1 for Sustainable, Maximum	10 4
	Impulse Engine	4
	Type: Class 5 (.7c/.9c) [7/9 Power/round]	25
	Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when active] Location: Aft	2
	Reaction Control System (.025c) [2 Power/round when in use]	5
	POWER SYSTEMS	
20	Artificial Quantum Singularity Drive	••
20	Type: Type IV (generates 350 Power/round) Location: Aft amidships	90
•	Engine Core Ejection System: Yes	5
9 9	Impulse Engine[s]: 1 Class 5 (generates 40 Power/engine/round)	
7	Auxiliary Power: 2 reactors (generate 5 Power/reactor/round)	6
26	Emergency Power: Type D (generates 40 Power/round) EPS: Standard Power flow, +120 Power transfer/round	40 37
13		37
13	Standard Usable Power: 390	
10	OPERATIONS SYSTEMS	
	Bridge: Command hull	25
	Computer	
4	Core 1: Main hull [5 Power/round]	10
4 4	Uprating: Class Alpha (+1) [1 Power/computer/round] ODN	2 15
1	Navigational Deflector [5 Power/round]	20
3 1	Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11	
20	Location: Forward ventral	
10	Sensor Systems	46
10	Long-range Sensors [5 Power/round] Range Package: Type 7 (Accuracy 3/4/7/10)	40
5	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.8/3.9-5.0)	
10	Low Resolution: 17 light-years (1/1.1-6.0/6.1-13.0/13.1-17)	
_	Strength Package: Class 6 (Strength 6)	
5 5	Gain Package: Class Beta (+2)	
С	Coverage: Standard Lateral Sensors [5 Power/round]	18
25	Strength Package: Class 6 (Strength 6)	10
32	Gain Package: Class Beta (+2)	
15	Coverage: Standard	
5	Navigational Sensors [5 Power/round]	16
1	Strength Package: Class 6 (Strength 6) Gain Package: Class Beta (+2)	
6	Probes: 60	6
•	Sensors Skill: 4	•

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use] Navigational Computer Main: Class 2 (+1) [1 Power/round] Backups: Two
Inertial Damping Field Main
Strength: 9 [3 Power/round] Number: 2 Backup
Strength: 6 [2 Power/round] Number: 3
Attitude Control [1 Power/round]
COMMUNICATIONS SYSTEMS Type: Class 6 [2 Power/round] Strength: 6 Security: -3 (Class Gamma uprating)
Basic Uprating: Class Alpha (+1)
Emergency Communications: Yes [2 Power/round]
TRACTOR BEAMS
Emitter: Class Beta [3 Power/Strength used/round]
Accuracy: 5/6/8/11 Location: Forward
Emitter: Class Alpha [3 Power/Strength used/round]
Accuracy: 5/6/8/11
Location: Shuttlebay
TRANSPORTERS
Type: Personnel [4 Power/use] Pads: 4
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)
Energizing/Transition Coils: Class G (Strength 7)
Number and Location: One in command hull, one in main hull
Type: Emergency [5 Power/use]
Pads: 16 Emitter/Receiver Array: Emergency Type 3 (15,000 km range)
Energizing/Transition Coils: Class G (Strength 7)
Number and Location: One in command hull, two in main hull
Type: Cargo [4 Power/use]
Pads: 400 kg Emitter/Receiver Array: Cargo Type 3 (40,000 km range)
Energizing/Transition Coils: Class G (Strength 7)
Number and Location: Two in main hull
Cloaking Device: Class 8 [40 Power/class/round]
SECURITY SYSTEMS
Rating: 3 Anti-Intruder System: Yes [1 Power/round]
Internal Force Fields [1 Power/3 Strength]
SCIENCE SYSTEMS
Rating 1 (+0) [1 Power/round]
Specialized Systems: 1 (Stellar Cartography) Laboratories: 6

017

TACTICAL SYSTEMS

	Forward Disruptor Array	31
11	Type: Chareth	
	Damage: 160 [16 Power]	
2	Number of Shots: Up to 3 shots per round	
2	Targeting System: Accuracy 5/6/8/11	
	Range: 10/30,000/100,000/300,000	
20	Location: Forward	
	Firing Arc: 360 degrees forward	
	Firing Modes: Standard, Pulse	
9	Dorsal Disruptor Array	31
	Type: Chareth	
	Damage: 160 [16 Power]	
1	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 5/6/8/11	
17	Range: 10/30,000/100,000/300,000	
.,	Location: Dorsal	
	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	
1	Ventral Disruptor Array	31
•	Type: Chareth	
4	Damage: 160 [16 Power]	
6	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 5/6/8/11	
2	Range: 10/30,000/100,000/300,000	
3	Location: Ventral	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	
	Forward Torpedo Launcher	15
30	Standard Load: Type II photon torpedo (200 Damage)	
	Spread: 4	
	Range: 15/350,000/1,500,000/4,050,000	
	Targeting System: Accuracy 4/5/7/10	
	Power: [20 + 5 per torpedo fired]	
42	Location: Forward	
	Firing Arc: Forward, but are self-guided	
	Aft Torpedo Launcher	15
	Standard Load: Type II photon torpedo (200 Damage)	
	Spread: 4	
28	Range: 15/350,000/1,500,000/4,050,000	
	Targeting System: Accuracy 4/5/7/10	
	Power: [20 + 5 per torpedo fired]	
	Location: Aft	
~ ~	Firing Arc: Aft, but are self-guided	
29	Torpedoes Carried: 14	2
	TA/T/TS: Class Alpha [O Power/round]	6
12	Strength: 7	
5	Bonus: +0	
5	Weapons Skill: 3	
	Shields (Forward, Aft, Port, Starboard)	34 (x4)
10	Shield Generator: Type R-IC (Protection 420) [42 Power/shield/round]	
5	Shield Grid: Type B (33% increase to 560 Protection)	
2	Subspace Field Distortion Amplifiers: Class Gamma (Threshold 140)	
	Recharging System: Class 1 (45 seconds)	
	Backup Shield Generators: 4 (1 per shield)	4
	Auto-Destruct System	5

DEREGUG 2/3

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 10 Size worth of ships Standard Complement: 5 shuttlecraft Location(s): Aft ventral Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: Early in the 23rd century, after the Star Empire withdrew from contact with the Federation and began concentrating on exploring uncharted regions of territory to claim and exploit, the need arose for a new type of scout ship—one sturdier, more combat-capable, and more able to undertake long-range missions than the existing *T'varek*-class near-space scout, which the Star Navy mainly used for military reconnaissance. With these requirements in mind, the Corps of Starship Engineers, working with a mandate and funding direct from the Praetor himself, developed the *Deresus*-class Heavy Scout, the first such vessel ever fielded by the Romulans.

Built for long-term scouting and exploration missions, the *Deresus* quickly proved it could not just live up to, but surpass, the Praetor's expectations. Able to withstand the rigors of constant space travel and the dangers posed by stellar anomalies and encounters with hostile beings, the *Deresus* helped to expand the Empire's borders by leaps and bounds. It became so popular and renowned that the Corps designed an almost identical, but larger, ship, the *Nir'at*-class Heavy Scout. When the Empire needed a lighter, shorter-range, but swifter scout ship in the late 2350s, the *Deresus* again provided inspiration, contributing not only systems but the experiences of many of its pilots, who designed the *Tirethi*-class Scout.

Although now over fifty years old, the *Deresus* class continues to serve on all the frontiers of the Empire. When the Corps of Starship Engineers sets out to build a ship that can last, it doesn't do things by halves; many *Deresus* class ships continue to function superbly with only scheduled routine maintenance and occasional minor system upgrades. During the Dominion War, many *Deresuses* were enlisted to conduct reconnaissance against the enemy. Now that victory has removed all obstacles to exploration of the Gamma Quadrant, no doubt some *Deresus*-class ships will journey through the wormhole to see what wonders lie on the other side.

When originally designed, the *Deresus* had a standard matter/ antimatter warp drive. Pursuant to the Praetorian Edict of 2348 (known to Starfleet and other enemies and rivals of the Empire as the "Expansion Directive"), the Exploration Command began the process of class-wide engine upgrades. This work helped the Corps of Starship Engineers refine its ideas for the artificial quantum singularity drive, and when that technology became available for installation aboard smaller ships, the *Deresus* again underwent upgrades. As Romulan scientists continue to push back the frontiers of scientific and technological development, no doubt the *Deresus* will again see its systems improved so that it can continue advancing the cause of *D'era* as swiftly and surely as possible.

Physically, the *Deresus* consists of a solid, rectangular main hull with a small command hull (including a cockpit-like bridge) projecting from the forward end. The wing pylons project straight out to the side, holding the warp nacelles at their ends. For times when

снарт

it cannot avoid encounters with enemies or dangerous obstacles,the ship carries Type *Chareth* disruptors and two photon torpedo launchers.

Noteworthy vessels/service records/encounters: Deresus, prototype; Sharet, initiated first contact with the Gren-ti (2333); D'jarek, served as a testbed for experiments with the artifical quantum singularity drive (2350-52); Averek, final transmission cut off during mid-report, disappeared while exploring the Empty Frontier (2359); Suretak, destroyed by enemy forces while scouting Taurhai positions during the Third Taurhai Offensive (2365); T'varian, participated in attempted invasion of Vulcan (2368); Torelan, assigned to Rimward Exploratory Wing, discovered 16 Class M planets during its tenure there, destroyed by plasma storm (2367-71); Vurin, scouted enemy positions and fleet movements in the Kalandra Sector (2375); V'tirex, on multi-year mission to explore beyond the coreward frontier (2374-present).

DEREGUG 3/3

9 h VOI **FMPIRF** D'GEROK CLASS

Class and Type: D'gerok-class Assault Gunship (Heavy Frigate) **Commissioning Date: 2364**

SYSTEM

HULL SYSTEMS

Size: 6

Length: 343.25 meters Beam: 160.20 meters Height: 57.85 meters Decks: 12 Mass: 1,397,000 metric tonnes SUs Available: 2,300 SUs Used: 2,166

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10 Ablative Armor: 600

STRUCTURAL INTEGRITY FIELD

Main: Class 5 (Protection 80/120) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]
Specialized Hull: Atmospheric Capability

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 337/219/3,650

CREW QUARTERS

Spartan: 200	
Basic: 200	
Expanded: 100	
Luxury: 35	
Unusual: 10	
Environmental Systems	
Basic Life Support [10 Power/round]	
Reserve Life Support [5 Power/round]	
Emergency Life Sunnort (36 emergency shelters)	

Emergency Lite Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 2 years' worth

REPLICATOR SYSTEMS

Food Replicators [6 Power/round]
Industrial Replicators
Type: Network of small replicators [2 Power/round]
Type: 1 large unit [2 Power/replicator/round]
Medical Facilities: 5 (+1) [5 Power/round]
Recreation Facilities: 6 [12 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [1 Power/round when active]
Cargo Holds: 100,000 cubic meters
Locations: 8 locations throughout ship

	Escape Poo	
	Number:	140
	Capacity:	8 persons per pod
SUs		

PROPULSION SYSTEMS

	WARP PROPULSION SYSTEM	
	Nacelles: Type 5A	55
	Speed: 5.0/7.0/8.0 [1 Power/.2 warp speed]	17
	PIS: Type H (12 hours of Maximum warp)	16
	Uprating: Package 1 for Standard, Sustainable, and Maximum Special Configuration: Embedded	6 24
		24
	IMPULSE ENGINE	18
	Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Main hull	10
24	Type: Class 3A (.5c/.75c) [5/7 Power/round]	18
24	Location: Main hull	10
	Reaction Control System (.025c) [2 Power/round when in use]	6
12		
12	POWER SYSTEMS	
120	WARP ENGINE	
20	Type: Class 8/N (generates 440 Power/round)	94
30 15	Location: Main hull	,
15	Warp Core Ejection System: Yes	6
6	Impulse Engine[s]: 2 Class 3A (generate 28 Power/engine/round) Auxiliary Power: 4 reactors (generate 5 Power/reactor/round)	12
•	Emergency Power: Type D (generates 40 Power/round)	40
	EPS: Standard Power flow, +300 Power transfer/round	60
	Standard Usable Power: 496	
10 20	OPERATIONS SYSTEMS	
20	Bridge: Command hull	30
35	Computers	50
10	Computers Core 1: Command hull [5 Power/round]	12
	Core 2: Main hull, forward [5 Power/round]	12
24	Core 3: Main hull, aft [5 Power/round]	12
12	Uprating: Class Alpha (+1) [1 Power/computer/round]	6
12	ODN	18
6	Navigational Deflector [5 Power/round]	24
12	Range: 10/20,000/50,000/150,000	
-	Accuracy: 5/6/8/11	
6	Location: Ventral main hull	
9	Sensor Systems	
	Long-range Sensors [5 Power/round]	40
25	Range Package: Type 4 (Accuracy 3/4/7/10)	
48	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
18	Strength Package: Class 9 (Strength 9)	
6	Gain Package: Class Beta (+2)	
3	Coverage: Standard	

3 Coverage: Standard

D'GEROK 1/3

CHAPTER 3

	-	ship recognition manual volume	Five
SHIPS OF		IE ROMULAN STAR EMP	IRE
Lateral Sensors [5 Power/round] Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard	24	SECURITY SYSTEMS Rating: 4 Anti-Intruder System: Yes [] Power/round] Internal Force Fields [] Power/3 Strength]	1 6 6 6
Navigational Sensors [5 Power/round] Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Probes: 20	22 4	SCIENCE SYSTEMS Rating 2 (+1) [2 Power/round] Specialized Systems: 1	16 5
Sensors Skill: 3	-	Laboratories: 8	2
FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use] Navigational Computer Main: Class 2 (+1) [1 Power/round] Backups: Two Navigational Description Signal	11 2 2	TACTICAL SYSTEMS Forward Disruptor Array Type: Valkar Damage: 260 [26 Power] Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10	54
Inertial Damping Field Main Strength: 8 [3 Power/round] Number: 3	36	Range: 10/30,000/100,000/300,000 Location: Forward command hull Firing Arc: 360 degrees forward Firing Modes: Standard, Pulse	
Backup Strength: 5 [2 Power/round] Number: 3 Attitude Control [2 Power/round]	9 2	Forward Dorsal Disruptor Array Type: Uregal Damage: 240 [24 Power] Number of Emitters: Up to 5 shots per round	50
COMMUNICATIONS SYSTEMS Type: Class 7 [2 Power/round] Strength: 7 Security: -4 (Class Gamma uprating) Basic Uprating: Class Alpha (+1)	19	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Forward dorsal Firing Arc: 360 degrees dorsal Firing Modes: Standard, Pulse	
Emergency Communications: Yes [2 Power/round]	1	Forward Ventral Disruptor Array	50
TRACTOR BEAMS Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Forward	9	Type: <i>Uregal</i> Damage: 240 [24 Power] Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10	
Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Aft	9	Range: 10/30,000/100,000/300,000 Location: Forward ventral Firing Arc: 360 degrees ventral Firing Modes: Standard, Pulse	
Emitter: Class Alpha [3 Power/Strength used/round] Accuracy: 5/6/8/11 Location: Shuttlebay	3	Aft Dorsal Disruptor Array Type: Uregal Damage: 240 [24 Power]	50
TRANSPORTERS Type: Personnel [5 Power/use] Pads: 6 Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class H (Strength 8)	68	Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Aft dorsal Firing Arc: 360 degrees dorsal	
Number and Location: Two in command hull, two in main hull Type: Emergency [5 Power/use] Pads: 16 Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class H (Strength 8)	60	Firing Modes: Standard, Pulse Aft Ventral Disruptor Array Type: <i>Uregal</i> Damage: 240 [24 Power] Number of Emitters: Up to 5 shots per round	50
Number and Location: Two in command hull, two in main hull Type: Cargo [4 Power/use] Pads: 400 kg Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class H (Strength 8) Number and Location: One in command hull two in main hull	45	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Aft ventral Firing Arc: 360 degrees ventral Firing Modes: Standard, Pulse	
Number and Location: One in command hull, two in main hull Cloaking Device: Class 8 [40 Power/class/round]	30		

CHAPTER 3

D'GEROK 2/3 <

020

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

Forward Starboard Plasma Torpedo Launcher (High-Yield) 28 Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward, starboard Firing Arc: Forward, but are self-guided Forward Port Plasma Torpedo Launcher (High-Yield) 28 Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward, port Firing Arc: Forward, but are self-guided Aft Starboard Plasma Torpedo Launcher (High-Yield) 28 Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Aft, starboard Firing Arc: Aft, but are self-auided Aft Port Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Aft, port Firing Arc: Aft, but are self-guided Torpedoes Carried: 300 Class XIV plasma; 100 Type G-II singularity 40 TA/T/TS: Class Gamma [2 Power/round] 12 Strength: 9 Bonus: +2 Weapons Skill: 5 Shields (Forward, Aft, Port, Starboard) 64 (x4) Shield Generator: Type R-ID (Protection 800 + 100 [embedded nacelles]) [80 Power/shield/round] Shield Grid: Type C (50% increase to 1200 Protection) Subspace Field Distortion Amplifiers: Class Zeta (Threshold 260 + 10 [embedded nacelles1) Recharging System: Class 1 (45 seconds) **Backup Shield Generators: 4 (1 per shield)** 8 Auto-Destruct System 6 AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 10 Size worth of ships Standard Complement: 5 shuttlecraft Location(s): Aft, port and starboard Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: Many Romulans consider the *D'gerok*-class Assault Gunship one of the most unusual-looking vessels in their fleet. Designed by an engineer who studied Cardassian shipbuilding philosophies, it features embedded warp nacelles. This slows the ship slightly, but results in a stronger shield envelope. As a result, the ship lacks the typical "wing pylons" so common on Romulan

- **8** vessels. Instead, its command hull (which has a more diamondshaped profile when viewed dorsally than most Romulan command hulls) attaches directly to its roughly rectangular main hull. The forward half of the main hull is slightly larger and broader than the aft half. After 2371, ships of this class are retrofitted with ablative armor as well.
- The embedded nacelle design suits the *D'gerok* quite well, since its primary mission profile—assaulting space stations and planets—requires heavy defenses and powerful weaponry more than speed and maneuverability. With its multiple disruptor banks and four plasma torpedo launchers, the *D'gerok* presents a threat to even the most heavily-defended stationary target. Since moving targets may have the ability to outmaneuver it, it usually flies in tandem with swifter Romulan vessels when confronting them.

NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: D'gerok, prototype; S'trala, participated in attack on Taurhai star-fortress in the Algirian system during Fourth Taurhai Offensive (2367); *Thal'tatir*, destroyed with all hands aboard due to systems malfunction which was later corrected in all other members of the class (2372); *Peth'lar*, destroyed three orbital defense platforms during offensive to free Benzar (2374), *Otoroth*, destroyed in suicide run on Jem'Hadar Battle Cruiser during offensive to free Benzar (2374); *T'vaktal*, participated in attempts to loosen the Breen's grip on the Chin'toka system, led a *D'gerok* wing that destroyed a Breen defense platform (2375).

D'GEROK 3/3

20

Ship recognition manual volume fiv Ships of the ROMULAN STAR EMPIRE

D'VALEK CLASS

Class and Type: D'valek-Class Swift Warbird Commissioning Date: 2368

SYSTEM

HULL SYSTEMS

Size: 10

Length: 822.35 meters Beam: 753.77 meters Height: 303.46 meters Decks: 67 Mass: 6,230,500 metric tonnes SUs Available: 3,250 SUs Used: 3,122

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 6 (Protection 90/130) [1 Power/10 Protection/round]
Backup: Class 6 (Protection 45) [1 Power/10 Protection/round]
Backup: Class 6 (Protection 45) [1 Power/10 Protection/round]
Specialized Hull: Cloak-Enhancing

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 1,450/5,513/19,000

CREW QUARTERS

Spartan: 3,300		
Basic: 450		
Expanded: 75		
Luxury: 23		
Unusual: 12		

ENVIRONMENTAL SYSTEMS

Basic Life Support [13 Power/round]
Reserve Life Support [7 Power/round]
Emergency Life Support (60 emergency shelters)
Gravity [5 Power/round]
Consumables: 3 years' worth

(Consumables: 3 years' worth
Fo In Ty Ty M	PLICATOR SYSTEMS od Replicators [10 Power/round] dustrial Replicators pe: 2 networks of small replicators [2 Power/round] pe: 3 large units [2 Power/replicator/round] edical Facilities: 8 (+2) [8 Power/round] IH: Mark I [2 Power/round when active]
Re Pe Fir Ca Lo	recreation Facilities: 8 [16 Power/round] rsonnel Transport: Turbolifts, Jefferies tubes [2 Power/round] e Suppression System [1 Power/round when active] rgo Holds: 100,000 cubic meters cations: 15 locations throughout ship cape Pods

```
Number: 240
```

CHAPTER 3

Capacity: 8 persons per pod

PROPULSION SYSTEMS

SUs	WARP PROPULSION SYSTEM Nacelles: Type 6D Speed: 6.0/9.2/9.6 [1 Power/.2 warp speed] PIS: Type C (6 hours of Maximum warp)	105 6
	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when active] Location: Aft	25 2
40 40 12	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when active] Location: Aft, to port and starboard Reaction Control System (.025c) [2 Power/round when in use]	25 2 10
12	POWER SYSTEMS	
37 19 19	ARTIFICIAL QUANTUM SINGULARITY DRIVE Type: Type VII (generates 750 Power/round) Location: Amidships	150
20	Engine Core Ejection System: Yes Impulse Engine[s]: 2 Class 5 (generate 40 Power/engine/round) Auxiliary Power: 6 reactors (generate 5 Power/reactor/round) Emergency Power: Type F (generates 50 Power/round) EPS: Standard Power flow, +300 Power transfer/round	10 18 50 80
165	Standard Usable Power: 830	
45 15 23 12	OPERATIONS SYSTEMS Bridge: Command hull Auxiliary Control Room: Engineering hull Separation System: Command hull separation [10 Power]	50 30 10
40 20 20 10 30	COMPUTERS Core 1: Command hull [5 Power/round] Core 2: Engineering, starboard [5 Power/round] Core 3: Engineering, port [5 Power/round] Uprating: Class Beta (+2) [2 Power/computer/round] ODN	20 20 20 12 30
10 29	NAVIGATIONAL DEFLECTOR [5 POWER/ROUND] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Ventral	40
40 5 64 30 10 3 13	SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14) Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2) Coverage: Standard	36



ship recognition manual volume five Ghips of the ROMULAN STAR EMPIRE

Lateral Sensors [5 Power/round] Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2) Coverage: Standard	20	Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class H (Strength 8) Number and Location: One in command hull, three in engineering hull Cloaking Device: Class 9 [40 Power/class/round]
Navigational Sensors [5 Power/round] Strength Package: Class 7 (Strength 7)	18	SECURITY SYSTEMS
Gain Package: Class Beta (+2)		Rating: 4 Anti-Intruder System: Yes [1 Power/round]
Probes: 60 Sensors Skill: 4	6	Internal Force Fields [1 Power/3 Strength]
Sensors Skiil: 4 Flight Control Systems		Science Systems
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use]	11	Rating 2 (+1) [2 Power/round] Specialized Systems: Two Laboratories: 23
Navigational Computer	0	
Main: Class 2 (+1) [1 Power/round] Backups: Three	2	TACTICAL SYSTEMS
Inertial Damping Field	-	Forward Disruptor Array Type: Valkar
Main	60	Damage: 260 [26 Power]
Strength: 9 [3 Power/round] Number: 3		Number of Shots: Up to 5 shots per round
Backup	20	Targeting System: Accuracy 3/4/6/9
Strength: 6 [2 Power/round]	20	Range: 10/30,000/100,000/300,000 Location: Forward on command hull
Number: 4		Firing Arc: 360 degrees forward
Attitude Control [3 Power/round]	3	Firing Modes: Standard, Pulse
COMMUNICATIONS SYSTEMS	07	Forward Ventral Disruptor Array
Type: Class 8 [2 Power/round] Strength: 8	26	Type: <i>Valkar</i> Damage: 260 [26 Power]
Scurity: -5 (Class Delta uprating)		Number of Shots: Up to 5 shots per round
Basic Uprating: Class Beta (+2)		Targeting System: Accuracy 3/4/6/9
Emergency Communications: Yes [2 Power/round]	1	Range: 10/30,000/100,000/300,000
TRACTOR BEAMS	10	Location: Ventral on command hull Firing Arc: 360 degrees ventral
Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12	Firing Modes: Standard, Pulse
Location: Forward ventral		Starboard Wing Disruptor Array
Emitter: Class Delta [3 Power/Strength used/round]	12	Type: Valkar
Accuracy: 4/5/7/10		Damage: 260 [26 Power] Number of Shots: Up to 5 shots per round
Location: Forward dorsal Emitter: Class Delta [3 Power/Strength used/round]	12	Targeting System: Accuracy 3/4/6/9
Accuracy: 4/5/7/10	12	Range: 10/30,000/100,000/300,000
Location: Aft ventral		Location: Forward on starboard "wing," near where it meets the main hull
Emitter: Class Delta [3 Power/Strength used/round]	12	Firing Arc: 360 degrees forward (substantial arc shadow)
Accuracy: 4/5/7/10 Location: Aft dorsal		Firing Modes: Standard, Pulse Port Wing Disruptor Array
Emitter: Class Alpha [3 Power/Strength used/round]	6	Type: Valkar
Accuracy: 5/6/8/11	•	Damage: 260 [26 Power]
Location: Shuttlebay (x2)		Number of Shots: Up to 5 shots per round
TRANSPORTERS		Targeting System: Accuracy 3/4/6/9 Range: 10/30,000/100,000/300,000
Type: Personnel [5 Power/use]	68	Location: Forward on port "wing," near where it meets the main hull
Pads: 6 Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		Firing Arc: 360 degrees forward (substantial arc shadow)
Energizing/Transition Coils: Class H (Strength 8)		Firing Modes: Standard, Pulse
Number and Location: One in command hull, three in engineering hull		Ventral Disruptor Array Type: Valkar
Type: Emergency [6 Power/use] Pads: 20	64	Damage: 260 [26 Power]
Paas: 20 Emitter/Receiver Array: Emergency Type 3 (15,000 km range)		Number of Shots: Up to 5 shots per round
Energizing/Transition Coils: Class H (Strength 8)		Targeting System: Accuracy 3/4/6/9 Pango: 10/20.000/100.000/200.000
Number and Location: One in command hull, three in engineering hull		Range: 10/30,000/100,000/300,000 Location: Ventral amidships
Type: Cargo [4 Power/use]	52	Firing Arc: 360 degrees ventral
Pads: 400 kg		Firing Modes: Standard, Pulse

023/

D'VALEK 2/3

CHAPTER 3

37

16 10 10

20 10 6

55

55

54

54

recognition IPG OF THE ROMU

Aft Disruptor Array

Type: Valkar Damage: 260 [26 Power] Number of Shots: Up to 5 shots per round Targeting System: Accuracy 3/4/6/9 Range: 10/30,000/100,000/300,000 Location: Aft Firing Arc: 360 degrees aft Firing Modes: Standard, Pulse Aft Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 3/4/6/9 Power: [20 + 5 per torpedo fired] Location: Aft Firing Arc: Aft, but are self-quided Torpedoes Carried: 100 Class XIV plasma, 200 Type II photon TA/T/TS: Class Gamma [2 Power/round] Strength: 9 Bonus: +2 Weapons Skill: 5 Shields (Forward, Aft, Port, Starboard) Shield Generator: Type R-IV (Protection 1400) [140 Power/shield/round] Shield Grid: Type B (33% increase to 1867 Protection) Subspace Field Distortion Amplifiers: Class Theta (Threshold 400) Recharging System: Class 1 (45 seconds) **Backup Shield Generators: 4 (1 per shield)** Auto-Destruct System AUXILIARY SPACECRAFT SYSTEMS Shuttlebay(s): Capacity for 60 Size worth of ships Standard Complement: 30 shuttlecraft

Location(s): Two aft ventral, one aft dorsal **Captain's Yacht: Yes**

DESCRIPTION AND NOTES

CHAPTER

FLEET DATA: Designed during the early 2360s using many of the specifications developed by the D'deridex Design Group, the D'valek-class Swift Warbird resembles that vessel in many respects, though it is somewhat smaller. The principle differences are the lack of a ventral superstructure arcing between the nacelles, and the fact that the wing pylons sweep forward more sharply than on the D'deridex.

Along with the T'varo class, the D'valek represents a new type of ship: the Swift Warbird. Designed in part as a countermeasure for the "Fast" subcategories of ships fielded by the United Federation of Planets during the past two decades, Swift Warbirds are intended to retain much of the firepower of the heavier, less maneuverable Warbirds, while exceeding them in speed and agility. Despite its size, the D'valek is fast and nimble, able to change course and maneuver more quickly than a D'deridex or many other Warbirds. However, despite its higher Standard and Sustainable warp speeds, it cannot maintain maximum warp as long as the D'deridex, a situation Romulan engineers are laboring to correct.

During the initial design period, the Star Navy envisioned the D'valek as a long-range, heavily-armed support vessel for the enor-

55 mous S'varen-class Dreadnought. When the S'varen Project was cancelled, the Navy shifted the D'valek into a perimeter defense and rapid response role. Having proven itself adept at these tasks, and deadly in battle, the D'valek now serves as a mainstay of the Core Defense fleets (units the Star Navy assigns to territories throughout the Imperial core worlds).

During the Dominion War, several wings of D'valeks participated as part of the Romulan legions under Ar'nal Belisarus Velal. Their potent combination of size, strength, and maneuverability made 29 them a force to be reckoned with on many battlefields. Several even survived the Battle of Cardassia more or less intact, and they and their crews have since been honored for their noble efforts on behalf of the Empire.

Noteworthy vessels/service records/encounters: *D'valek*, prototype; Cestron, under the command of Centurion Va'rel served as wingship of the Garsheb Command Wing during the Fifth Tau-30 rhai Offensive (2369); Ja'gaen, destroyed in suicide run against 12 Taurhai Star Dragon in the Battle of Suindar VI during the Fifth Taurhai Offensive (2369); Imparatex, lost under mysterious circumstances while engaged in routine patrol of the Klingon border (2370); S'varan, assigned to patrol duty along Federation Neutral 130 (x4) Zone, during which it detected several potential Federation incursions (2371-75); Kormorex, flagship of Ar'nal Reteth for his command of the reserve forces which saved the day during the Battle of Delta Corescus and ensured a Romulan victory (2372); D'ressa, destroyed three enemy vessels during recapture of Benzar (2374); 12 D'daen, participated in several major Dominion War actions and 10 accounted for many enemy casualties, destroyed by Dominion

forces during final assault on Cardassia (2375); S'tel, escorted Romulan dignitaries to the signing of the Treaty of Bajor (2375).

120

5 h voiume 003 **R** EMPIRE

'VIRIN CLASS D

Class and Type: D'virin-Class Incursion Frigate Commissioning Date: 2343

SYSTEM

HULL SYSTEMS

Size: 6

Length: 389.21 meters Beam: 137.55 meters Height: 56.80 meters Decks: 12 Mass: 1,274,300 metric tonnes SUs Available: 1,800 SUs Used: 1,693 Hull **O**uter Inner Resistance

Outer Hull: 10 Inner Hull: 10

Structural Integrity Field

Main: Class 4 (Protection 70/110) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 200/90/2,300

CREW QUARTERS

Spartan: 120 Basic: 70 Expanded: 17 Luxury: 3 Unusual: 2	
ENVIRONMENTAL SYSTEMS Basic Life Support [10 Power/round] Reserve Life Support [5 Power/round] Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 3 years' worth	
REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 6 [12 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 18,000 cubic meters Locations: Five locations throughout ship Escape Pods Number: 140 Capacity: 4 persons per pod	

PROPULSION SYSTEMS

SUs

D'VIRIN 1/3

	FROFULSION STSTEMS	
	WARP PROPULSION SYSTEM	75
Us	Nacelles: Type 5E Speed: 5.6/9.0/9.2 [1 Power/.2 warp speed]	/5
	PIS: Type I (18 hours of Maximum warp)	18
	Uprating: two Package Threes for Standard	12
	IMPULSE ENGINE	05
	Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	25
	active]	2
	Location: Aft	
	IMPULSE ENGINE	
	Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	25
24	active]	2
24	Location: Aft, port and starboard	
10	Reaction Control System (.025c) [2 Power/round when in use]	6
12 12	POWER SYSTEMS	
12	WARP ENGINE	
25		110
13 13	Location: Amidships Ware Core Fighting Sustaines Veg	,
15	Warp Core Ejection System: Yes Impulse Engine[s]: 2 Class 5 (generate 40 Power/engine/round)	6
	Auxiliary Power: 3 reactors (generate 5 Power/reactor/round)	9
	Emergency Power: Type D (generates 40 Power/round)	40
4	EPS: Standard Power flow, +200 Power transfer/round	50
6 7	Standard Usable Power: 630	
3 3		
3 2	OPERATIONS SYSTEMS Bridge: Command hull	30
2	Computers	
24	Core 1: Forward [5 Power/round]	12
12	Core 2: Engineering [5 Power/round]	12
12 6	ODN Navigational Deflector [5 Power/round]	18 24
18	Range: 10/20,000/50,000/150,000	
	Accuracy: 5/6/8/11	
6	Location: Ventral	
9	SENSOR SYSTEMS Long-range Sensors [5 Power/round]	34
	Range Package: Type 4 (Accuracy 3/4/7/10)	34
35	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	
48	Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
8 6	Strength Package: Class 6 (Strength 6) Gain Package: Class Beta (+2)	
1	Coverage: Standard	
	Lateral Sensors [5 Power/round]	18
7	Strength Package: Class 6 (Strength 6) Gain Package: Class Beta (+2)	
	Coverage: Standard	
	U · · · · · · ·	

ship recognition manual volume five

Navigational Sensors [5 Power/round] Strength Package: Class 6 (Strength 6)	14	Science Systems Rating 2 (+1) [2 Power/round]	16
Gain Package: Class Alpha (+1)	0	Specialized Systems: 2	10
Probes: 20 Sensors Skill: 3	2	Laboratories: 19	4
		TACTICAL SYSTEMS	
FLIGHT CONTROL SYSTEMS		Forward Disruptor Array	42
Autopilot: Shipboard Systems (Flight Control) 2, Coordination 2	0	Type: Prenak	72
[1 Power/round in use] Navigational Computer	8	Damage: 200 [20 Power]	
Main: Class 2 (+1) [1 Power/round]	2	Number of Shots: Up to 3 shots per round	
Backups: Two	2	Targeting System: Accuracy 4/5/7/10	
Inertial Damping Field	2	Range: 10/30,000/100,000/300,000	
Main	24	Location: Forward	
Strength: 9 [3 Power/round]		Firing Arc: 360 degrees forward	
Number: 2		Firing Modes: Standard, Pulse	
Backup	9	Ventral Disruptor Array	38
Strength: 6 [2 Power/round]		Type: Anthep	
Number: 3	-	Damage: 180 [18 Power] Number of Shots, Up to 2 abots new yound	
Attitude Control [2 Power/round]	2	Number of Shots: Up to 3 shots per round	
COMMUNICATIONS SYSTEMS		Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000	
Type: Class 6 [2 Power/round]	17	Location: Ventral	
Strength: 6		Firing Arc: 360 degrees ventral	
Security: -3 (Class Gamma uprating)		Firing Modes: Standard, Pulse	
Basic Uprating: Class Alpha (+1)	-	Forward Dorsal Disruptor Array	38
Emergency Communications: Yes [2 Power/round]	1	Type: Anthep	
TRACTOR BEAMS		Damage: 180 [18 Power]	
Emitter: Class Gamma [3 Power/Strength used/round]	9	Number of Shots: Up to 3 shots per round	
Accuracy: 4/5/7/10		Targeting System: Accuracy 4/5/7/10	
Location: Forward ventral	•	Range: 10/30,000/100,000/300,000	
Emitter: Class Gamma [3 Power/Strength used/round]	9	Location: Forward dorsal	
Accuracy: 4/5/7/10		Firing Arc: 360 degrees dorsal	
Location: Aft Emitter: Class Alpha [3 Power/Strength used/round]	3	Firing Modes: Standard, Pulse	
Accuracy: 5/6/8/11	3	Aft Dorsal Disruptor Array	38
Location: Shuttlebay		Type: Anthep	
		Damage: 180 [18 Power] Number of Shots: Up to 3 shots per round	
TRANSPORTERS Type: Personnel [5 Power/use]	51	Targeting System: Accuracy 4/5/7/10	
Pads: 6	21	Range: 10/30,000/100,000/300,000	
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		Location: Aft dorsal	
Energizing/Transition Coils: Class H (Strength 8)		Firing Arc: 360 degrees dorsal	
Number and Location: One in command hull, two in engineering hull		Firing Modes: Standard, Pulse	
Type: Emergency [6 Power/use]	48	Aft Disruptor Array	38
Pads: 20		Type: Anthep	
Emitter/Receiver Array: Emergency Type 3 (15,000 km range)		Damage: 180 [18 Power]	
Energizing/Transition Coils: Class H (Strength 8)		Number of Shots: Up to 3 shots per round	
Number and Location: One in command hull, two in engineering hull		Targeting System: Accuracy 4/5/7/10	
Type: Cargo [4 Power/use]	39	Range: 10/30,000/100,000/300,000	
Pads: 400 kg		Location: Aft	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)		Firing Arc: 360 degrees aft	
Energizing/Transition Coils: Class H (Strength 8)		Firing Modes: Standard, Pulse	00
Number and Location: One in command hull, two in engineering hull	20	Plasma Torpedo Launcher (High-Yield)	22
Cloaking Device: Class 8 [40 Power/class/round]	30	Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 4	
SECURITY SYSTEMS		Range: See text	
Rating: 4	16	Targeting System: Accuracy 4/5/7/10	
Anti-Intruder System: Yes [1 Power/round]	6	Power: [20 + 5 per torpedo fired]	
Internal Force Fields [1 Power/3 Strength]	6	Location: Forward	
		Firing Arc: Forward, but are self-guided	

CHAPTER 3 D'VIRIN 2/3

Torpedoes Carried: 20 Class XIV plasma, 60 Type II photon8TA/T/TS: Class Beta [8 Power/round]9Strength: 8Bonus: +1Weapons Skill: 4Shields (Forward, Aft, Port, Starboard)51 (x4)Shield Generator: Type R-IC (Protection 550) [55 Power/shield/round]Shield Grid: Type C (50% increase to 825 Protection)Subspace Field Distortion Amplifiers: Class Delta (Threshold 180)Recharging System: Class 1 (45 seconds)Backup Shield Generators: 4 (1 per shield)8Auto-Destruct System

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 20 Size worth of ships Standard Complement: 10 shuttlecraft Location(s): Aft ventral Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: Designed for use in the war against the Taurhai, but only completed just as that war ended, the *D'virin*-class Incursion Frigate has nevertheless filled an important niche as the only Incursion Frigate currently fielded by the Star Navy. Its combination of agility and power have made it a proud chariot to carry the Romulans down the Way of *D'era*.

Romulan engineers designed the *D'virin* to have many external and internal structural similarities with one of the Star Empire's earliest Warbirds, the *Argus* class of the first half of the 2200s (sometimes also called the *Tellus* class). The teardrop-shaped central body coupled with long, straight, downward-slanting nacelle pylons, clearly betrays the *Argus's* influence on the design. The *D'virin's* larger counterpart, the *D'tavan*-class Strike Frigate, looks almost identical to it.

The Star Navy typically uses *D'virins* as long-range border patrol craft, deep reconnaissance vessels, and rapid response ships. Their large warp cores provide them with enough power to travel at high warp velocities for longer than most Romulan ships, while also allowing them to remain cloaked for extensive periods. Thus, in wartime they often function as covert assault ships, sneaking far behind enemy lines to strike vulnerable targets and then flee to safety before the opposition can muster a response.

Because the *D'virin's* large engines and other powerful systems occupy so much space within the hull, the ship's living quarters and working spaces are among the smallest and least comfortable in the Imperial fleets. However, the crewmembers shrug this off, turning it into a point of pride rather than complaining about it. In fact, some *D'virin* crews compete among themselves to see who aboard the ship can tolerate the most deprivation and discomfort—a strange bonding ritual which captains permit because it increases morale. *D'virin* crews enjoy an unspoken "bond of suffering," knowing they have shared a common experience other naval personnel cannot understand. At military bars and outposts across the Empire, they gather to drink ale and trade stories of shipboard life, seeing who has the most outlandish tale of woe.

Some members of the High Tribunal have suggested that the time has come to decommission the remaining *D'virins* and design a

8 new, modern, Incursion Frigate to replace it. The "D'virin fraternity," which includes some of the highest-ranking officers in the Star Navy, has banded together to use its influence to keep these noble "warhorses" in active service.

NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: D'virin, prototype; Vathos, used daring maneuvering and attacks to save the Pen'elth Command Wing from certain destruction by enemy forces during the Battle of Rhendasa IV in the First Taurhai Offensive (2350), participated in Dominion War (2374-75); V'nitor, explored the Tullan Reach for several years until it vanished due 8 to unknown causes (2353-55); S'var, destroyed while prevent-6 ing rebel forces from dispersing the blockade of Serus III (2361); S'tar, destroyed by unknown enemy or force (possibly the Borg) while patrolling the farthest reaches of the Diodor Sector (2364); 40 Marchala, rescued the crew and passengers of the transport Hrenkaris after it suffered catastrophic extensive damage at the hands of pirates (2365); Xi, fought a Klingon "expeditionary force" of renegade warriors on the borders of Romulan space (2367); Marilon, part of the covert fleet assigned to invade Vulcan (2368); Tra'thenn, patrolled several sectors along the Star Empire's rimward border (2368-71); D'relix, destroyed by an enemy squadron during the Fifth Taurhai Offensive while scouting enemy positions (2370); Thontares, lost to unknown force or accident while patrolling the spinward border of the Empire (2374); V'mendin, singlehandedly destroyed an entire wing of Jem'Hadar Attack Fighters during the Battle of the Hobileth Nebula (2375).

D'VIRIN 3/3

Ship recognition manual volume fiv Ships of the Romulan Star Empire

MELEK'AAN CLASS

Class and Type: *Melek'aan*-Class Frigate Commissioning Date: 2366

SYSTEM

HULL SYSTEMS

Size: 5

Length: 238.24 meters Beam: 78.37 meters Height: 28.37 meters Decks: 6 Mass: 444,000 metric tonnes SUs Available: 1,600 SUs Used: 1,538

HULL

Outer Inner

RESISTANCE Outer Hull: 8 Inner Hull: 8

STRUCTURAL INTEGRITY FIELD

Main: Class 4 (Protection 70/110) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round] Specialized Hull: Atmospheric Capability; Planetfall Capability

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 58/180/4,500

CREW QUARTERS

Spartan: 90
Basic: 50
Expanded: 10
Luxury: 2
Unusual: None

ENVIRONMENTAL SYSTEMS

Basic Life Support [11 Power/round]	
Reserve Life Support [6 Power/round]	
Emergency Life Support (30 emergency shelters)	
Gravity [3 Power/round]	
Consumables: 1 year's worth	

REPLICATOR SYSTEMS

REFERENCE STRATE
Food Replicators [5 Power/round]
Industrial Replicators
Type: Network of small replicators [2 Power/round]
Medical Facilities: 7 (+2) [7 Power/round]
Recreation Facilities: 4 [8 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [1 Power/round when active]
Cargo Holds: 5,000 cubic meters
Locations: Three locations throughout ship
Escape Pods
Number: 120

Capacity: 4 persons per pod

CHAPTER 3

PROPULSION SYSTEMS

WARP PROPULSION SYSTEM Nacelles: Type 5B Speed: 5.0/7.0/9.0 [1 Power/.2 warp speed]	60
PIS: Type H (12 hours of Maximum warp)	16
IMPULSE ENGINE	
Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	18
Location: Aft	2
Type: Class 3A (.5c/.75c) [5/7 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	18
active] Location: Aft, port and starboard Reaction Control System (.025c) [2 Power/round when in use]	2 5
POWER SYSTEMS	
WARP ENGINE Type: Class 8/N (generates 430 Power/round)	93
Warp Core Ejection System: Yes	5
Auxiliary Power: 4 reactors (generate 5 Power/reactor/round)	12
Emergency Power: Type D (generates 40 Power/round)	40
EPS: Standard Power flow, +200 Power transfer/round	45
Standard Usable Power: 486	
OPERATIONS SYSTEMS Bridge: Command hull	25
	10
Uprating: Class Alpha (+1) [1 Power/computer/round]	2
ODN	15
Range: 10/20,000/50,000/150,000	20
Location: Forward ventral	
	36
	30
Strength Package: Class 7 (Strength 7)	
Coverage: Standard	
Lateral Sensors [5 Power/round] Strongth Packago: (lass 7 (Strongth 7)	20
Coverage: Štandard	10
Navigational Sensors [5 Power/round] Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2)	18
	Nacelles: Type 5B Speed: 5.0/7.0/9.0 [1 Power/.2 warp speed] PIS: Type H (12 hours of Maximum warp) IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when active] Location: Aft IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when active] Location: Aft, port and starboard Reaction Control System (.025c) [2 Power/round when in use] POWER SYSTEMS WARP ENGINE Type: Class 8/N (generates 430 Power/round) Location: Aft amidships Warp Core Ejection System: Yes Impulse Engine[5]: 2 Class 3A (generate 28 Power/reagine/round) Auxiliary Power: Areactors (generates 5 Power/reactor/round) Emergency Power: Type D (generates 40 Power/round) Emergency Power: Type D (generates 40 Power/round) Emergency Power: Type D (generates 40 Power/round) EFS: Standard Power flow, +200 Power transfer/round) Standard Usable Power: 486 OPERATIONS SYSTEMS Bridge: Command hull Computer Core 1: Main hull [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ON Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 1 light-years (1/.1.3.5/3.6-1.0.0

MELEK'AAN 1/3

\028

ship recognition manual volume five GHIPS OF THE ROMULAN STAR EMPIRE

Probes: 15 Sensors Skill: 4	2	T/ Fo
FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [] Power/round in use]	11	
Navigational Computer		
Main: Class 2 (+1) [1 Power/round] Backups: Two	2 2	
Inertial Damping Field	Z	
Main	20	-
Strength: 9 [3 Power/round]		Fo
Number: 2 Backup	9	
Strength: 6 [2 Power/round]	,	
Number: 3	-	
Attitude Control [1 Power/round]	1	
COMMUNICATIONS SYSTEMS	17	
Type: Class 6 [2 Power/round] Strength: 6	17	
Security: -3 (Class Gamma uprating)		A
Basic Uprating: Class Alpha (+1)		
Emergency Communications: Yes [2 Power/round]	1	
TRACTOR BEAMS Emitter: Class Gamma [3 Power/Strength used/round]	9	
Accuracy: 5/6/8/11	7	
Location: Forward ventral		
Emitter: Class Gamma [3 Power/Strength used/round]	9	
Accuracy: 5/6/8/11 Location: Aft ventral		Fo
Emitter: Class Alpha [3 Power/Strength used/round]	3	
Accuracy: 5/6/8/11		
Location: Shuttlebay		
TRANSPORTERS Type: Personnel [4 Power/use]	45	
Pads: 4	47	
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		
Energizing/Transition Coils: Class G (Strength 7)		A
Number and Location: One in command hull, two in main hull Type: Emergency [5 Power/use]	42	
Pads: 16	42	
Emitter/Receiver Array: Emergency Type 3 (15,000 km range)		
Energizing/Transition Coils: Class G (Strength 7)		
Number and Location: One in command hull, two in main hull Type: Cargo [4 Power/use]	28	
Pads: 400 kg	20	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)		A
Energizing/Transition Coils: Class G (Strength 7)		
Number and Location: One each in the two largest cargo holds Cloaking Device: Class 8 [40 Power/class/round]	29	
SECURITY SYSTEMS	27	
Rating: 4	16	
Anti-Intruder System: Yes [1 Power/round]	5	
Internal Force Fields [1 Power/3 Strength]	5	
Science Systems		
Rating 1 (+0) [1 Power/round] Specialized Systems: None	10	
Laboratories: 3	2	

029

TACTICAL SYSTEMS	50
Forward Disruptor Array Type: Uregal	30
Damage: 240 [24 Power]	
Number of Emitters: Up to 5 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Forward of command hull	
Firing Arc: 360 degrees forward	
Firing Modes: Standard, Pulse	
Forward Dorsal Disruptor Array	42
Type: Prenak	
Damage: 200 [20 Power]	
Number of Shots: Up to 3 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000 Location: Dorsal on command hull	
Firing Arc: 360 degrees dorsal	
Firing Modes: Standard, Pulse	
Aft Dorsal Disruptor Array	42
Type: Prenak	72
Damage: 200 [20 Power]	
Number of Shots: Up to 3 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Aft on dorsal main hull	
Firing Arc: 360 degrees dorsal	
Firing Modes: Standard, Pulse	
Forward Ventral Disruptor Array	42
Type: Prenak	
Damage: 200 [20 Power]	
Number of Shots: Up to 3 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Forward on ventral main hull Firing Arc: 360 degrees ventral	
Firing Modes: Standard, Pulse	
Aft Ventral Disruptor Array	42
Type: Prenak	12
Damage: 200 [20 Power]	
Number of Shots: Up to 3 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Aft on ventral main hull	
Firing Arc: 360 degrees ventral	
Firing Modes: Standard, Pulse	
Aft Disruptor Array	42
Type: Prenak	
Damage: 200 [20 Power]	
Number of Shots: Up to 3 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000 Location: Aft	
Firing Arc: 360 degrees aft Firing Modes: Standard, Pulse	
ining moues. Junuuru, i oise	

MELEK'AAN 2/3

14

Forward Torpedo Launcher

Forward Torpedo Launcher	10
Standard Load: Type II photon torpedo (200 Damage)	
Spread: 6	
Range: 15/350,000/1,500,000/4,050,000	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Forward	
Firing Arc: Forward, but are self-guided	
Torpedoes Carried: 40	4
TA/T/TS: Class Alpha [O Power/round]	6
Strength: 7	
Bonus: +0	
Weapons Skill: 4	
Shields (Forward, Aft, Port, Starboard)	50 (x4)
Shield Generator: Type R-ID (Protection 700) [70 Power/shield/round]	
Shield Grid: Type C (50% increase to 1050 Protection)	
Subspace Field Distortion Amplifiers: Class Epsilon (Threshold 250)	
Recharging System: Class 1 (45 seconds)	
Backup Shield Generators: 4 (1 per shield)	4
Auto-Destruct System	5
AUXILIARY SPACECRAFT SYSTEMS	
Shuttlebay(s): Capacity for 8 Size worth of ships	16

Standard Complement: 4 shuttlecraft Location(s): Aft ventral Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: One of the most successful Frigate designs in the history of the Star Navy, the *Melek'aan* is a ship designed for two specific types of missions: planetary/system defense, and planetary invasion. As such, the ship lacks many "frills," focusing on systems that help it do its job: powerful disruptors; strong shields; advanced medical facilities; and the ability to enter atmospheres and make planetfall. The *Melek'aan* often doubles as a carrier, ferrying loads of up to 180 troops (or more, in desperate straits) to the battlefield.

The simplicity of the *Melek'aan's* design mirrors the basic nature of its role in the Star Navy's fleet. The command hull, a wedgeshaped structure, attaches directly to the forward dorsal side of a roughly teardrop-shaped main hull somewhat reminiscent of the old *Argus* class. The warp nacelles are held by two short pylons each, one about two-thirds forward and one about two-third aft, that project directly to port and starboard and dorsally. When the ship makes planetfall, four landing struts emerge from the ventral side of the ship, and disembarking troops exit via a descending ramp.

Noteworthy vessels/service records/encounters: Melek'aan, prototype; Ger'ethan, landed troops on enemy-held planet during Battle of Vendrath Prime despite fierce counterfire (2368); D'verrex, participated in liberation of Benzar (2374).

CHAPTER 3

MELEK'AAN 3/3

Ship recognition manual volume five Ghips of the Romulan Star Empire

MERET CLASS

Class and Type: *Meret*-Class Incursion Cruiser Commissioning Date: 2359

SYSTEM

HULL SYSTEMS

Size: 7

Length: 517.78 meters Beam: 375.50 meters Height: 128.32 meters Decks: 27 Mass: 3,115,650 metric tonnes SUs Available: 2,400 SUs Used: 2,277

HULL

Outer Inner

RESISTANCE

Outer	Hull:	10
Inner	Hull:	10

STRUCTURAL INTEGRITY FIELD

Main: Class 6 (Protection 90/130) [1 Power/10 Protection/round]
Backup: Class 6 (Protection 45) [1 Power/10 Protection/round]
Backup: Class 6 (Protection 45) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 614/2,200/8,400

PROPULSION SYSTEMS

SUs	WARP PROPULSION SYSTEM Nacelles: Type 6C4	101
505	Speed: 6.0/9.0/9.4 [1 Power/.2 warp speed] PIS: Type C (6 hours of Maximum warp)	6
	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Location: Aft	25
	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Location: Aft, port and starboard Reaction Control System (.025c) [2 Power/round when in use]	25 7
	POWER SYSTEMS	-
28 28	WARP ENGINE Type: Class 11/Q (generates 575 Power/round) Location: Aft amidships	123
12 12	Warp Core Ejection System: Yes Impulse Engine[s]: 2 Class 5 (generate 40 Power/engine/round)	7
34 17	Auxiliary Power: 5 reactors (generate 5 Power/reactor/round) Emergency Power: Type E (generates 45 Power/round) EPS: Standard Power flow, +250 Power transfer/round	15 45 60
17	Standard Usable Power: 655	
63	OPERATIONS SYSTEMS Bridge: Command hull Auxiliary Control Room: Main hull Separation System: Command hull separation [10 Power]	35 21 7
25 12 8 2	Computers Core 1: Command hull [5 Power/round] Core 2: Main hull [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN	14 14 4 21
28 14 14 7	Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Ventral	28
21 7 13	SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16)	42
35 56 21 7 1	Strength Package: Class 6 (Strength 6) Gain Package: Class Beta (+2) Coverage: Standard Lateral Sensors [5 Power/round] Strength Package: Class 6 (Strength 6) Gain Package: Class Beta (+2)	18
10	Coverage: Standard Navigational Sensors [5 Power/round] Strength Package: Class 6 (Strength 6) Gain Package: Class Beta (+2)	16

MERET 1/3

ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

Probes: 40 Sensors Skill: 4	4
Flight Control Systems	
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use]	11
Navigational Computer	
Main: Class 2 (+1) [1 Power/round] Backups: Two	2 2
Inertial Damping Field	40
Main Strength: 9 [3 Power/round]	42
Number: 3 Backup	12
Strength: 6 [2 Power/round]	12
Number: 3 Attitude Control [2 Power/round]	2
Communications Systems	
Type: Class 7 [2 Power/round] Strength: 7	21
Security: -5 (Class Delta uprating)	
Basic Uprating: Class Alpha (+1) Emergency Communications: Yes [2 Power/round]	1
TRACTOR BEAMS	
Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Forward ventral	10
Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Forward dorsal Emitter: Class Delta [3 Power/Strength used/round]	12
Accuracy: 4/5/7/10	12
Location: Aft Emitter: Class Alpha [3 Power/Strength used/round]	6
Accuracy: 5/6/8/11	Ū
Location: Shuttlebay (x2) TRANSPORTERS	
Type: Personnel [5 Power/use]	68
Pads: 6 Emitter/Receiver Array: Personnel Type 6 (40,000 km range)	
Energizing/Transition Coils: Class H (Strength 8)	
Number and Location: Two in command hull, two in main hull Type: Emergency [5 Power/use]	60
Pads: 16	
Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class H (Strength 8)	
Number and Location: Two in command hull, two in main hull Type: Cargo [4 Power/use]	60
Pads: 400 kg	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class H (Strength 8)	
Number and Location: One in command hull, three in main hull	97
Cloaking Device: Class 10 [40 Power/class/round] Security Systems	37
Rating: 4	16
Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]	7 7

4	SCIENCE SYSTEMS Rating 2 (+1) [2 Power/round] Specialized Systems: 1	1 7 5
-	Laboratories: 14	4
1	TACTICAL SYSTEMS	
2	Forward Disruptor Array	46
2	Type: Tethpet	
-	Damage: 220 [22 Power]	
2	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
_	Range: 10/30,000/100,000/300,000 Location: Forward of command hull	
2	Firing Arc: 360 degrees forward	
	Firing Modes: Standard, Pulse	
2	Forward Dorsal Disruptor Array	42
-	Type: Prenak	
1	Damage: 200 [20 Power]	
•	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000 Location: Forward dorsal on main hull	
1	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	
2	Aft Dorsal Disruptor Array	42
	Type: Prenak	
0	Damage: 200 [20 Power]	
2	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
2	Range: 10/30,000/100,000/300,000 Location: Aft dorsal on main hull	
_	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	
6	Forward Ventral Disruptor Array	42
	Type: Prenak	
	Damage: 200 [20 Power]	
0	Number of Shots: Up to 3 shots per round	
8	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000	
	Location: Forward ventral on main hull	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	
0	Aft Ventral Disruptor Array	42
	Type: Prenak	
	Damage: 200 [20 Power] Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
0	Range: 10/30,000/100,000/300,000	
	Location: Aft ventral on main hull	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	
_	Aft Disruptor Array	42
7	Type: Prenak	
_	Damage: 200 [20 Power] Number of Shots: Up to 3 shots per round	
6	Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10	
7	Range: 10/30,000/100,000/300,000	
7	Location: Aft	
	Firing Arc: 360 degrees aft	
	Firing Modes: Standard, Pulse	

CHAPTER 3 MERET 2/3

Forward Plasma Torpedo Launcher (High-Yield)

Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 6 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward Firing Arc: Forward, but are self-guided Aft Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 6 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Aft Firing Arc: Aft, but are self-guided 15 Torpedoes Carried: 60 Class XIV plasma, 90 Type II photon TA/T/TS: Class Beta [1 Power/round] 9 Strength: 8 Bonus: +1 Weapons Skill: 4 Shields (Forward, Aft, Port, Starboard) 82 (x4) Shield Generator: Type R-III (Protection 1050) [105 Power/shield/round] Shield Grid: Type B (33% increase to 1400 Protection) Subspace Field Distortion Amplifiers: Class Eta (Threshold 350) Recharging System: Class 1 (45 seconds) **Backup Shield Generators: 4 (1 per shield)** 7 Auto-Destruct System

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 30 Size worth of ships Standard Complement: 15 shuttlecraft Location(s): Aft ventral, command hull aft Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: Designed during the late 2340s and early 2350s, when the young guns at the Corps of Starship Engineers were beginning the aesthetic and technological transition from old-style Romulan ships to modern vessels, the Meret-class Incursion Cruiser bears slight resemblance to any other Romulan vessel. Its rectangular main hull seems ordinary enough at first glance, but includes many unusual superstructures. A diamond-shaped connecting interhull forward bridges it and the command hull, which when viewed from above has a teardrop-shaped profile, and when seen from the side resembles the odd but fearsome beak of a gigantic songbird. Oddest of all are the nacelle pylons. Instead of using traditional wing-style pylons, the designers used two spar-like pylons per nacelle (one slanting sharply forward and down from the aft end of the main hull, one projecting less sharply from the forward end). Thanks to this, the ship vaguely suggests one of the kumataru speed-sailing boats young Romulans race across wind-swept lakes and seas.

But the Corps of Starship Engineers had more in mind than simply creating a ship with a distinctive profile when they designed the Meret. The pylons and other structures were created and shaped to lighten the ship's weight and improve its maneuverability, since its primary mission profiles (long-range reconnaissance, searchand-destroy missions, patrol and harassment) required a fast, agile

- **24** ship. And thanks to its design, the *Meret* has established an enviable record on such missions, covertly penetrating Federation and Taurhai space, among others, to spy on the enemies of the Empire and gather much valuable intelligence. During the Taurhai offensives and the Dominion War, Merets not only collected intel, they worked in wings to harass and disrupt enemy shipping and reconnaissance missions.
- After re-opening contact with the Federation, the Star Empire 24 rushed many Merets into production, sending them across the Neutral Zone and into UFP space under cover of their powerful cloaks to spy on this most dangerous neighbor. Thanks to the speed with which they were produced, many of these Merets experienced an annoyingly high level of minor systems glitches and failures, and have required periodic intensive maintenance and upgrades. Merets assembled after 2368 generally lack these problems.
 - The Meret proved so successful at spying missions that in 2367,

the Tal Shiar developed a special variant, the D'viret-class Incursion Cruiser, specifically for intelligence operations. The D'viret resembles the Meret in almost all respects, both physically and technologically, but has improved sensor and communications systems.

Noteworthy vessels/service records/encounters: *Meret,* prototype; Lattem, scouted Federation sectors near the Neutral Zone border (2364-65); D'tervek, vanished while conducting a covert reconnaissance mission in Klingon space (2366); Mederem, scouted the Vulcanis system as part of the attempted invasion of Vulcan (2368); V'tallus, destroyed in a suicide run against a Taurhai battle cruiser in the Battle of Eridam during the Fourth Taurhai 60 Offensive (2368); Indrilus, destroyed by the Jem'Hadar during the disastrous Tal Shiar-led attempt to obliterate the Founders' homeworld (2371); Kovrexos, conducted reconnaissance of Cardassian space (2373-74); S'ten, disappeared during the Dominion War under circumstances still labeled "Classified" by the Tal Shiar (2375); D'delean, gathered valuable intelligence about Jem'Hadar troop movements on Betazed and throughout the Kalandra Sector (2375); S'delon, destroyed five Jem'Hadar Attack Fighters during the Battle of the Hobileth Nebula (2375); Vassam, assigned to

permanent outpost patrol in Empty Frontier (2371-present).

MERET
NEH'VOR CLASS

Class and Type: *Neh'vor*-Class Research/Laboratory Ship Commissioning Date: 2363

SYSTEM

HULL SYSTEMS

Size: 3

Length: 66.36 meters Beam: 48.38 meters Height: 8.35 meters Decks: 2 Mass: 1,100 metric tonnes SUs Available: 875 SUs Used: 797

HULL

Outer Inner

RESISTANCE

Outer Hull: 6 Inner Hull: 6

STRUCTURAL INTEGRITY FIELD

Main: Class 4 (Protection 70/110) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 82/29/550

CREW QUARTERS

PROPULSION SYSTEMS

sus	WARP PROPULSION SYSTEM Nacelles: Type 5B Speed: 5.0/7.0/9.0 [] Power/.2 warp speed]	60
	PIS: Type H (12 hours of Maximum warp)	16
	IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round]	18
	Location: Aft Reaction Control System (.025c) [2 Power/round when in use]	3
	POWER SYSTEMS	
	WARP ENGINE Type: Class 5/H (generates 265 Power/round)	62
12	Location: Amidships Warp Core Ejection System: Yes Impulse Engine[s]: 1 Class 3A (generates 28 Power/engine/round)	3
12	Auxiliary Power: 2 reactors (generate 5 Power/reactor/round) Emergency Power: Type C (generates 30 Power/round)	6 30
6 6	EPS: Standard Power flow, +100 Power transfer/round	25
24	Standard Usable Power: 313	
12 12	OPERATIONS SYSTEMS Bridge: Command hull	15
	Computer	,
	Core 1: Amidships forward [5 Power/round] Core 2: Amidships aft [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round]	6 6 2
2 3	ODN Navigational Deflector [5 Power/round]	9 12
1	Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward	12
	Sensor Systems	
12 6	Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10)	44
6	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0)	
3 3	Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2)	
3	Coverage: Štandard	00
3	Lateral Sensors [5 Power/round] Strength Package: Class 7 (Strength 7)	20
15	Gain Package: Class Beta (+2)	
16 3	Coverage: Standard Navigational Sensors [5 Power/round]	18
3	Strength Package: Class 7 (Strength 7)	
1	Gain Package: Class Beta (+2) Probes: 60	6
2	Sensors Skill: 4	
	FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [] Power/round in use]	11

CHAPTER 3

NEH'VOR 1/2 <

5 h VO **R** EMPIRE

Navigational Computer Main: Class 2 (+1) [1 Power/round] Backups: One Inertial Damping Field	2 1	Shield Grid: Type B (33% increase to 400 Protection) Subspace Field Distortion Amplifiers: Class Beta (Threshold 100)
Main Strength: 9 [3 Power/round] Number: 2	12	Recharging System:Class 1 (45 seconds)Backup Shield Generators:4 (1 per shield)4Auto-Destruct System2
Backup Strength: 6 [2 Power/round] Number: 2	4	,
Attitude Control [1 Power/round]	1	Standard Complement: 3 shuttlecraft
Communications Systems Type: Class 6 [2 Power/round]	17	Location(s): Aft Captain's Yacht: No
Strength: 6 Security: -3 (Class Gamma uprating) Basic Uprating: Class Alpha (+1)		DESCRIPTION AND NOTES FLEET DATA: The <i>Neh'vor</i> -class science vessel was developed at
Emergency Communications: Yes [2 Power/round]	1	the same time as the <i>Tirethi</i> -class Far Scout, using the same sche-
TRACTOR BEAMS Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10	9	matics for most structures and systems. Except for a few additions or changes—a differently-shaped command hull, a deeper ventral section, a half-circle-shaped structure attached aft to hold labs and a shuttlebay—the two ships look identical. For the most part,
Location: Forward ventral Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Aft ventral	9	they have the same systems as well. The <i>Neh'vor</i> differs in having improved sensors, more quarters for its much larger crew, and much better science systems.
TRANSPORTERS Type: Personnel [5 Power/use] Pads: 6	17	The Star Navy often uses <i>Neh'vors</i> to test new weapons and systems, in addition to its basic exploration and investigation missions. During times of conflict and war, <i>Neh'vors</i> are sometimes
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		pressed into service as scouts.
Energizing/Transition Coils: Class H (Strength 8) Number and Location: One amidships Cloaking Device: Class 7 [40 Power/class/round]	24	NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: <i>Neh'vor,</i> prototype; <i>Henndal,</i> suffered catastrophic damage to engine due to interaction with experimental interphasic cloaking device, and
SECURITY SYSTEMS Rating: 2 Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]		was only saved due to the heroic actions of the crew of the <i>U.S.S. Enterprise-D</i> , which it then tried (and failed) to destroy to preserve the secret of the cloak (2368).
SCIENCE SYSTEMS Rating 3 (+2) [3 Power/round] Specialized Systems: 2 Laboratories: 12	18 10 4	
TACTICAL SYSTEMS Forward Disruptor Array Type: Eb'el Damage: 120 [12 Power]	26	

6

Number of Shots: Up to 2 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Forward Firing Arc: 360 degrees forward Firing Modes: Standard, Pulse TA/T/TS: Class Alpha [O Power/round] Strength: 7 Bonus: +0

Weapons Skill: 2

NEH'VOR 2/2

4 2

12

recognition ma shin GHIPG OF THF RNN

NELVEK CLASS

Class and Type: Nelvek-class Heavy Cruiser **Commissioning Date: 2365**

SYSTEM

HULL SYSTEMS

Size: 6

Length: 362.44 meters Beam: 157.38 meters Height: 62.76 meters Decks: 15 Mass: 1,513,650 metric tonnes SUs Available: 2,500 SUs Used: 2,200 Hull **O**uter Inner

Resistance

Outer Hull: 10 Inner Hull: 10

Structural Integrity Field Main: Class 5 (Protection 80/120) [1 Power/10 Protection/round] Backup: Class 5 (Protection 40) [1 Power/10 Protection/round] Backup: Class 5 (Protection 40) [1 Power/10 Protection/round] Specialized Hull: Cloak-Enhancing

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 380/230/4,225

CREW QUARTERS

CREW QUARTERS
Spartan: 160
Basic: 220
Expanded: 80
Luxury: 24
Unusual: 5
Environmental Systems
Basic Life Support [11 Power/round]
Reserve Life Support [6 Power/round]
Emergency Life Support (36 emergency shelters)
Gravity [3 Power/round]
Consumables: 4 years' worth
Consoniumes. 4 years worm
Replicator Systems
Food Replicators [6 Power/round]
Industrial Replicators
Type: Network of small replicators [2 Power/round]
Type: 1 large unit [2 Power/replicator/round]
Medical Facilities: 7 (+2) [7 Power/round]
Recreation Facilities: 7 [14 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [1 Power/round when active]
Cargo Holds: 133,000 cubic meters
Locations: Ten locations throughout ship
Econo Dodo

Escape Pods

Number: 140 Capacity: 8 persons per pod

PROPULSION SYSTEMS

SUs	WARP PROPULSION SYSTEM Nacelles: Type 5D6 Speed: 5.0/8.4/9.6 [1 Power/.2 warp speed] PIS: Type H (12 hours of Maximum warp)	73 16
		10
	IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Main hull	18
	IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Main hull	18
	Reaction Control System (.025c) [2 Power/round when in use]	6
	POWER SYSTEMS	
24 24	WARP ENGINE Type: Class 9/O (generates 480 Power/round) Location: Main hull	103
12 12	Warp Core Ejection System: Yes Impulse Engine[s]: 2 Class 3A (generate 28 Power/engine/round)	6
30	Auxiliary Power: 4 reactors (generate 5 Power/reactor/round)	12 40
15	Emergency Power: Type D (generates 40 Power/round) EPS: Standard Power flow, +300 Power transfer/round	40 60
15		00
12	Standard Usable Power: 536	
	OPERATIONS SYSTEMS Bridge: Command hull	30
•	Computers	
8 22	Core 1: Command hull [5 Power/round]	12
16	Core 2: Main hull, forward [5 Power/round]	12
24	Core 3: Main hull, aft [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round]	12 6
5	ODN	18
-	Navigational Deflector [5 Power/round]	24
24	Range: 10/20,000/50,000/150,000	
12	Accuracy: 5/6/8/11	
12	Location: Forward of main hull	
6	Sensor Systems	
24	Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10)	40
6	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
9	Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	
35	Coverage: Štandard	
56	Lateral Sensors [5 Power/round]	24
18	Strength Package: Class 9 (Strength 9)	
6 4	Gain Package: Class Beta (+2) Coverage: Standard	
4	Navigational Sensors [5 Power/round]	22
8	Strength Package: Class 9 (Strength 9)	
v	Gain Package: Class Beta (+2)	
	Probes: 20	4
	Sensors Skill: 3	

ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2
[1 Power/round in use]
Navigational Computer
Main: Class 2 (+1) [1 Power/round]
Backups: Two
Inertial Damping Field
Main
Strength: 9 [3 Power/round]
Number: 3
Backup
Strength: 6 [2 Power/round]
Number: 3
Attitude Control [2 Power/round]
COMMUNICATIONS SYSTEMS
Type: Class 7 [2 Power/round]
Strength: 7
Security: -4 (Class Gamma uprating)
Basic Uprating: Class Alpha (+1)
Emergency Communications: Yes [2 Power/round]
TRACTOR BEAMS
Emitter: Class Gamma [3 Power/Strength used/round]
Accuracy: 4/5/7/10
Location: Forward ventral
Emitter: Class Gamma [3 Power/Strength used/round]
Accuracy: 4/5/7/10
Location: Aft ventral
Emitter: Class Alpha [3 Power/Strength used/round]
Accuracy: 5/6/8/11
Location: Shuttlebay
TRANSPORTERS
Type: Personnel [5 Power/use]
Pads: 6
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)
Energizing/Transition Coils: Class H (Strength 8)
Number and Location: One in command hull, three in main hull
Type: Emergency [5 Power/use]
Pads: 16
Emitter/Receiver Array: Emergency Type 3 (15,000 km range)
Energizing/Transition Coils: Class H (Strength 8)
Number and Location: One in command hull, three in main hull Type: Cargo [4 Power/use]
Pads: 400 kg
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)
Energizing/Transition Coils: Class H (Strength 8)
Number and Location: Three in main hull
Cloaking Device: Class 8 [40 Power/class/round]
5
SECURITY SYSTEMS
Rating: 5 Anti-Intruder System: Yes [1 Power/round]
Internal Force Fields [1 Power/3 Strength]
Science Systems
Rating 2 (+1) [2 Power/round]
Specialized Systems: 1
Laboratories: 13

037

TACTICAL SYSTEMS

	TACTICAL ST STEMS	
	Forward Disruptor Array	54
11	Type: Valkar	
	Damage: 260 [26 Power]	
2	Number of Emitters: Up to 5 shots per round	
2	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
36	Location: Forward command hull	
	Firing Arc: 360 degrees forward	
	Firing Modes: Standard, Pulse	
9	Starboard Wing Disruptor Array	49
-	Type: Uregal	
	Damage: 240 [24 Power]	
2	Number of Emitters: Up to 5 shots per round	
-	Targeting System: Accuracy 4/5/7/10	
10	Range: 10/30,000/100,000/300,000	
19		
	Location: Forward edge of starboard "wing"	
	Firing Arc: 360 degrees forward (substantial arc shadow)	
-	Firing Modes: Standard, Pulse	49
1	Port Wing Disruptor Array	49
	Type: Uregal	
9	Damage: 240 [24 Power]	
	Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 4/5/7/10	
9	Range: 10/30,000/100,000/300,000	
	Location: Forward edge of port "wing"	
	Firing Arc: 360 degrees forward (substantial arc shadow)	
3	Firing Modes: Standard, Pulse	
•	Dorsal Starboard Disruptor Array	50
	Type: Uregal	
	Damage: 240 [24 Power]	
10	Number of Emitters: Up to 5 shots per round	
68	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
	Location: Dorsal on starboard "wing"	
	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	
60	Dorsal Port Disruptor Array	50
	Type: Uregal	
	Damage: 240 [24 Power]	
	Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 4/5/7/10	
45	Range: 10/30,000/100,000/300,000	
	Location: Dorsal on port "wing"	
	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	
	Ventral Starboard Disruptor Array	50
30	Type: Uregal	50
	Damage: 240 [24 Power]	
20	Number of Emitters: Up to 5 shots per round	
6	Targeting System: Accuracy 4/5/7/10	
6	Range: 10/30,000/100,000/300,000	
U	Location: Ventral on starboard "wing"	
16	Firing Arc: 360 degrees ventral	
10	ining fact, boo degroes tennal	

CHAPTER 3

5 Firing Modes: Standard, Pulse

NELVEK 2/3

recognition m NE тир Виши PG

Ventral Port Disruptor Array

Type: Uregal Damage: 240 [24 Power] Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Ventral on port "wing" Firing Arc: 360 degrees ventral Firing Modes: Standard, Pulse

Aft Disruptor Array

Type: Uregal Damage: 240 [24 Power] Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Aft

Firing Arc: 360 degrees aft Firing Modes: Standard, Pulse

Forward Plasma Torpedo Launcher (High-Yield)

Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward on command hull

Firing Arc: Forward, but are self-guided

Ventral Starboard Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired]

Location: Ventral, dorsal and starboard of navigational deflector Firing Arc: Forward, but are self-guided Ventral Port Plasma Torpedo Launcher (High-Yield)

Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Ventral, dorsal and port of navigational deflector Firing Arc: Forward, but are self-guided Torpedoes Carried: 300 Class XIV plasma; 200 Type G-II singularity 50 TA/T/TS: Class Gamma [2 Power/round] Strength: 9 Bonus: +2 Weapons Skill: 5 Shields (Forward, Aft, Port, Starboard) 62 (x4)

Shield Generator: Type R-II (Protection 900) [90 Power/shield/round] Shield Grid: Type B (33% increase to 1200 Protection) Subspace Field Distortion Amplifiers: Class Zeta (Threshold 300) Recharging System: Class 1 (45 seconds) **Backup Shield Generators:** 4 (1 per shield) Auto-Destruct System

IELVEK

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 16 Size worth of ships Standard Complement: 8 shuttlecraft Location(s): Aft, port and starboard Captain's Yacht: No

CHAPTER

50 DESCRIPTION AND NOTES

FLEET DATA: Designed as a general-use heavy cruiser, one able to undertake combat or dangerous exploratory missions with equal ease, the Nelvek class was built along standard Romulan ship design principles of the 2360s, with a few minor adaptations and alterations. Its main hull consists of three parts: a rectangular central body plus two "wing" structures that sweep forward and slightly ventral (terminating in warp nacelles). Attached almost directly to the forward dorsal side of the central structure is a com-

50 mand hull similar to, but smaller than, that of a D'deridex-class Heavy Warbird. A large structure attached to the ventral side of the central mass holds the navigational deflector (and two forward plasma torpedo launchers), main Engineering, and a number of laboratories, sensors, and sensor-related systems.

The designers of the Nelvek placed greater emphasis on crew comfort and facilities than the developers of most Romulan ships, making it a favored posting among many Romulan personnel. The quarters are relatively large and well-equipped, the corridors 28 wide, and the replicators common. Even a Starfleet officer would find it livable, albeit a bit dark and dreary in places.

Noteworthy vessels/service records/encounters: *Nelvek*, prototype; Gotaru, held the main Romulan line as part of the left flank of the fleet that won the Battle of Yarra Sarnel during the Third Taurhai Offensive (2365); Krenok, conducted anti-Klingon espionage and sabotage missions (2367-70); L'tathos, after being 28 badly crippled by Jem'Hadar attacks during the Battle of Chudala, commits suicide ramming attack on main enemy lines, opening up a major hole that helped Federation alliance forces triumph (2375); Rataxos, participated in, and survived, Battle of Cardassia (2375).

28

12

8

6

ship recognition manual volume five Ghips of the Romulan Star Empire

PRELAR CLASS

Class and Type: Prelar-Class Swift Cruiser Commissioning Date: 2355

SYSTEM

HULL SYSTEMS

Size: 5

Length: 233.25 meters Beam: 68.50 meters Height: 35.50 meters Decks: 7 Mass: 425,300 metric tonnes SUs Available: 1,750 SUs Used: 1,595

HULL

Outer Inner

RESISTANCE

Outer Hull: 8 Inner Hull: 8

STRUCTURAL INTEGRITY FIELD

Main: Class 4 (Protection 70/110) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 95/123/4,250

CREW QUARTERS Spartan: 60 Basic: 100 Expanded: 10 Luxury: 4 Unusual: 1
ENVIRONMENTAL SYSTEMS Basic Life Support [10 Power/round] Reserve Life Support [5 Power/round] Emergency Life Support (30 emergency shelters) Gravity [3 Power/round] Consumables: 3 years' worth
REPLICATOR SYSTEMS Food Replicators [5 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Medical Facilities: 6 (+1) [6 Power/round] Recreation Facilities: 6 [12 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 25,000 cubic meters Locations: Five locations throughout ship Escape Pods Number: 120 Capacity: 4 persons per pod

PROPULSION SYSTEMS

SUs	WARP PROPULSION SYSTEM Nacelles: Type 5D Speed: 5.0/8.5/9.0 [1 Power/.2 warp speed] PIS: Type H (12 hours of Maximum warp) Uprating: Package 1 for Sustainable	70 16 2
	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Beta (75% acceleration) [2 Power/round when active] Location: Aft	25 4
20	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Beta (75% acceleration) [2 Power/round when active] 4	25
20	Location: Aft ventral, to port and starboard Reaction Control System (.025c) [2 Power/round when in use]	5
9 9	POWER SYSTEMS	
26 13	ARTIFICIAL QUANTUM SINGULARITY DRIVE Type: Type IV (generates 400 Power/round) Location: Aft amidships Engine Core Ejection System: Yes	95 5
13	Impulse Engine[s]: 2 Class 5 (generate 40 Power/engine/round) Auxiliary Power: 3 reactors (generate 5 Power/reactor/round) Emergency Power: Type D (generates 40 Power/round) EPS: Standard Power flow, +200 Power transfer/round	9 40 45
3	Standard Usable Power: 480	
10 2 4 1	OPERATIONS SYSTEMS Bridge: Command hull Computer	25
20 10	Core 1: Main hull [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN	10 2 15
10 5 15	Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral	20
5 5	SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10)	36
30 48 15 5	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14) Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2)	
1 6	Coverage: Štandard Lateral Sensors [5 Power/round] Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2)	20
	Coverage: Standard	

PRELAR 1/3

ship recognition manual volume five

Navigational Sensors [5 Power/round] Strength Package: Class 7 (Strength 7) Gain Package: Class Pata (+2)	18	Rating 2 (+1) [2 Power/round]
Gain Package: Class Beta (+2) Probes: 45 Sensors Skill: 4	5	Specialized Systems: None Laboratories: 8
Flight Control Systems		TACTICAL SYSTEMS
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use]	11	Forward Disruptor Array Type: Uregal
Navigational Computer		Damage: 240 [24 Power] Number of Emitters: Up to 5 shots per round
Main: Class 2 (+1) [1 Power/round] Backups: Two Inertial Damping Field	2 2	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000
Main	20	Location: Forward of command hull Firing Arc: 360 degrees forward
Strength: 9 [3 Power/round] Number: 2		Firing Modes: Standard, Pulse
Backup	6	Starboard Wing Disruptor Cannon
Strength: 6 [2 Power/round] Number: 2		Type: <i>Prenak</i> Damage: 200 [20 Power]
Attitude Control [1 Power/round]	1	Number of Shots: Up to 3 shots per round
Communications Systems		Targeting System: Accuracy 4/5/7/10
Type: Class 6 [2 Power/round]	17	Range: 10/30,000/100,000/300,000 Location: Forward tip of starboard "wing"
Strength: 6 Security: -3 (Class Gamma uprating)		Firing Arc: 240 degrees forward
Basic Uprating: Class Alpha (+1)		Firing Modes: Standard, Pulse Port Wing Disruptor Cannon
Emergency Communications: Yes [2 Power/round]	1	Type: Prenak
TRACTOR BEAMS	0	Damage: 200 [20 Power]
Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Forward ventral	9	Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000
Emitter: Class Gamma [3 Power/Strength used/round]	9	Location: Forward tip of port "wing"
Accuracy: 4/5/7/10 Location: Aft ventral		Firing Arc: 240 degrees forward
Emitter: Class Alpha [3 Power/Strength used/round]	3	Firing Modes: Standard, Pulse Dorsal Disruptor Array
Accuracy: 5/6/8/11		Type: Anthep
Location: Shuttlebay		Damage: 180 [18 Power] Number of Shote, Up to 2 chote new yound
Transporters Type: Personnel [4 Power/use]	45	Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10
Pads: 4	15	Range: 10/30,000/100,000/300,000
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		Location: Dorsal amidships Firing Arc: 360 degrees dorsal
Energizing/Transition Coils: Class G (Strength 7) Number and Location: One in command hull, two in main hull		Firing Modes: Standard, Pulse
Type: Emergency [5 Power/use]	42	Ventral Disruptor Array
Pads: 16 Emitter / Pacaivar Array: Emorgancy Type 3 (15 000 km range)		Type: <i>Anthep</i> Damage: 180 [18 Power]
Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class G (Strength 7)		Number of Shots: Up to 3 shots per round
Number and Location: One in command hull, two in main hull	• •	Targeting System: Accuracy 4/5/7/10
Type: Cargo [4 Power/use] Pads: 400 kg	42	Range: 10/30,000/100,000/300,000 Location: Ventral amidships
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)		Firing Arc: 360 degrees ventral
Energizing/Transition Coils: Class G (Strength 7)		Firing Modes: Standard, Pulse
Number and Location: Three in main hull Cloaking Device: Class 8 [40 Power/class/round]	29	Aft Disruptor Array Type: Anthep
Security Systems	£/	Damage: 180 [18 Power]
Rating: 4	16	Number of Shots: Up to 3 shots per round
Anti-Intruder System: Yes [1 Power/round]	5	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000
Internal Force Fields [1 Power/3 Strength]	5	Location: Aft
		Firing Arc: 360 degrees aft

CHAPTER 3 PRELAR 2/3

Ship recognition manual volume five Ships of the Romulan Star Empire

Forward Torpedo Launche

Forward Torpedo Launcher	16
Standard Load: Type II photon torpedo (200 Damage)	
Spread: 6	
Range: 15/350,000/1,500,000/4,050,000	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Forward	
Firing Arc: Forward, but are self-guided	
Aft Torpedo Launcher	16
Standard Load: Type II photon torpedo (200 Damage)	
Spread: 6	
Range: 15/350,000/1,500,000/4,050,000	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Aft	
Firing Arc: Aft, but are self-guided	
Torpedoes Carried: 40	4
TA/T/TS: Class Beta [1 Power/round]	9
Strength: 8	
Bonus: +1	
Weapons Skill: 4	
Shields (Forward, Aft, Port, Starboard)	46 (x4)
Shield Generator: Type R-ID (Protection 750) [75 Power/shield/round]	
Shield Grid: Type B (33% increase to 1000 Protection)	
Subspace Field Distortion Amplifiers: Class Gamma (Threshold 250)	
Recharging System: Class 1 (45 seconds)	
Backup Shield Generators: 4 (1 per shield)	4
Auto-Destruct System	5
AUXILIARY SPACECRAFT SYSTEMS	
Shuttlohav(c): Canacity for 8 Size worth of ching	16

 Shuttlebay(s): Capacity for 8 Size worth of ships
 16

 Standard Complement: 4 shuttlecraft
 16

 Location(s): Aft ventral
 16

 Captain's Yacht: No
 16

DESCRIPTION AND NOTES

FLEET DATA: Although it's approximately 20 years old as a class by the end of the Dominion War, the *Prelar*-class Swift Cruiser remains the most common ship of its type in the Star Navy. Thanks to its excellent service record and a modular design that allows rapid and easy upgrading of many key systems, it has not been replaced by a newer model. Created to perform military reconnaissance, military courier, and front-line combat duties, it has excelled at its intended role. Many a Romulan admiral or senator has only made it safely to his destination thanks to the speed, maneuverability, and firepower of a *Prelar*.

The *Prelar* consists of a roughly rectangular central main hull, with two typical wing-shaped nacelle pylons projecting outward and sharply downward. However, the nacelles themselves attach almost directly to the main body of the ship dorsall, where the wings meet the central structure; the pylons hold forward-mounted disruptor cannons at their tips. The command hull connects to the forward edge of the main hull via a short connecting interhull.

Noteworthy vessels/service records/encounters: *Prelar*, prototype; *D'taxra*, destroyed four Taurhai vessels during the Battle of Tendasha (2357); *Komra'shan*, ferried Senators Krastus and Perreus safely through Taurhai-threatened space to a crucial strategic conference during the Third Taurhai Offensive (2366); *Venrex*,

16 outfoxed three Taurhai defenders to flank a key component of the enemy lines and attack vulnerable ships during the Battle of Eridam (2368).

PRELAR 3/3

recognition SHIPS OF THE ROM

THALAN CLASS

Class and Type: Thalan-Class Swift Frigate **Commissioning Date: 2370**

SYSTEM

HULL SYSTEMS

Size: 4

Length: 137.24 meters Beam: 39.57 meters Height: 26.55 meters Decks: 6 Mass: 112,500 metric tonnes SUs Available: 1,300 SUs Used: 1,289

HULL

Outer Inner

RESISTANCE

Outer Hull: 8 Inner Hull: 8

STRUCTURAL INTEGRITY FIELD

Main: Class 3 (Protection 60/90) [1 Power/10 Protection/round] Backup: Class 3 (Protection 30) [1 Power/10 Protection/round] Backup: Class 3 (Protection 30) [1 Power/10 Protection/round] Specialized Hull: Cloak-Enhancing

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 38/69/1,560

CREW QUARTERS

Spartan: None			
Basic: 80			
Expanded: 25			
Luxury: 2			
Unusual: None			
	c		

ENVIRONMENTAL SYSTEMS

Basic Life Support [9 Power/round]
Reserve Life Support [5 Power/round]
Emergency Life Support (24 emergency shelters)
Gravity [2 Power/round]
Consumables: 2 years' worth

REPLICATOR SYSTEMS

Food Replicators [4 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Medical Facilities: 6 (+1) [6 Power/round] **Recreation Facilities:** 5 [10 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 2,000 cubic meters Locations: Four locations throughout ship Escape Pods Number: 40 Capacity: 4 persons per pod

THALAN 1/3

PROPULSION SYSTEMS

SUs	WARP PROPULSION SYSTEM Nacelles: Type 5E6 Speed: 5.0/9.0/9.6 [1 Power/.2 warp speed]	78
	PIS: Type H (12 hours of Maximum warp)	16
	Impulse Engine	
	Type: Class 5A (.72c/.9c) [7/9 Power/round]	28
	Acceleration Uprating: Class Beta (75% acceleration) [2 Power/round when active]	4
	Location: Aft ventral, port and starboard	4
	IMPULSE ENGINE	00
	Type: Class 5A (.72c/.9c) [7/9 Power/round] Acceleration Uprating: Class Beta (75% acceleration) [2 Power/round when active]	28 4
16	Location: Ventral of each wing pylon, attached to main hull	т
16	Reaction Control System (.025c) [2 Power/round when in use]	4
0	POWER SYSTEMS	
9 9	WARP ENGINE	
7	Type: Class 8/N (generates 400 Power/round)	90
22	Location: Amidships Impulse Engine[s]: 2 Class 5A (generate 44 Power/engine/round)	
11	Auxiliary Power: 3 reactors (generate 5 Power/reactor/round)	9
11	Emergency Power: Type D (generates 40 Power/round)	40
8	EPS: Standard Power flow, +220 Power transfer/round	42
	Standard Usable Power: 488	
	OPERATIONS SYSTEMS Bridge: Command hull (forward)	20
8	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (Biogenically Enhanced)	
5	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (Biogenically Enhanced) Core 1: Forward [7 Power/round]	12
8 5 2	OPERATIONS SYSTEMS Bridge: Command hull (forward) COMPUTER (BIOGENICALLY ENHANCED) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round]	12 2
5	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (Biogenically Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN	12
5 2 16	OPERATIONS SYSTEMS Bridge: Command hull (forward) COMPUTER (BIOGENICALLY ENHANCED) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000	12 2 12
5 2 16 8	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (BIOGENICALLY ENHANCED) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11	12 2 12
5 2 16 8 8	OPERATIONS SYSTEMS Bridge: Command hull (forward) COMPUTER (BIOGENICALLY ENHANCED) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral	12 2 12
5 2 16 8	OPERATIONS SYSTEMS Bridge: Command hull (forward) COMPUTER (BIOGENICALLY ENHANCED) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS	12 2 12 16
5 2 16 8 8 4	OPERATIONS SYSTEMS Bridge: Command hull (forward) COMPUTER (BIOGENICALLY ENHANCED) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10)	12 2 12
5 2 16 8 8 4 8 4 8	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (Biogenically Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR Systems Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0)	12 2 12 16
5 2 16 8 4 8	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (Biogenically Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR Systems Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16)	12 2 12 16
5 2 16 8 8 4 8 4 8	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (Biogenically Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR Systems Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 9 (Strength 9)	12 2 12 16
5 2 16 8 8 4 8 4 4 4 30 40	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (Biogenically Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard	12 2 12 16 48
5 2 16 8 8 4 8 4 4 4 30 40 12	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (BiogenicAlly Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard Lateral Sensors [5 Power/round]	12 2 12 16
5 2 16 8 8 4 8 4 4 4 30 40 12 4	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (BiogenicAlly Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard Lateral Sensors [5 Power/round] Strength Package: Class 9 (Strength 9)	12 2 12 16 48
5 2 16 8 8 4 8 4 4 4 30 40 12	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (BiogenicAlly Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard Lateral Sensors [5 Power/round]	12 2 12 16 48
5 2 16 8 8 4 8 4 4 4 30 40 12 4	OPERATIONS SYSTEMS Bridge: Command hull (forward) Computer (BiogenicAlly Enhanced) Core 1: Forward [7 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard Lateral Sensors [5 Power/round] Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	12 2 12 16 48

SHIP FECOGRECON MANUAL VOLUME FIVE SHIPS OF THE ROMULAN STAR EMPIRE

Probes: 40 Sensors Skill: 5 **FLIGHT CONTROL SYSTEMS** Autopilot: Shipboard Systems (Flight Control) 3, Coordination 3 [] Power/round in use] 1 **Navigational Computer** Main: Class 2 (+1) [1 Power/round] Backups: Three **INERTIAL DAMPING FIELD** 1 Main Strength: 9 [3 Power/round] Number: 2 Backup Strength: 6 [2 Power/round] Number: 2 Attitude Control [] Power/round] **COMMUNICATIONS SYSTEMS** 1 Type: Class 7 [2 Power/round] Strength: 7 Security: -4 (Class Gamma uprating) Basic Upratina: Class Alpha (+1) **Emergency Communications: No TRACTOR BEAMS** Emitter: Class Beta [3 Power/Strength used/round] Accuracy: 5/6/8/11 Location: Forward ventral Emitter: Class Beta [3 Power/Strength used/round] Accuracy: 5/6/8/11 Location: Aft ventral **T**RANSPORTERS Type: Personnel [4 Power/use] 3 Pads: 4 Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class G (Strength 7) Number and Location: One forward, one aft Type: Emergency [5 Power/use] 2 Pads: 16 Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class G (Strength 7) Number and Location: One forward, one aft Type: Cargo [4 Power/use] 2 Pads: 400 kg Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class G (Strength 7) Number and Location: One each in two largest cargo holds Cloaking Device: Class 8 [40 Power/class/round] 2 SECURITY SYSTEMS 1 Rating: 4 Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength] **SCIENCE SYSTEMS** Rating 2 (+1) [2 Power/round] Specialized Systems: None Laboratories: 6

4	TACTICAL SYSTEMS Forward Disruptor Array	42
	Type: Prenak	74
	Damage: 200 [20 Power]	
2	Number of Shots: Up to 3 shots per round	
-	Targeting System: Accuracy 4/5/7/10	
2	Range: 10/30,000/100,000/300,000	
3	Location: Forward on command hull	
	Firing Arc: 360 degrees forward	
6	Firing Modes: Standard, Pulse	
•	Dorsal Disruptor Array	38
	Type: Anthep	
4	Damage: 180 [18 Power]	
•	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
1	Range: 10/30,000/100,000/300,000	
	Location: Dorsal amidships	
9	Firing Arc: 360 degrees dorsal	
7	Firing Modes: Standard, Pulse	20
	Ventral Disruptor Array	38
	Type: Anthep	
	Damage: 180 [18 Power] Number of Shote, Unite 2 shote new yound	
	Number of Shots: Up to 3 shots per round	
6	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000	
0	Location: Ventral amidships	
	Firing Arc: 360 degrees ventral	
6	Firing Modes: Standard, Pulse	
•	Forward Torpedo Launcher	16
	Standard Load: Type II photon torpedo (200 Damage)	
	Spread: 6	
0	Range: 15/350,000/1,500,000/4,050,000	
U	Targeting System: Accuracy 4/5/7/10	
	Power: [20 + 5 per torpedo fired]	
	Location: Forward on command hull	
	Firing Arc: Forward, but are self-guided	
8	Torpedoes Carried: 60	6
•	TA/T/TS: Class Beta [1 Power/round]	9
	Strength: 8	
	Bonus: +1	
	Weapons Skill: 4	
8	Shields (Forward, Aft, Port, Starboard)	37 (x4)
	Shield Generator: Type R-ID (Protection 750) [75 Power/shield/round]	
	Shield Grid: Type B (33% increase to 1000 Protection)	
	Subspace Field Distortion Amplifiers: Class Gamma (Threshold 250)	
	Recharging System: Class 1 (45 seconds)	
8	Backup Shield Generators: 4 (1 per shield)	4
	Auto-Destruct System	4
6	AUXILIARY SPACECRAFT SYSTEMS	
4	Shuttlebay(s): None	
4	Captain's Yacht: No	
	•	

14 DESCRIPTION AND NOTES

THALAN 2/3

FLEET DATA: The first (and so far only) Swift Frigate type vesselin the Star Navy, the *Thalan* class is the product of one of the most inventive and prolific starship designers of modern Romulus, Dalgarius. In the early 2360s, the Star Navy expressed a desire for a new ship intended for long-range patrols (particularly along)

Ghip recognition manual volume five Ghips of the Romulan Star Empire

trade routes and frontiers) and rapid response missions of various sorts. Dalgarius responded with a proposed design for a ship much smaller than the High Tribunal had originally envisioned. But because it included so many intriguing ideas (such as the integration of the artificial quantum singularity drive and biogenically enhanced computers into a starship frame much smaller than that of most ships possessing such systems), he was allowed to proceed. Although size considerations ultimately forced Dalgarius to substitute a warp engine for an AQSD in the ship, the High Tribunal allowed him to complete the design and produce the vessel.

The *Thalan* class incorporates some of the best propulsion system components and power generation/transfer systems ever devised for a Romulan vessel. If it has any weakness, it is that its weapons are not quite as powerful as those most commanders prefer, and that it lacks an aft weapon. In some cases, clever engineers have found ways to retrofit larger energy weapons, and even plasma torpedo launchers, into a *Thalan*, but most officers simply make do with what the ship provides.

Physically, the *Thalan* resembles the *Theta*-class Swift Courier (to which Dalgarius also contributed design ideas), with a few noteworthy differences. First, it has three warp nacelles, with the third mounted aft dorsal along the centerline of the main hull. Second, it has two impulse engines, one aft ventral, and the other divided in two and mounted beneath the wing pylons. Third, when viewed from port or starboard, it lacks the slightly "curved" look of the *Theta*, instead opting for straight lines and a sharper, less organic, appearance.

Noteworthy vessels/service records/encounters: *Thalan*, prototype; *Regareb*, patrolled several key trade routes in the spinward regions of the Empire (2371-73); *Pellareus*, rescued two dozen hostages captured by pro-Vulcan terrorists and destroyed the terrorists' ship (2374); *Ven'et*, conducted patrol and reconnaissance missions during the Dominion War (2374-75).

CHAPTER 3

THALAN 3/3

9 h FMPIRF D THEREUS CLASS

Class and Type: *Thereus*-Class Bird of Prey Commissioning Date: 2369

SYSTEM

HULL SYSTEMS

Size: 4

Length: 102.11 meters Beam: 43.33 meters Height: 23.47 meters Decks: 4 Mass: 88,000 metric tonnes SUs Available: 1,300 SUs Used: 1,285

HULL

Outer Inner

RESISTANCE

Outer Hull: 6 Inner Hull: 6

STRUCTURAL INTEGRITY FIELD

Main: Class 3 (Protection 60/90) [1 Power/10 Protection/round]
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 29/50/1,200

CREW QUARTERS Spartan: None Basic: 80 Expanded: None Luxury: None Unusual: None •

-

Environmental Systems
Basic Life Support [9 Power/round]
Reserve Life Support [5 Power/round]
Emergency Life Support (24 emergency shelters)
Gravity [2 Power/round]
Consumables: 1 years' worth
Replicator Systems
Food Replicators [4 Power/round]
Industrial Replicators
Type: Network of small replicators [2 Power/round]
Medical Facilities: 5 (+1) [5 Power/round]
Recreation Facilities: 5 [10 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [] Power/round when active]
Cargo Holds: 3,500 cubic meters
Locations: Five locations throughout ship
Escape Pods
Number: 40

Capacity: 4 persons per pod

PROPULSION SYSTEMS

	FROFULSION STSTEMS	
SUs	WARP PROPULSION SYSTEM Nacelles: Type 5E3 Speed: 5.0/9.0/9.3 [1 Power/.2 warp speed] PIS: Type H (12 hours of Maximum warp)	76 16
	IMPULSE ENGINE Type: Class 5A (.72c/.9c) [7/9 Power/round] Acceleration Uprating: Class Beta (75% acceleration) [2 Power/round when active]	28 4
16 16	Location: Aft IMPULSE ENGINE Type: Class 5A (.72c/.9c) [7/9 Power/round] Acceleration Uprating: Class Beta (75% acceleration) [2 Power/round when active] Location: Aft, port and starboard Reaction Control System (.025c) [2 Power/round when in use]	28 4 4
6 6 22 11 11	POWER SYSTEMS WARP ENGINE Type: Class 7/M (generates 390 Power/round) Location: Amidships Impulse Engine[s]: 2 Class 5A (generate 44 Power/engine/round) Auxiliary Power: 2 reactors (generate 5 Power/reactor/round) Emergency Power: Type C (generates 35 Power/round) EPS: Standard Power flow, +200 Power transfer/round	84 6 35 40
8	Standard Usable Power: 478 OPERATIONS SYSTEMS Bridge: Command hull (forward) COMPUTER Core 1: Amidships [5 Power/round]	20 12
16 8 8 4	Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral	12 12 16
4 4 25 40	SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0) Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16) Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	48
12 4 1	Coverage: Standard Lateral Sensors [5 Power/round] Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	24
2	Coverage: Standard Navigational Sensors [5 Power/round] Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	22

THEREUG 1/3

ship V B recognition manua GHIPG OF THE l I I Ľ

Probes: 20	2	TACTICAL SYSTEMS	
Sensors Skill: 4		Forward Disruptor Array	42
Flight Control Systems		Type: Prenak	
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2		Damage: 200 [20 Power]	
[1 Power/round in use] 11		Number of Shots: Up to 3 shots per round	
Navigational Computer		Targeting System: Accuracy 4/5/7/10	
Main: Class 2 (+1) [1 Power/round]	2	Range: 10/30,000/100,000/300,000	
Backups: Three	3	Location: Forward on command hull	
Inertial Damping Field		Firing Arc: 360 degrees forward	
Main	16	Firing Modes: Standard, Pulse	
Strength: 9 [3 Power/round]		Dorsal Disruptor Array	38
Number: 2		Type: Anthep	
Backup	4	Damage: 180 [18 Power]	
Strength: 6 [2 Power/round]	•	Number of Shots: Up to 3 shots per round	
Number: 2		Targeting System: Accuracy 4/5/7/10	
Attitude Control [1 Power/round]	1	Range: 10/30,000/100,000/300,000	
		Location: Dorsal amidships	
COMMUNICATIONS SYSTEMS		Firing Arc: 360 degrees dorsal	
Type: Class 7 [2 Power/round]	19	Firing Modes: Standard, Pulse	
Strength: 7		Ventral Disruptor Array	38
Security: -4 (Class Gamma uprating)		Type: Anthep	
Basic Uprating: Class Alpha (+1)		Damage: 180 [18 Power]	
Emergency Communications: No		Number of Shots: Up to 3 shots per round	
TRACTOR BEAMS			
Emitter: Class Beta [3 Power/Strength used/round]	6	Targeting System: Accuracy 4/5/7/10	
Accuracy: 5/6/8/11	Ŭ	Range: 10/30,000/100,000/300,000	
Location: Forward ventral		Location: Ventral amidships	
Emitter: Class Beta [3 Power/Strength used/round]	6	Firing Arc: 360 degrees ventral	
Accuracy: 5/6/8/11	v	Firing Modes: Standard, Pulse	
Location: Aft ventral		Aft Disruptor Array	38
		Type: Anthep	
TRANSPORTERS		Damage: 180 [18 Power]	
Type: Personnel [4 Power/use]	30	Number of Shots: Up to 3 shots per round	
Pads: 4		Targeting System: Accuracy 4/5/7/10	
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		Range: 10/30,000/100,000/300,000	
Energizing/Transition Coils: Class G (Strength 7)		Location: Aft	
Number and Location: One forward, one aft		Firing Arc: 360 degrees aft	
Type: Emergency [5 Power/use]	28	Firing Modes: Standard, Pulse	
Pads: 16		Forward Torpedo Launcher	15
Emitter/Receiver Array: Emergency Type 3 (15,000 km range)		Standard Load: Type G-II singularity torpedo (400 Damage)	
Energizing/Transition Coils: Class G (Strength 7)		Spread: 4	
Number and Location: One forward, one aft		Range: 15/350,000/1,500,000/4,050,000	
Type: Cargo [4 Power/use]	42	Targeting System: Accuracy 4/5/7/10	
Pads: 400 kg		Power: [20 + 5 per torpedo fired]	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)		Location: Forward on command hull	
Energizing/Transition Coils: Class G (Strength 7)		Firing Arc: Forward, but are self-guided	
Number and Location: One in each of the three largest cargo holds		Torpedoes Carried: 40	4
Cloaking Device: Class 9 [40 Power/class/round]	31	TA/T/TS: Class Beta [1 Power/round]	9
•	•	Strength: 8	,
SECURITY SYSTEMS	10	Bonus: +1	
Rating: 3	12	Weapons Skill: 4	
Anti-Intruder System: Yes [1 Power/round]	4	Shields (Forward, Aft, Port, Starboard)	38 (x4)
Internal Force Fields [1 Power/3 Strength]	4	Shield Generator: Type R-ID (Protection 650) [65 Power/shield/round]	
Science Systems			I
Rating 1 (+0) [1 Power/round]	9	Shield Grid: Type C (50% increase to 975 Protection)	
Specialized Systems: None		Subspace Field Distortion Amplifiers: Class Delta (Threshold 200)	
Laboratories: 3	2	Recharging System: Class 1 (45 seconds)	
	-	Backup Shield Generators: 4 (1 per shield)	4
		Auto-Destruct System	4

THEREUS 2/3

CHAPTER 3

SHIPS OF THE ROMULAN STAR EMPIRE

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): None Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: Designed as a cross between a scout and a cruiser, the *Thereus*-class Bird of Prey combines the best features of both: powerful engines so that it can fly at high impulse and warp speeds; advanced power generation systems; sophisticated sensors; and one of the best types of cloaking devices available in the Star Empire. Like most Birds of Prey, its weapons are relatively weak, but its crews master "decloak and fire" maneuvers to make up for the lack.

The *Thereus* has a roughly teardrop-shaped main hull, similar to that of the *D'virin*-class Incursion Frigate. The command hull, with a downward-pointing "beak" shape like that of the *D'deridex*, attaches almost seamlessly to the main hull's forward side. The nacelles are each held directly to port and starboard by two archlike nacelle pylons. As a result, when the ship is viewed from the front—the only angle many of its victims ever see—it strongly resembles a raptor striking to kill.

Noteworthy vessels/service records/encounters: *Thereus*, prototype; *Ronax*, ambushed and destroyed Taurhai scouting wing, allowing the main Romulan fleet to surprise and quickly triumph over the enemy at the Battle of the Blue Spiral Nebula (2371); *Argarathon*, tracked down the vessel of the notorious pirate Maresk the Savage and destroyed his flagship with a carefully-timed sneak attack (2373); *Debratha*, participated in the raid on the Cardassian fortress planet of Kharsadron, incapacitating several sensor systems so as to deprive the enemy of timely intelligence on Federation alliance fleet movements (2375).

>THEREUG 3/3

ship recognition manual volume five Ships of the Romulan Star Empire

THETA CLASS

Class and Type: *Theta*-Class Swift Courier Commissioning Date: 2357

SYSTEM

HULL SYSTEMS

Size: 3

Length: 24.23 meters Beam: 15.98 meters Height: 6.57 meters Decks: 1 Mass: 142.31 metric tonnes SUs Available: 1,000 SUs Used: 985

HULL

Outer	12
Inner	12
RESISTANCE	

Outer Hull:	6	
Inner Hull:	6	

STRUCTURAL INTEGRITY FIELD

Main: Class 3 (Protection 60/90) [1 Power/10 Protection/round]	21
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]	11
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]	11
Specialized Hull: Cloak-Enhancing; Atmospheric Capability; Planetfall	
Capability	12

PERSONNEL SYSTEMS

CHAPTER 3

Crew/Passengers/Evac: 8/32/140

CREW QUARTERS

CREW GOARTERS
Spartan: 20
Basic: 5
Expanded: 2
Luxury: 1
Unusual: None
Environmental Systems
Basic Life Support [6 Power/round]
Reserve Life Support [3 Power/round]
Emergency Life Support (18 emergency shelters)
Gravity [2 Power/round]
Consumables: One month's worth
Replicator Systems
Food Replicators [3 Power/round]
Industrial Replicators
Type: Network of small replicators [2 Power/round]
Medical Facilities: 5 (+1) [5 Power/round]
Recreation Facilities: 3 [6 Power/round]
Personnel Transport: Jefferies tubes [0 Power/round]
Fire Suppression System [] Power/round when active]
Cargo Holds: 100 cubic meters
Locations: Aft, port and starboard
Escape Pods
Number: 20
Capacity: 4 persons per pod

PROPULSION SYSTEMS

SUs

Us	WARP PROPULSION SYSTEM Nacelles: Type 6B6 Speed: 6.0/8.6/9.6 [1 Power/.2 warp speed] PIS: Type C (6 hours of Maximum warp)	98 6
	Impulse Engine	-
	Type: Class 5A (.72c/.9c) [7/9 Power/round] Acceleration Uprating: Class Beta (75% acceleration) [2 Power/round when	28
	active]	4
	Location: Aft, port and starboard Reaction Control System (.025c) [2 Power/round when in use]	3
	POWER SYSTEMS	
	WARP ENGINE	
12 12	Type: Class 5/H (generates 250 Power/round) Location: Amidships	60
	Impulse Engine[s]: 1 Class 5A (generate 44 Power/engine/round) Auxiliary Power: 2 reactors (generate 5 Power/reactor/round)	6
6 6	Emergency Power: Type A (generates 25 Power/round)	25
U	EPS: Standard Power flow, +100 Power transfer/round	25
21 11	Standard Usable Power: 294	
11	OPERATIONS SYSTEMS	
10	Bridge: Command hull	15
12	COMPUTERS	4
	Core 1: Location [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN	6 2 9
	Navigational Deflector [5 Power/round]	12
1	Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11	
i	Location: Ventral	
1	Sensor Systems	
	Long-range Sensors [5 Power/round]	31
12	Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	
6	Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
6 3	Strength Package: Class 6 (Strength 6) Gain Package: Class Alpha (+1)	
1	Coverage: Standard	
	Lateral Sensors [5 Power/round]	15
3 3	Strength Package: Class 6 (Strength 6) Gain Package: Class Alpha (+1)	
3	Coverage: Standard	
25	Navigational Sensors [5 Power/round]	14
24 3	Strength Package: Class 6 (Strength 6) Gain Package: Class Alpha (+1)	
3	Probes: 4	1
1	Sensors Skill: 4	
1	FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 3	
•	[1 Power/round in use]	12
	Navigational Computer	

THETA 1/3

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

Main: Class 2 (+1) [1 Power/round] Backups: Three	2 3	Aft Dorsal Disruptor Array Type: Chareth	34
Inertial Damping Field Main	12	Damage: 160 [16 Power] Number of Shots: Up to 3 shots per round	
Strength: 9 [3 Power/round]	12	Targeting System: Accuracy 4/5/7/10	
Number: 2 Backup	4	Range: 10/30,000/100,000/300,000 Location: Aft dorsal	
Strength: 6 [2 Power/round]	1	Firing Arc: 360 degrees dorsal	
Number: 2 Attitude Control [1 Power/round]	1	Firing Modes: Standard, Pulse Forward Ventral Disruptor Array	34
Communications Systems		Type: Chareth	34
Type: Class 7 [2 Power/round]	19	Damage: 160 [16 Power]	
Strength: 7		Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10	
Security: -4 (Class Gamma uprating) Basic Uprating: Class Alpha (+1)		Range: 10/30,000/100,000/300,000	
Emergency Communications: No		Location: Forward ventral	
TRACTOR BEAMS		Firing Arc: 360 degrees ventral	
Emitter: Class Beta [3 Power/Strength used/round]	6	Firing Modes: Standard, Pulse Aft Ventral Disruptor Array	34
Accuracy: 5/6/8/11 Location: Forward ventral		Type: Chareth	•••
Transporters		Damage: 160 [16 Power]	
Type: Personnel [4 Power/use]	15	Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10	
Pads: 4		Range: 10/30,000/100,000/300,000	
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		Location: Aft ventral	
Energizing/Transition Coils: Class G (Strength 7) Number and Location: One amidships		Firing Arc: 360 degrees vetnral	
Cloaking Device: Class 5 [40 Power/class/round]	18	Firing Modes: Standard, Pulse Aft Disruptor Array	34
SECURITY SYSTEMS		Type: Chareth	
Rating: 3	12	Damage: 160 [16 Power]	
Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]	3 3	Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10	
SCIENCE SYSTEMS	5	Range: 10/30,000/100,000/300,000	
Rating 1 (+0) [1 Power/round]	8	Location: Aft	
Specialized Systems: None		Firing Arc: 360 degrees aft Firing Modes: Standard, Pulse	
Laboratories: None		Forward Torpedo Launcher	15
TACTICAL SYSTEMS		Standard Load: Type II photon torpedo (200 Damage)	
Forward Disruptor Array	34	Spread: 4 Range: 15/350,000/1,500,000/4,050,000	
Type: Chareth		Targeting System: Accuracy 4/5/7/10	
Damage: 160 [16 Power] Number of Shots: Up to 3 shots per round		Power: [20 + 5 per torpedo fired]	
Targeting System: Accuracy 4/5/7/10		Location: Forward	
Range: 10/30,000/100,000/300,000		Firing Arc: Forward, but are self-guided Aft Torpedo Launcher	15
Location: Forward Firing Arc: 360 degrees forward		Standard Load: Type II photon torpedo (200 Damage)	
Firing Modes: Standard, Pulse		Spread: 4	
Forward Dorsal Disruptor Array	34	Range: 15/350,000/1,500,000/4,050,000 Targeting System: Accuracy 4/5/7/10	
Type: <i>Chareth</i> Damage: 160 [16 Power]		Power: [20 + 5 per torpedo fired]	
Number of Shots: Up to 3 shots per round		Location: Aft	
Targeting System: Accuracy 4/5/7/10		Firing Arc: Aft, but are self-guided Torpedoes Carried: 12	2
Range: 10/30,000/100,000/300,000 Location: Forward dorsal		TA/T/TS: Class Alpha [O Power/round]	6
Firing Arc: 360 degrees dorsal		Strength: 7	
Firing Modes: Standard, Pulse		Bonus: +0 Weapons Skill: 3	
		1104poili 3Kiii. 9	

THETA 2/3

Shields (Forward, Aft, Port, Starboard)

18 (x4)

43

Shield Generator: Type R-IB (Protection 270) [27 Power/shield/round] Shield Grid: Type B (33% increase to 360 Protection) Subspace Field Distortion Amplifiers: Class Beta (Threshold 90) Recharging System: Class 1 (45 seconds) Backup Shield Generators: 4 (1 per shield) Auto-Destruct System

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): None Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: The Star Navy, and many Romulan politicians, use the *Theta*-class Swift Courier, an expanded and uprated long-range warp shuttle, for transporting small groups of personnel—squads of elite troops, a diplomatic delegation, a senatorial fact-finding party, or the like. Though the basic accomodations are relatively rough, best suited for soldiers and their ilk, for small parties the ship's crew can re-arrange its interior, providing more luxurious private living facilities at the expense of two-bunk troop quarters.

As befits a ship that often has to travel into or through dangerous areas to accomplish its missions, the *Theta*-class comes equipped with impressive firepower for such a small ship: six Type *Chareth* disrutors and two photon torpedo launchers. In fact, some ship engineers and *Theta* crews have criticized this design decision, noting that the ship rarely needs that much offensive power, and that the disruptor arrays occupy space the ship could better use for additional quarters, cargo transporters, and other such amenities. The Star Navy so far refuses to order any class-wide design alterations for the vessel. Rumor has it that some senators and other high-ranking officials who frequently use *Thetas* have stripped out two or three disruptors and replaced them with other systems.

NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: Theta, prototype; Shargeles, personal transport of Admiral Chodeth during the Third Taurhai Offensive (2365-66); Rilidam, lost due to unknown causes (suspected to be Federation treachery) while on diplomatic mission near Federation Neutral Zone (2366); Vastara, served as testbed for proposed class-wide modifications and upgrades (2369-71); Gheb'shaat, personal transport of Senator Vreenak, destroyed by Dominion-Cardassian alliance while Vreenak carried evidence of that entity's plan to violate the non-aggression treaty and invade the Star Empire, thus precipitating the Empire's entry into the war on the side of the Federation alliance (2374); T'lava, the Tribunal's primary transport during Dominion War (2374-75); S'narvak, currently assigned to ferry dignitaries and messengers between the core worlds and various frontier outposts (2375-present); Surin, currently assigned to Imperial Senate to transport senators to various negotiations with the Taurhai (2375-present); V'teldan, currently used by Imperial diplomatic delegations conducting treaty negotiations with the UFP (2375-present).

CHAPTER 3

THETA 3/3

SHIP RECOGNICION MANUAL VOLUME FIVE Ships of the Romulan Star Empire

TIRETHI CLASS

Class and Type: *Tirethi*-Class Far Scout Commissioning Date: 2362

SYSTEM

HULL SYSTEMS

Size: 3

Length: 56.42 meters Beam: 48.38 meters Height: 6.20 meters Decks: 1 Mass: 950 metric tonnes SUs Available: 850 SUs Used: 750

HULL

Outer Inner

RESISTANCE

Outer Hull: 6 Inner Hull: 6

STRUCTURAL INTEGRITY FIELD

Main: Class 4 (Protection 70/110) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 2/6/35

CREW QUARTERS

Spartan: 4 Basic: None Expanded: None Luxury: None Unusual: None

ENVIRONMENTAL SYSTEMS

Basic Life Support [4 Power/round]
Reserve Life Support [2 Power/round]
Emergency Life Support (4 emergency shelters)
Gravity [2 Power/round]
Consumables: 1 year's worth

REPLICATOR SYSTEMS

Food Replicators [3 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Medical Facilities: 3 (+0) [3 Power/round] Recreation Facilities: 2 [2 Power/round] Personnel Transport: Jefferies tubes [0 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 800 cubic meters Locations: Aft Escape Pods Number: 4 Capacity: 8 persons per pod

PROPULSION SYSTEMS

SUs

Us	WARP PROPULSION SYSTEM Nacelles: Type 5B Speed: 5.0/7.0/9.0 [1 Power/.2 warp speed] PIS: Type H (12 hours of Maximum warp)	60 16
		10
	IMPULSE ENGINE Type: Class 4A (.6c/.85c) [6/8 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	22
	active] Location: Aft	2
	Reaction Control System (.025c) [2 Power/round when in use]	3
	POWER SYSTEMS	
12 12	WARP ENGINE Type: Class 5/H (generates 265 Power/round) Location: Amidships Impulse Engine[s]: 1 Class 4A (generates 35 Power/engine/round)	62
6 6	Auxiliary Power: 2 reactors (generate 5 Power/reactor/round) Emergency Power: Type C (generates 30 Power/round) EPS: Standard Power flow, +100 Power transfer/round	6 30 25
24	Standard Usable Power: 300	
12 12	OPERATIONS SYSTEMS Bridge: Command hull	15
1	COMPUTER Core 1: Amidships forward [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000	6 2 9 12
	Accuracy: 5/6/8/11 Location: Forward	
12 6 6 3 3	SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14) Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2)	36
3 3 15	Coverage: Standard Lateral Sensors [5 Power/round] Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2)	20
16 3 3	Coverage: Standard Navigational Sensors [5 Power/round] Strength Package: Class 7 (Strength 7) String Package: Class 7 (Strength 7)	18
1 2	Gain Package: Class Beta (+2) Probes: 40 Sensors Skill: 4	4
-	FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use] Navigational Computer	11

TIRETHI 1/2

SHIPS	ship recognition manual volume for the ROMULAN STAR EMPIRE
Main: Class 2 (+1) [1 Power/round] Backups: One Inertial Damping Field Main Strength: 9 [3 Power/round] Number: 2 Backup Strength: 6 [2 Power/round] Number: 2 Attitude Control [1 Power/round] COMMUNICATIONS SYSTEMS Type: Class 6 [2 Power/round] Strength: 6 Security: -3 (Class Gamma uprating) Basic Uprating: Class Alpha (+1) Emergency Communications: Yes [2 Power/round] TRACTOR BEAMS Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Forward ventral Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Aft ventral Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Aft ventral TRANSPORTERS Type: Personnel [5 Power/use] Pads: 6 Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class H (Strength 8) Number and Location: One amidships Cloaking Device: Class 7 [40 Power/class/round] Internal Force Fields [1 Power/3 Strength] SCIENCE SYSTEMS Rating 1 (+0) [1 Power/round] Specialized Systems: None Laboratories: 2	 2 Backup Shield Generators: 4 (1 per shield) 1 Auto-Destruct System 2 AUXILIARY SPACECRAFT SYSTEMS Shuttlebay(5): None Captain's Yacht: No 4 DESCRIPTION AND NOTES FLEET DATA: This small, swift vessel consists of a narrow main hull with a rectangular profile, a command hull with a rounded diamond profile when viewed dorsally, and two broad, forward r curved wing-shaped nacelle pylons projecting directly to port and starboard from the main hull. The bridge is located on the forward dorsal side of the command hull, with several large viewports that double as viewscreens when necessary. 1 The <i>Tirethi</i> is intended for long-range scouting missions, bott exploratory and military. Fast and maneuverable, it can also be used effectively in some battle situations, as was demonstrated several times during the Dominion War. 9 NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: <i>Tirethi</i>, prot totype; <i>Pi</i>, crash-landed (and later self-destructed) on Galorndor Core, alerting Starfleet to Romulan activities there (2366); <i>Geth ald</i>, used by Admiral Alidar Jerok to defect to the UFP (2366). 17 24 8 3 8 2
TACTICAL SYSTEMS Forward Disruptor Array Type: Eb'el Damage: 120 [12 Power] Number of Shots: Up to 2 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Forward Firing Arc: 360 degrees forward Firing Modes: Standard, Pulse TA/T/TS: Class Beta [1 Power/round] Strength: 8 Bonus: +1	26

Weapons Skill: 3 Shields (Forward, Aft, Port, Starboard) Shield Generator: Type R-1B (Protection 300) [30 Power/shield/round] Shield Grid: Type B (33% increase to 400 Protection) 17 (x4) Subspace Field Distortion Amplifiers: Class Beta (Threshold 100) Recharging System: Class 1 (45 seconds)

TIRETHI 2/2

CHAPTER 3

GHIPG OF THE ROMILLAN STAR EMPIRE T'KOREX CLASS

Class and Type: T'korex-Class Warbird Commissioning Date: 2366

SYSTEM

HULL SYSTEMS

Size: 9

Length: 786.32 meters Beam: 637.18 meters Height: 228.91 meters Decks: 50 Mass: 5,218,350 metric tonnes SUs Available: 3,150 SUs Used: 3,009

HULL

Outer Inner

RESISTANCE

Outer	Hull:	10
Inner	Hull:	10

STRUCTURAL INTEGRITY FIELD

Main: Class 7 (Protection 100/150) [1 Power/10 Protection/round] Backup: Class 7 (Protection 50) [1 Power/10 Protection/round] Backup: Class 7 (Protection 50) [1 Power/10 Protection/round] Specialized Hull: Cloak-Enhancing

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 1,250/380/9,300

CREW QUARTERS

Spartan: 150	
Basic: 1,000	
Expanded: 250	
Luxury: 60	
Unusual: 13	

ENVIRONMENTAL SYSTEMS

Basic Life Support [12 Power/round]	
Reserve Life Support [6 Power/round]	
Emergency Life Support (54 emergency shelters)	
Gravity [5 Power/round]	
Consumables: 3 years' worth	

REPLICATOR SYSTEMS

Food Replicators [9 Power/round] Industrial Replicators Type: Two networks of small replicators [2 Power/round] Type: 2 large units [2 Power/replicator/round] **Medical Facilities:** 8 (+2) [8 Power/round] **Recreation Facilities:** 7 [14 Power/round] **Personnel Transport:** Turbolifts, Jefferies tubes [2 Power/round] **Fire Suppression System** [1 Power/round when active] **Cargo Holds:** 366,000 cubic meters Locations: Ventral main hull, dorsal main hull, 12 other locations **Escape Pods** Number: 200 Capacity: 8 persons per pod

PROPULSION SYSTEMS

SUs	WARP PROPULSION SYSTEM Nacelles: Type 5B	60
503	Speed: 5.0/7.0/9.0 [1 Power/.2 warp speed] PIS: Type H (12 hours of Maximum warp)	16
	IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Main hull	18
	IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Main hull	18
	Reaction Control System (.025c) [2 Power/round when in use]	9
	POWER SYSTEMS	
36 36	ARTIFICIAL QUANTUM SINGULARITY DRIVE Type: Type VII (generates 650 Power/round) Location: Main hull	135
12 12	Engine Core Ejection System: Yes Impulse Engine[s]: 2 Class 3A (generate 28 Power/engine/round) Auxiliany Power (reactor (reasonable 5 Power (reactor (read)))	9 15
39	Auxiliary Power: 5 reactors (generate 5 Power/reactor/round) Emergency Power: Type E (generates 45 Power/round) EPS: Standard Power flow, +320 Power transfer/round	45 77
20 20 18	Standard Usable Power: 706	
	OPERATIONS SYSTEMS Bridge: Command hull dorsal forward	45
	COMPUTERS	18
8	Core 1: Command hull [5 Power/round] Core 2: Main hull [5 Power/round]	18
100	Core 3: Main hull [5 Power/round]	18
50 60	Uprating: Class Beta (+2) [2 Power/computer/round]	12
13	ODN Naviantianal Deflector [5 Dever /round]	27 36
	Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000	30
36	Accuracy: 5/6/8/11	
18	Location: Ventral	
18	Sensor Systems	
9 27	Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	40
9	Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
24	Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	
40	Coverage: Standard Lateral Sensors [5 Power/round]	24
56	Strength Package: Class 9 (Strength 9)	27
27	Gain Package: Class Beta (+2)	
9	Coverage: Štandard	
11	Navigational Sensors [5 Power/round]	22
11	Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	
	Probes: 120	12
	Sensors Skill: 5	

T'KOREX 1/3

FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use] 11 Navigational Computer Main: Class 3 (+2) [2 Power/round] Backups: 2 Inertial Damping Field Main Strength: 9 [3 Power/round]	4 2 72	TACTICAL SYSTEMS Forward Disruptor Array Type: Valkar Damage: 260 [26 Power] Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Forward command hull Firing Arc: 360 degrees forward	54
Number: 4 Backup Strength: 6 [2 Power/round] Number: 4	20	Firing Modes: Standard, Pulse Forward Dorsal Disruptor Array Type: Uregal Damage: 240 [24 Power]	50
Attitude Control [2 Power/round]	2	Number of Emitters: Up to 5 shots per round	
COMMUNICATIONS SYSTEMS Type: Class 8 [2 Power/round] Strength: 8 Security: -5 (Class Delta uprating) Paris (Inserting: Class Delta (12))	26	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Forward dorsal Firing Arc: 360 degrees dorsal Firing Modes: Standard, Pulse	
Basic Uprating: Class Beta (+2) Emergency Communications: Yes [2 Power/round]	1	Forward Ventral Disruptor Array	50
TRACTOR BEAMS Emitter: Class Delta [3 Power/Strength used/round]	12	Type: <i>Uregal</i> Damage: 240 [24 Power] Number of Emitters: Up to 5 shots per round	
Accuracy: 4/5/7/10 Location: Forward dorsal Emitter: Class Delta [3 Power/Strength used/round]	12	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Forward ventral	
Accuracy: 4/5/7/10 Location: Aft ventral Emitter: Class Alpha [3 Power/Strength used/round]	6	Firing Arc: 360 degrees ventral Firing Modes: Standard, Pulse	50
Accuracy: 5/6/8/11 Location: One in each shuttlebay		Aft Dorsal Disruptor Array Type: Uregal Damage: 240 [24 Power]	50
TRANSPORTERS Type: Personnel [5 Power/use]	144	Number of Emitters: Up to 5 shots per round	
Pads: 6 Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class I (Strength 9)	144	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Aft dorsal Firing Arc: 360 degrees dorsal	
Number and Location: Four in command hull, four in main hull Type: Emergency [7 Power/use] Pads: 24	144	Firing Modes: Standard, Pulse Aft Ventral Disruptor Array Type: Uregal	50
Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class I (Strength 9) Number and Location: Four in command hull, four in main hull Type: Cargo [4 Power/use] Pads: 400 kg	112	Damage: "240 [24 Power] Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class I (Strength 9) Number and Location: Two in command hull, six in main hull Cloaking Device: Class 9 [40 Power/class/round]	36	Location: Aft ventral Firing Arc: 360 degrees ventral Firing Modes: Standard, Pulse Command Will Ventral Disruptor Array	50
Security Systems	50	Type: <i>Uregal</i> Damage: 240 [24 Power]	
Rating: 5	20	Number of Emitters: Up to 5 shots per round	
Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]	9 9	Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000	
Science Systems		Location: Command hull ventral	
Rating 2 (+1) [2 Power/round]	19	Firing Arc: 360 degrees ventral Firing Modes: Standard Pulse	
Specialized Systems: 2 Laboratories: 20	10 4	Firing Modes: Standard, Pulse	

Forward Plasma Torpedo Launcher (High-Yield)	28
Standard Load: Class XIV plasma torpedo (600 Damage; see rules)	
Spread: 10	
Range: See text	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Forward	
Firing Arc: Forward, but are self-guided	
Aft Plasma Torpedo Launcher (High-Yield)	28
Standard Load: Class XIV plasma torpedo (600 Damage; see rules)	
Spread: 10	
Range: See text	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Aft	
Firing Arc: Aft, but are self-guided	
Torpedoes Carried: 150 Class XIV plasma; 150 Type G-II singularity	
TA/T/TS: Class Gamma [2 Power/round]	12
Strength: 9	
Bonus: +2	
Weapons Skill: 5	
Shields (Forward, Aft, Port, Starboard) 108 (X4)
Shield Generator: Class R-II (Protection 1000) [100 Power/shield/round]	
Shield Grid: Type C (50% increase to 1500 Protection) Subspace Field Distortion Amplifiers: Class Eta (Threshold 330)	
Recharging System: Class 1 (45 seconds) Backup Shield Generators: 4 (1 per shield)	8
Auto-Destruct System	9
MUID-DESITUCT 37516111	7
AUXILIARY SPACECRAFT SYSTEMS	
Shuttlebay(s): Capacity for 35 Size worth of ships	70
Standard Complement: 16 shuttlecraft, 8 shuttlepods	-

Shuttlebay(s): Capacity for 35 Size worth of ships	70
Standard Complement: 16 shuttlecraft, 8 shuttlepods	
Location(s): Main hull ventral, main hull dorsal	
Captain's Yacht: Yes	10

DESCRIPTION AND NOTES

FLEET DATA: Yet another of the many new ship classes which grew out of the D'deridex Development Project, the T'korex-class Warbird resembles a smaller version of the D'deridex, but with an underhull which extends all the way to its command hull instead of connecting via a boom. Observant personnel also point to the slightly less tapered "point" on the ventral side of the command hull, the alterations to the warp nacelles and the main hull where it connects to them, and other minor differences when distinguishing between the two. Many Romulan commanders prefer the T'korex to the D'deridex due to its greater maneuverability and ease of internal customization.

Like its bigger brother, the T'korex sports an impressive array of weaponry, ranging from a large forward disruptor cannon, to other disruptors of slightly less power, to fore and aft plasma torpedo launchers (the ship also carries singularity torpedoes). The ship lacks a directly aft disruptor array, but does have an aft torpedo launcher, as well as dorsal and ventral disruptor arrays that can normally hit targets to aft of the ship.

Thanks to the arrangement of its cloaking device, EPS, and related systems, the T'korex has an unusually efficient nullifier core. Reduce the Difficulty for Tests to keep the core aligned with the ship's propulsion systems by one.

- 8 The Star Navy produces almost as many T'korexs as D'deridexs; it considers this class a key element of many fleet formations. T'korex wings were a common sight during the latter stages of the Dominion War, right up to the final battle in the heavens over Cardassia Prime. Though the T'korex acquitted itself well during the War, it will take the Star Empire a long time to rebuild all the ones destroyed during the fighting.
- **NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS:** T'korex, 8 prototype; Dem'thec, crippled two Taurhai ships in the Battle of Vendrath Prime during the Fourth Taurhai Offensive (2367); Lev'Vor, explored coreward sectors of the Romulan frontier (2370-72); Trex'ar, was badly damaged but repaired for return to the front lines more than any single other Romulan ship during the Fifth Taurhai Offensive (2369-74); V'darigan, crippled beyond repair after destroying several orbital weapons platforms during the battle to retake Benzar (2374); Kobe't, participated in initial attack on Chin'toka (2374), destroyed during Breen counteroffen-2 sive (2375); Gemrax, destroyed three Breen ships during a battle in the Kalandra Sector (2375).

T'KOREX

T'RASUS CLASS

Class and Type: T'rasus-Class Starbird Commissioning Date: 2357

SYSTEM

HULL SYSTEMS

Size: 7

Length: 407.10 meters Beam: 315.46 meters Height: 92.34 meters Decks: 19 Mass: 3,465,700 metric tonnes SUs Available: 2,450 SUs Used: 2,221

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 6 (Protection 90/130) [1 Power/10 Protection/round]
Backup: Class 6 (Protection 45) [1 Power/10 Protection/round]
Backup: Class 6 (Protection 45) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

CHAPTER 3

Crew/Passengers/Evac: 322/400/4,650

CREW QUARTERS Spartan: 300 Basic: 150 Expanded: 45 Luxury: 5 Unusual: 1 **ENVIRONMENTAL SYSTEMS** Basic Life Support [11 Power/round] Reserve Life Support [6 Power/round] Emergency Life Support (42 emergency shelters) Gravity [4 Power/round] Consumables: 3 years' worth **R**EPLICATOR SYSTEMS Food Replicators [7 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 2 large units [2 Power/replicator/round] Medical Facilities: 8 (+2) [8 Power/round] Recreation Facilities: 8 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 50,000 cubic meters Locations: 10 locations throughout ship Escape Pods Number: 160 Capacity: 8 persons per pod

T'RAGUG 1/3

PROPULSION SYSTEMS

SUs	WARP PROPULSION SYSTEM Nacelles: Type 5D Speed: 5.6/8.4/9.2 [1 Power/.2 warp speed]	70 10
	PIS: Type E (8 hours of Maximum warp) Uprating: two Package Threes for Standard, one Package Two for Maximum	16
	IMPULSE ENGINE Type: Class 4B (.65c/.85c) [6/8 Power/round] Location: Aft	23
	IMPULSE ENGINE Type: Class 4B (.65c/.85c) [6/8 Power/round] Location: Aft, port and starboard Paratian Contemp (2025c) [2 Power (round when in unc)	23
	Reaction Control System (.025c) [2 Power/round when in use]	7
28	POWER SYSTEMS	
28	Artificial Quantum Singularity Drive Type: Type VI (generates 590 Power/round)	124
12	Location: Amidships Engine Core Ejection System: Yes	7
12	Impulse Engine[s]: 2 Class 4B (generate 38 Power/engine/round)	•
34	Auxiliary Power: 4 reactors (generate 5 Power/reactor/round)	12
17 17	Emergency Power: Type D (generates 40 Power/round) EPS: Standard Power flow, +250 Power transfer/round	40 60
	Standard Usable Power: 666	
	OPERATIONS SYSTEMS Bridge: Command hull	35
15	Auxiliary Control Room: Main hull	21
15	Separation System: Command hull separation [10 Power]	7
9 5	COMPUTERS	14
1	Core 1: Command hull [5 Power/round] Core 2: Main hull [5 Power/round]	14
	Uprating: Class Alpha (+1) [1 Power/computer/round]	4
28 14	ODN Navigational Deflector [5 Power/round]	21 28
14	Range: 10/20,000/50,000/150,000	20
7	Accuracy: 5/6/8/11	
21	Location: Ventral	
7	SENSOR SYSTEMS Long-range Sensors [5 Power/round]	38
13	Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	50
40	Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
40 64	Strength Package: Class 8 (Strength 8) Gain Package: Class Beta (+2)	
21	Coverage: Standard	
7	Lateral Šensors [5 Power/round]	22
1	Strength Package: Class 8 (Strength 8) Gain Package: Class Beta (+2)	
9	Coverage: Standard	
	Navigational Sensors [5 Power/round] Strength Package: Class 8 (Strength 8) Gain Package: Class Beta (+2)	20

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

		-
Probes: 38 Sensors Skill: 4	4	S
FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 3 [1 Power/round in use]	12	-
Navigational Computer Main: Class 2 (+1) [1 Power/round] Backups: Three	2 3	F
Inertial Damping Field Main Strength: 9 [3 Power/round]	28	
Number: 2 Backup Strength: 6 [2 Power/round]	8	
Number: 2 Attitude Control [2 Power/round]	2	F
Communications Systems Type: Class 7 [2 Power/round] Strength: 7	19	
Security: -4 (Class Gamma uprating) Basic Uprating: Class Alpha (+1) Emergency Communications: Yes [2 Power/round]	1	
TRACTOR BEAMS Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12	1
Location: Forward ventral Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12	
Location: Forward dorsal Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12	
Location: Aft Emitter: Class Alpha [3 Power/Strength used/round] Accuracy: 5/6/8/11 Location: Shuttlebay (x2)	6	F
TRANSPORTERS Type: Personnel [5 Power/use]	68	
Pads: 6 Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class H (Strength 8)		
Number and Location: Two in command hull, two in main hull Type: Emergency [5 Power/use] Pads: 16	60	1
Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class H (Strength 8) Number and Location: Two in command hull, two in main hull	40	
Type: Cargo [4 Power/use] Pads: 400 kg Emitter/Receiver Array: Cargo Type 3 (40,000 km range)	60	
Energizing/Transition Coils: Class H (Strength 8) Number and Location: One in command hull, three in main hull Cloaking Device: Class 10 [40 Power/class/round]	37	1
Security Systems Rating: 4	16	
Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]	7 7	

057

ŀ	Science Systems Rating 2 (+1) [2 Power/round]	17
	Specialized Systems: 2	10
	Laboratories: 17	4
2	TACTICAL SYSTEMS	
,	Forward Disruptor Array	46
2	Type: Tethpet	
)	Damage: 220 [22 Power]	
	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
}	Location: Forward of command hull	
	Firing Arc: 360 degrees forward	
	Firing Modes: Standard, Pulse Forward Dorsal Disruptor Array	42
	Type: Prenak	74
	Damage: 200 [20 Power]	
	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
	Location: Forward dorsal on main hull	
	Firing Arc: 360 degrees dorsal	
2	Firing Modes: Standard, Pulse Aft Dorsal Disruptor Array	42
	Type: Prenak	12
	Damage: 200 [20 Power]	
	Number of Shots: Up to 3 shots per round	
	Targeting System: Accuracy 4/5/7/10	
,	Range: 10/30,000/100,000/300,000	
•	Location: Aft dorsal on main hull Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	
)	Forward Ventral Disruptor Array	42
	Type: Prenak	
	Damage: 200 [20 Power]	
	Number of Shots: Up to 3 shots per round	
5	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000 Location: Forward ventral on main hull	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	
)	Aft Ventral Disruptor Array	42
	Type: Prenak	
	Damage: 200 [20 Power]	
	Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
'	Location: Aft ventral on main hull	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	
	Aft Disruptor Array	42
	Type: Prenak	
	Damage: 200 [20 Power] Number of Shots: Up to 3 choir por round	
)	Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10	
,	Range: 10/30,000/100,000/300,000	
	Location: Aft	
	Firing Arc: 360 degrees aft	
	Firing Modes: Standard, Pulse	

T'RAGUS 2/3

Forward Plasma Torpedo Launcher (High-Yield)

Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 6 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward Firing Arc: Forward, but are self-guided Aft Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 6 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Aft Firing Arc: Aft, but are self-guided Torpedoes Carried: 50 Class XIV plasma, 100 Type II photon TA/T/TS: Class Beta [1 Power/round] Strength: 8 Bonus: +1 Weapons Skill: 4 Shields (Forward, Aft, Port, Starboard) 90 (x4) Shield Generator: Type R-III (Protection 1100) [110 Power/shield/round] Shield Grid: Type C (50% increase to 1650 Protection) Subspace Field Distortion Amplifiers: Class Eta (Threshold 350) Recharging System: Class 1 (45 seconds) Backup Shield Generators: 4 (1 per shield)

Auto-Destruct System

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 28 Size worth of ships Standard Complement: 14 shuttlecraft Location(s): Aft ventral, command hull aft Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: In the wake of the Praetorian Edict of 2348, which commanded all Romulans to redouble their efforts to achieve D'era, the Corps of Starship Engineers began working on designs for exploration-oriented ships—a first for the Star Navy, which had always stressed military needs and systems previously. One of the earliest, and ultimately most successful, fruits of their labors was the T'rasus-class Starbird, the first of the new "Starbird" exploratory vessels.

The design of the T'rasus drew heavily on the plans and specifications then being drafted by the D'deridex Development Project. As a result, the T'rasus resembles the Heavy Warbird in many respects. However, it has a shorter, thicker dorsal connecting interhull and no ventral main hull body.

Created for long-term, deep-space exploration, survey, and contact missions, the T'rasus has succeeded admirably at the goals the Star Navy set for it. T'rasus crews have discovered more Class M planets, and made first contact with more new species, than the crews of almost all other types of ships combined. The T'rasus spearheaded the efforts initiated by the various Exploration Edicts of the 2360s and 2370s, and continues to expand the Romulan sphere of knowledge, influence, and control in the Beta Quadrant. Thanks to its efforts, the Exploration Command has enjoyed

24 greater prestige and respect over the last 25 years than at any previous time in its history.

Although primarily designed for exploring sectors and surveying planets, the T'rasus is a versatile ship, and can participate in many other activities-such as warfare against the Taurhai, the Dominion, or other enemies of the Empire. Several wings of T'rasus-class ships served under Ar'nal Belisarus Velal during the Dominion War, and the Star Navy developed several more military-oriented variants of the class during the 2370s.

Noteworthy vessels/service records/encounters: *T'rasus,* prototype; D'kalam, explored the Starry Road Nebula (2358-60), disappeared while investigating a "mysterious nebula" there (2360); T'xeren, disappeared while exploring the Tullan Reach, now believed to have been destroyed by the Borg (2363); Visen, initiated first contact with the M'rok (2364), site of signing of treaty

- 15 of alliance between the Empire and the M'rok (2366); D'tharan, began exploration of the region beyond the Empire's rimward border, but stopped reporting after only three months and was never heard from again (2368); Durelan, conducted reconnaissance missions against the Taurhai during Fifth Taurhai Offensive
 - (2369-72), destroyed by a wing of Taurhai destroyers when its cloaking device developed a malfunction (2373); D'stelen, military-oriented variant, fought during the Dominion War, never sustained more than 47% structural damage while accounting for numerous enemy casualties (2375); Thedrelos, detected covert
- 8 Cardassian strike force in time to warn the U.S.S. Wenceslas and 7 prevent a disastrous surprise attack on a major Federation alliance supply convoy (2375); T'Laratex, exploring deep space beyond the Empty Frontier (2374-present); Xanarides, conducting three-year
- 56 exploratory mission in the Gamma Quadrant (2375-present).

FMPIRF D

VADAK CLASS

Class and Type: Vadak-Class Heavy Gunship **Commissioning Date: 2357**

SYSTEM

HULL SYSTEMS

Size: 5

Length: 178.43 meters Beam: 59.83 meters Height: 36.50 meters Decks: 8 Mass: 324,700 metric tonnes SUs Available: 1,600 SUs Used: 1,480

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 4 (Protection 70/110) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round] Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 37/26/1,800

CREW QUARTERS Spartan: 20 Basic: 30 Expanded: 2 Luxury: None Unusual: None **ENVIRONMENTAL SYSTEMS** Basic Life Support [9 Power/round] Reserve Life Support [5 Power/round] Emergency Life Support (30 emergency shelters) Gravity [3 Power/round] Consumables: 1 years' worth **R**EPLICATOR SYSTEMS Food Replicators [5 Power/round]5 Industrial Replicators Type: Network of small replicators [2 Power/round] Medical Facilities: 6 (+1) [6 Power/round] **Recreation Facilities:** 5 [10 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [] Power/round when active] Cargo Holds: 1,000 cubic meters Locations: Aft ventral, port and starboard Escape Pods

Number: 20

Capacity: 4 persons per pod

PROPULSION SYSTEMS

SU

	WARP PROPULSION SYSTEM	50
Us	Nacelles: Type 5 Speed: 5.0/6.0/7.0 [1 Power/.2 warp speed]	50
	PIS: Type H (12 hours of Maximum warp)	16
	IMPULSE ENGINE	
	Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	25
	active]	2
	Location: Aft	
	IMPULSE ENGINE	
	Type: Class 5 (.7c/.9c) [7/9 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	25
	active]	2
20	Location: Aft edge of command hull	-
20	Reaction Control System (.025c) [2 Power/round when in use]	5
10	POWER SYSTEMS	
12 12	Artificial Quantum Singularity Drive	
12	Type: Type IV (generates 370 Power/round)	92
26	Location: Aft amidships Engine Core Ejection System: Yes	5
13	Impulse Engine[s]: 2 Class 5 (generate 40 Power/engine/round)	5
13	Auxiliary Power: 3 reactors (generate 5 Power/reactor/round)	9
	Emergency Power: Type D (generates 40 Power/round) EPS: Standard Power flow, +200 Power transfer/round	40 45
		77
2	Standard Usable Power: 450	
3	OPERATIONS SYSTEMS	
1	Bridge: Command hull	25
	Computer	
	Core 1: Main hull [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round]	10 2
20	ODN	15
10	Navigational Deflector [5 Power/round]	20
10 5	Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11	
5	Location: Forward ventral	
	Sensor Systems	
-	Long-range Sensors [5 Power/round]	36
5	Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	
30	Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
40	Strength Package: Class 7 (Strength 7)	
15	Gain Package: Class Beta (+2)	
5 1	Coverage: Standard Lateral Sensors [5 Power/round]	20
	Strength Package: Class 7 (Strength 7)	20
1	Gain Package: Class Beta (+2)	
	Coverage: Štandard	
	Navigational Sensors [5 Power/round] Strength Package: Class 7 (Strength 7)	14
	Gain Package: Standard	

VADAK 1/3

ship recognition manual volume five GHIPS OF THE ROMULAN STAR EMPIRE

Probes: 20 Sensors Skill: 4	2	TACTICAL SYSTEMS Forward Disruptor Array	46
FLIGHT CONTROL SYSTEMS		Type: Tethpet	
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2	11	Damage: 220 [22 Power] Number of Shots: Up to 3 shots per round	
[1 Power/round in use] Navigational Computer	11	Targeting System: Accuracy 4/5/7/10	
Main: Class 2 (+1) [1 Power/round]	2	Range: 10/30,000/100,000/300,000	
Backups: Two	2	Location: Forward of command hull	
Inertial Damping Field	-	Firing Arc: 360 degrees forward	
Main	20	Firing Modes: Standard, Pulse	
Strength: 9 [3 Power/round]		Forward Dorsal Disruptor Array	42
Number: 2		Type: Prenak	
Backup	9	Damage: 200 [20 Power]	
Strength: 6 [2 Power/round]		Number of Shots: Up to 3 shots per round	
Number: 3		Targeting System: Accuracy 4/5/7/10	
Attitude Control [1 Power/round]	1	Range: 10/30,000/100,000/300,000 Location: Forward dorsal on main hull	
COMMUNICATIONS SYSTEMS		Firing Arc: 360 degrees dorsal	
Type: Class 6 [2 Power/round]	17	Firing Modes: Standard, Pulse	
Strength: 6		Aft Dorsal Disruptor Array	42
Security: -3 (Class Gamma uprating)		Type: Prenak	
Basic Uprating: Class Alpha (+1) Emergency Communications: Yes [2 Power/round]	1	Damage: 200 [20 Power]	
		Number of Shots: Up to 3 shots per round	
TRACTOR BEAMS	4	Targeting System: Accuracy 4/5/7/10	
Emitter: Class Beta [3 Power/Strength used/round] Accuracy: 5/6/8/11	6	Range: 10/30,000/100,000/300,000	
Location: Forward ventral		Location: Aft dorsal on main hull	
Emitter: Class Beta [3 Power/Strength used/round]	6	Firing Arc: 360 degrees dorsal	
Accuracy: 5/6/8/11	Ŭ	Firing Modes: Standard, Pulse	42
Location: Aft ventral		Forward Ventral Disruptor Array Type: Prenak	42
Emitter: Class Alpha [3 Power/Strength used/round]	3	Damage: 200 [20 Power]	
Accuracy: 5/6/8/11		Number of Shots: Up to 3 shots per round	
Location: Shuttlebay		Targeting System: Accuracy 4/5/7/10	
TRANSPORTERS		Range: 10/30,000/100,000/300,000	
Type: Personnel [4 Power/use]	30	Location: Forward ventral on main hull	
Pads: 4		Firing Arc: 360 degrees ventral	
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		Firing Modes: Standard, Pulse	
Energizing/Transition Coils: Class G (Strength 7)		Aft Ventral Disruptor Array	42
Number and Location: One in command hull, one in main hull	40	Type: Prenak	
Type: Emergency [5 Power/use] Pads: 16	42	Damage: 200 [20 Power] Number of Shots: Up to 3 shots per round	
Emitter/Receiver Array: Emergency Type 3 (15,000 km range)		Targeting System: Accuracy 4/5/7/10	
Energizing/Transition Coils: Class G (Strength 7)		Range: 10/30,000/100,000/300,000	
Number and Location: One in command hull, two in main hull		Location: Aft ventral on main hull	
Type: Cargo [4 Power/use]	28	Firing Arc: 360 degrees ventral	
Pads: 400 kg		Firing Modes: Standard, Pulse	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)		Aft Disruptor Array	42
Energizing/Transition Coils: Class G (Strength 7)		Type: Prenak	
Number and Location: One in each cargo bay		Damage: 200 [20 Power]	
Cloaking Device: Class 7 [40 Power/class/round]	26	Number of Shots: Up to 3 shots per round	
SECURITY SYSTEMS		Targeting System: Accuracy 4/5/7/10 Pange: 10/30 000/100 000/300 000	
Rating: 3	12	Range: 10/30,000/100,000/300,000 Location: Aft	
Anti-Intruder System: Yes [1 Power/round]	5	Firing Arc: 360 degrees aft	
Internal Force Fields [1 Power/3 Strength]	5	Firing Modes: Standard, Pulse	
Science Systems		g	
Rating 1 (+0) [1 Power/round]	10		
Specialized Systems: None Laboratories: 4	2		
	L		

CHAPTER 3

VADAK 2/3

Ship recognition manual volume five Ships of the Romulan Star Empire

Forward Torpedo Launche

Forward Torpedo Launcher	15
Standard Load: Type G-II photon torpedo (400 Damage)	
Spread: 4	
Range: 15/350,000/1,500,000/4,050,000	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Forward	
Firing Arc: Forward, but are self-guided	
Aft Torpedo Launcher	15
Standard Load: Type G-II photon torpedo (400 Damage)	
Spread: 4	
Range: 15/350,000/1,500,000/4,050,000	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: Aft	
Firing Arc: Aft, but are self-guided	
Torpedoes Carried: 40	4
TA/T/TS: Class Beta [1 Power/round]	9
Strength: 8	
Bonus: +1	
Weapons Skill: 4	
Shields (Forward, Aft, Port, Starboard)	50 (x4)
Shield Generator: Type R-ID (Protection 700) [70 Power/shield/round]	
Shield Grid: Type C (50% increase to 1050 Protection)	
Subspace Field Distortion Amplifiers: Class Epsilon (Threshold 230)	
Recharging System: Class 1 (45 seconds)	
Backup Shield Generators: 4 (1 per shield)	4
Auto-Destruct System	5
	•

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): None Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: The *Vadak*-class Heavy Gunship blends a number of typically Romulan starship design features into a pleasing whole. The main hull is rectangular, with several small symmetrically-placed superstructures along its length dorsally and ventrally. The command hull, similar to those seen on the *Theta*-class Swift Courier and *D'deridex*-class Heavy Warbird, attaches directly to the forward side of the main hull, though the aft edge is raised above the main hull, not flush with it as on the *Theta*. The ship's secondary impulse engine is mounted on the aft edge of the command hull. The wing pylons look somewhat like those of the *D'deridex*, but are smaller, and slightly swept back towards the aft of the ship.

Designed to patrol and defend the borders of disputed systems and fronts established by the Star Navy during time of war, the *Vadak* is relatively slow when moving at warp speed, but fast and agile at impulse so that it can react to enemy incursions swiftly. It carries heavy shields and powerful weapons (mostly disruptors), and some engineers have uprated their *Vadaks* with even greater offensive capability (including an improved TA/T/TS).

The *Vadak* does not have the spartan interior one would expect from a ship of its patently military nature—its designers believed that serving aboard a fighting ship did not mean having to sacrifice comfort. The corridors are roomy and well-lit, and the quarters larger and more comfortable than on most Romulan ships of com-

5 parative size. As a result, some Romulan officers think of *Vadak* crewmembers as "soft," but no Federation or Taurhai commander who has faced one of these vessels would agree.

Noteworthy vessels/service records/encounters: *Vadak*, prototype; *Dortarus*, stopped a pirate raid on Gevallos III by single-handedly destroying or crippling three of the raiders' ships (2361); *Du'rarex*, helped to hold the Romulan secondary line at the Battle of Yarra Sarnel (2365); *Methallus*, rescued transport stranded by imminent collapse of warp containment field, saving the lives of

imminent collapse of warp containment field, saving the lives of 224 citizens (2369); *Gal'genaru*, participated in the Battle of Delta Corescus (2372); *Phoras*, destroyed at the Battle of Ricktor Prime after successfully defending the Galaxy-class *U.S.S. Jules Verne*, NCC-69923, from a Jem'Hadar attack (2375).

VADAK 3/3

VEL'TAR CLASS

Class and Type: Vel'tar-Class Armored Transport ("Drop Ship") Commissioning Date: 2355

SYSTEM

HULL SYSTEMS

Size: 2

Length: 28.37 meters Beam: 6.25 meters Height: 4.11 meters Decks: 1 Mass: 16.58 metric tonnes SUs Available: 625 SUs Used: 625

HULL

Outer Inner

RESISTANCE

Outer	Hull:	8
Inner	Hull:	8

STRUCTURAL INTEGRITY FIELD

Main: Class 4 (Protection 70/90) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]
Backup: Class 4 (Protection 35) [1 Power/10 Protection/round]
Specialized Hull: Atmospheric Capability; Planetfall Capability

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 2/12/20

CREW QUARTERS

Spartan: 1 Basic: None Expanded: None Luxury: None Unusual: None

ENVIRONMENTAL SYSTEMS

Basic Life Support [3 Power/round]	
Reserve Life Support [2 Power/round]	
Emergency Life Support (4 emergency shelters)	
Gravity [1 Power/round]	
Consumables: 2 days' worth	

REPLICATOR SYSTEMS

CHAPTER 3

Food Replicators [2 Power/round] Industrial Replicators: None Medical Facilities: 2 (+0) [2 Power/round] Recreation Facilities: 1 [2 Power/round] Personnel Transport: Jefferies tubes [0 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 40 cubic meters Locations: Aft Escape Pods Number: 2 Capacity: 8 persons per pod

PROPULSION SYSTEMS

SUs

8

8

9 9

23 12 12

4

1

2

10

8 2

2

1

2

	Narp Propulsion System Nacelles: Type 5.4	52
	Speed: 5.0/6.0/7.5 [1 Power/.2 warp speed] PIS: Type A (4 hours of Maximum warp) Uprating: Package 1 for Maximum	2 2
	opranny. Fackage i for Maximum MPULSE ENGINE	2
-	Type: Class 3A (.5c/.75c) [5/7 Power/round] Acceleration Uprating: Class Alpha (66% acceleration) [1 Power/round when	18
	active] Location: Aft	2
	Reaction Control System (.025c) [2 Power/round when in use]	2
	POWER SYSTEMS	
	NARP ENGINE	
	Fype: Class 4/I (generates 200 Power/round) Location: Dorsal (horizontal)	50
	Warp Core Ejection System: Yes	4
	<pre>mpulse Engine[s]: 1 Class 3A (generates 28 Power/engine/round) Auxiliary Power: 2 reactors (generate 5 Power/reactor/round)</pre>	4
	Emergency Power: Type B (generates 30 Power/round)	6 30
	EPS: Standard Power flow, +100 Power transfer/round	20
9	Standard Usable Power: 228	
	DPERATIONS SYSTEMS Bridge: Forward cockpit	10
	OMPUTER	-
(Core 1: Aft [5 Power/round] ODN	4 6
I	Navigational Deflector [5 Power/round]	8
	Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11	
	Location: Forward ventral	
	Sensor Systems	
	Long-range Sensors [5 Power/round] Range Package: Type 2 (Accuracy 3/4/7/10)	23
	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	
	Low Resolution: 12 light-years (1/1.1-3.0/3.1-8.0/8.1-12)	
	Strength Package: Class 6 (Strength 6) Gain Package: Class Alpha (+1)	
	Coverage: Standard	
	Lateral Sensors [5 Power/round]	15
	Strength Package: Class 6 (Strength 6) Gain Package: Class Alpha (+1)	
	Coverage: Standard	
I	Navigational Sensors [5 Power/round]	12
	Strength Package: Class 6 (Strength 6) Gain Package: Standard	
	Probes: None	
	Sensors Skill: 3	

🖊 VEL'TAR 1/2

Power: [20 + 5 per torpedo fired] FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 Location: Forward ventral Firing Arc: Forward, but are self-guided [1 Power/round in use] 11 **Navigational Computer Torpedoes Carried: 12** 2 TA/T/TS: Class Beta [1 Power/round] Main: Class 2 (+1) [1 Power/round] Backups: One 1 Strength: 8 **Inertial Damping Field** Bonus: +1 Main Weapons Skill: 3 8 Strength: 7 [3 Power/round] Shields (Forward, Aft, Port, Starboard) 12 (x4) Shield Generator: Type R-IB (Protection 300) [30 Power/shield/round] Number: 2 2 Shield Grid: Type B (33% increase to 400 Protection) Backup Strength: 5 [2 Power/round] Subspace Field Distortion Amplifiers: Class Beta (Threshold 100) Recharging System: Class 1 (45 seconds) Number: 2 Attitude Control [1 Power/round] 1 **Backup Shield Generators: 4 (1 per shield) Auto-Destruct System COMMUNICATIONS SYSTEMS** Type: Class 6 [2 Power/round] 17 AUXILIARY SPACECRAFT SYSTEMS Strength: 6 Shuttlebay(s): None Security: -3 (Class Gamma uprating) Captain's Yacht: No Basic Uprating: Class Alpha (+1) **Emergency Communications: Yes [2 Power/round]** 1 **DESCRIPTION AND NOTES TRACTOR BEAMS FLEET DATA:** Designed to rapidly and safely carry squads of Romu-9 Emitter: Class Gamma [3 Power/Strength used/round] lan troops from ships in orbit to the surface of planets in situa-Accuracy: 4/5/7/10 tions when the use of transporters is impossible or ill-advised, the Location: Forward ventral Vel'tar-class "Drop Ship" (as Romulan personnel call it) can carry 9 Emitter: Class Gamma [3 Power/Strength used/round] up to 12 fully armed and equipped soldiers. A small, boxy, ugly Accuracy: 4/5/7/10 vessel, built solely according to utilitarian principles, it typically Location: Aft ventral carries its troops under cover of cloak (though the cloak becomes **T**RANSPORTERS much less effective once it enters an atmosphere), lands on a Type: Personnel [5 Power/use] 17 planet, and discharges its "cargo" through large side doors. It can Pads: 6 also transport troops off six at a time with its transporter. It then Emitter/Receiver Array: Personnel Type 6 (40,000 km range) leaves the ground, taking to the air (or even returning to space) Energizing/Transition Coils: Class H (Strength 8) until it receives a call to pick up troops or perform some other mis-Number and Location: One amidships sion. In the event it encounters trouble, it comes equipped with a Cloaking Device: Class 7 [40 Power/class/round] 23 small forward disruptor array and a plasma torpedo launcher. SECURITY SYSTEMS Rating: 1 4 2 Anti-Intruder System: Yes [1 Power/round] 2 Internal Force Fields [1 Power/3 Strength] SCIENCE SYSTEMS Rating 1 (+0) [1 Power/round] 7 Specialized Systems: None Laboratories: None TACTICAL SYSTEMS Forward Disruptor Array 26 Type: Eb'el Damage: 120 [12 Power] Number of Shots: Up to 2 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000

20

Location: Forward

Spread: 3 Ranae: See text

Firing Arc: 360 degrees forward Firing Modes: Standard, Pulse

Targeting System: Accuracy 4/5/7/10

Forward Plasma Torpedo Launcher (High-Yield)

Standard Load: Class XIV plasma torpedo (600 Damage; see rules)

VEL'TAR 2/2

CHAPTER 3

2

9

ship recognition manual volume five Ships of the Romulan Star Empire

VERELEUS CLASS

Class and Type: Vereleus-Class Dreadnought Commissioning Date: 2371

SYSTEM

HULL SYSTEMS

Size: 10

Length: 1,350.25 meters Beam: 764.38 meters Height: 333.21 meters Decks: 72 Mass: 6,950,000 metric tonnes SUs Available: 3,750 SUs Used: 3,586

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 7 (Protection 100/150) [1 Power/10 Protection/round]
Backup: Class 7 (Protection 50) [1 Power/10 Protection/round]
Backup: Class 7 (Protection 50) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 1,850/800/15,000

PROPULSION SYSTEMS

SUs	Warp Propulsion System Nacelles: Type 6C6 Speed: 6.0/9.0/9.6 [1 Power/.2 warp speed]	103
	PIS: Type H (12 hours of Maximum warp)	16
	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Location: Aft	25
	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Location: Aft, port and starboard	25
	Reaction Control System (.025c) [2 Power/round when in use]	10
	POWER SYSTEMS	
40 40	Artificial Quantum Singularity Drive Type: Type VIII (generates 820 Power/round) Location: Main hull	157
12 12	Engine Core Ejection System: Yes Impulse Engine[s]: 2 Class 5 (generate 40 Power/engine/round)	10
	Auxiliary Power: 6 reactors (generate 5 Power/reactor/round) Emergency Power: Type F (generates 50 Power/round)	18 50
40 20	EPS: Standard Power flow, +400 Power transfer/round	90
20	Standard Usable Power: 900	
	OPERATIONS SYSTEMS	50
	Bridge: Command hull dorsal forward Auxiliary Control Room: Main hull	50 30
25	Secondary Auxiliary Control Room: Main hull	30
140	COMPUTERS (BIOGENETICALLY ENHANCED COMPUTER SYSTEM)	
68	Core 1: Command hull [7 Power/round]	30
90 22	Core 2: Main hull [7 Power/round]	30
22	Core 3: Main hull [7 Power/round] Uprating: Class Beta (+2) [2 Power/computer/round]	30 12
40	ODN	30
40 20	Navigational Deflector [5 Power/round]	40
20	Range: 10/20,000/50,000/150,000	
10	Accuracy: 5/6/8/11	
30	Location: Ventral	
	Sensor Systems	
10	Long-range Sensors [5 Power/round]	56
29	Range Package: Type 8 (Accuracy 3/4/7/10) High Resolution: 6 light-years (.5/.6-1.0/1.1-4.5/4.6-6.0) Low Resolution: 18 light-years (1/1.1-6.5/6.6-13.5/13.6-18)	
45	Strength Package: Class 9 (Strength 9)	
5	Gain Package: Class Beta (+2)	
64	Coverage: Standard	
30	Lateral Sensors [5 Power/round]	24
10	Strength Package: Class 9 (Strength 9)	
12	Gain Package: Class Beta (+2) Coverage: Standard	
13	Navigational Sensors [5 Power/round]	22
19	Strength Package: Class 9 (Strength 9)	
	Gain Package: Class Beta (+2)	

CHAPTER 3 VERELEUG 1/3

ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

Probes: 100 Sensors Skill: 5	10
FLIGHT CONTROL SYSTEMS	
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use]	? 11
Navigational Computer Main: Class 3 (+2) [2 Power/round] Backups: 2	4 2
Inertial Damping Field Main Strength: 0.12 Review (nound)	80
Strength: 9 [3 Power/round] Number: 4 Backup	20
Strength: 6 [2 Power/round] Number: 4	0
Attitude Control [2 Power/round] Communications Systems	2
Type: Class 8 [2 Power/round] Strength: 8	26
Security: -5 (Class Delta uprating)	
Basic Uprating: Class Beta (+2) Emergency Communications: Yes [2 Power/round]	1
TRACTOR BEAMS Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Forward dorsal Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Forward ventral Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Aft ventral Emitter: Class Alpha [3 Power/Strength used/round] Accuracy: 5/6/8/11	6
Location: One in each shuttlebay	
TRANSPORTERS Type: Personnel [5 Power/use] Pads: 6	126
Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: Three in command hull, four in main hull Type: Emergency [7 Power/use] Pads: 24	144
Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: Four in command hull, four in main hull Type: Cargo [4 Power/use] Pads: 400 kg	102
Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: Two in command hull, six in main hull Cloaking Device: Class 10 [40 Power/class/round]	40
Security Systems Rating: 5	20
Anti-Intruder System: Yes [1 Power/round]	10
Internal Force Fields [1 Power/3 Strength]	10

10	SCIENCE SYSTEMS Rating 3 (+2) [3 Power/round] Specialized Systems: 2	25 10
	Laboratories: 22	6
11		
	TACTICAL SYSTEMS	50
4	Forward Disruptor Array	59
2	Type: <i>Arendev</i> Damage: 280 [28 Power]	
00	Number of Emitters: Up to 5 shots per round	
80	Targeting System: Accuracy 3/4/6/9	
	Range: 10/30,000/100,000/300,000	
20	Location: Forward command hull	
	Firing Arc: 360 degrees forward	
	Firing Modes: Standard, Pulse	
2	Forward Dorsal Disruptor Array	55
	Type: Valkar	
26	Damage: 260 [26 Power] Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 3/4/6/9	
	Range: 10/30,000/100,000/300,000	
,	Location: Forward dorsal	
1	Firing Arc: 360 degrees dorsal	
10	Firing Modes: Standard, Pulse	
12	Forward Ventral Disruptor Array	55
	Type: Type: Valkar	
12	Damage: 260 [26 Power] Number of Emitters: Up to 5 shots per round	
	Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 3/4/6/9	
	Range: 10/30,000/100,000/300,000	
12	Location: Forward ventral	
	Firing Arc: 360 degrees ventral	
,	Firing Modes: Standard, Pulse	
6	Aft Dorsal Disruptor Array	55
	Type: Type: <i>Valkar</i> Damage: 260 [26 Power]	
	Number of Emitters: Up to 5 shots per round	
126	Targeting System: Accuracy 3/4/6/9	
	Range: 10/30,000/100,000/300,000	
	Location: Aft dorsal	
	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	
144	Aft Ventral Disruptor Array	55
	Type: Type: <i>Valkar</i> Damage: 260 [26 Power]	
	Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 3/4/6/9	
102	Range: 10/30,000/100,000/300,000	
	Location: Aft ventral	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	
	Command Hull Ventral Disruptor Array	55
40	Type: Type: <i>Valkar</i> Damage: 260 [26 Power]	
	Number of Emitters: Up to 5 shots per round	
20	Targeting System: Accuracy 3/4/6/9	
10 10	Range: 10/30,000/100,000/300,000	
10	Location: Command hull ventral	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	

VERELEUG 2/3

recognition m тир впппп rhida F

Forward Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 3/4/6/9 Power: [20 + 5 per torpedo fired] Location: Forward Firing Arc: Forward, but are self-guided Aft Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 3/4/6/9 Power: [20 + 5 per torpedo fired] Location: Aft Firing Arc: Aft, but are self-guided Torpedoes Carried: 80 Class XIVplasma; 220 Type G-II singularity TA/T/TS: Class Gamma [2 Power/round] Strength: 9 Bonus: +2 Weapons Skill: 5 Shields (Forward, Aft, Port, Starboard) 144 (x4) Shield Generator: Type R-IV (Protection 1400) [140 Power/round] Shield Grid: Type C (50% increase to 2100 Protection) Subspace Field Distortion Amplifiers: Class Lota (Threshold 450) Recharging System: Class 1 (45 seconds) Backup Shield Generators: 4 (1 per shield) Auto-Destruct System AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 50 Size worth of ships

Standard Complement: 20 shuttlecraft, 10 shuttlepods Location(s): Main hull aft ventral, command hull aft Captain's Yacht: Yes

DESCRIPTION AND NOTES

CHAPTER

FLEET DATA: The largest ship ever actively produced by the Romulan Star Empire, the Vereleus-class Dreadnought represents the acme of Romulan starship technology and design. The most recent major project undertaken by the Corps of Starship Engineers, the *Vereleus* includes all the latest advances in starship systems. The Star Navy intended it to function not only as a powerful offensive and exploratory platform, but indeed as a sort of mobile front-line command center, and it has met the High Command's expectations in every respect.

The Vereleus successfully combines many design elements from the D'deridex class and its progeny with those of older models, such as the D'virin and Meret classes. Its large command hull, extending forward from the main body of the ship on a dorsal "neck," clearly shows the influence of the D'deridex, as do the ship's many weapons. On the other hand, its main hull (a large, rectangular structure in one piece instead of the rounded, twopart structure on the D'deridex), its straight, downward-thrusting wing pylons, and its warp nacelles just as clearly derive from more established designs.

The Corps of Starship Engineers did not combine these diverse design elements on a whim; everything about the Vereleus is crafted to help it perform its missions as efficiently as possible.

28 The expanded command hull and single-part main hull allows for larger, deeper facilities than those found on the D'deridex and similar ships, and also permit an arrangement of the ship's sophisticated sensor arrays which has the least possible adverse effect on the cloaking device.

The Vereleus also boasts many other advanced systems. Some of the most important include: a biogenically enhanced computer system with the latest programming upgrades; Type R-IV phased 28 deflector shields with the highest maximum defensive strength presently attainable by Imperial technology; expanded sensor platforms able to detect a far larger than normal number of substances and phenomena in standard configuration; enhanced subspace communications equipment; and Type Arendev and Valkar disruptor arrays operated by a Class Gamma tactical system.

While most commanders have expressed nothing but satisfaction 30 about the Vereleus, some have noted that its dorsal "neck" leaves 12 the command hull vulnerable to being separated from the main hull by a targeted enemy attack. A special committee of the Star Navy is currently studying a proposal by the Corps of Starship Engineers to alter the shape of the neck, making it much larger and deeper. Crew quarters, cargo bays, medical facilities, and perhaps an additional shuttlebay would fill the additional space.

NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: Vereleus, prototype; Enem, held the central Romulan formation during the Battle of Delta Corescus despite a withering enemy attack (2372);

- 12 Marrus, first ship of the Navy to receive and use singularity torpe-10 does (2373); Sor, destroyed two powerful Taurhai battle cruisers and was in turn destroyed itself in the Battle of Destrix during 100 the Fifth Taurhai Offensive (2374); Ko'nar, flagship of Ar'nal
- Belisarus Velal during the Dominion War, destroyed with the loss of all hands during the Battle of Cardassia (2374-75); Lin'chev, participated in the liberation of Betazed (2375); Pilaron, overtly 10 patrolled the border of the Federation Neutral Zone from the final weeks of Dominion War through the signing of the Treaty of Bajor to prevent Starfleet from believing wartime losses had crippled the Star Navy (2375); Veletan, serving as the flagship of the Fourth Spinward Fleet (2374-present); Tovarek, serving as the flagship of the Tullan Fleet (2375-present).

FRELE

ship recognition manual volume five Ghips of the Romulan Star Empire

VIDIAN CLASS

Class and Type: Vidian-Class Heavy Starbird Commissioning Date: 2362

SYSTEM

HULL SYSTEMS

Size: 8

Length: 630.21 meters Beam: 468.95 meters Height: 122.46 meters Decks: 25 Mass: 4,225,000 metric tonnes SUs Available: 2,500 SUs Used: 2,314

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 5 (Protection 80/120) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 658/155/6,700

(1011/1 ussongers/ 11uc. 050/155/0/100
CREW QUARTERS
Spartan: 200
Basic: 300
Expanded: 100
Luxury: 30
Unusual: 10
Environmental Systems
Basic Life Support [11 Power/round]
Reserve Life Support [6 Power/round]
Emergency Life Support (48 emergency shelters)
Gravity [4 Power/round]
Consumables: 5 years' worth
REPLICATOR SYSTEMS
Food Replicators [8 Power/round]
Industrial Replicators
Type: Two networks of small replicators [2 Power/round]
Type: 2 large units [2 Power/replicator/round]
Medical Facilities: 8 (+2) [8 Power/round]
Recreation Facilities: 7 [14 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [1 Power/round when active]
Cargo Holds: 300,000 cubic meters
Locations: 20 locations throughout ship
Escape Pods
Number: 180
Capacity: 8 persons per pod

PROPULSION SYSTEMS

	WARP PROPULSION SYSTEM	
SUs	Nacelles: Type 5D6	73
302	Speed: 5.0/8.4/9.6 [1 Power/.2 warp speed]	
	PIS: Type H (12 hours of Maximum warp)	16
	Impulse Engine	
	Type: Class 3A (.5c/.75c) [5/7 Power/round]	18
	Location: Main hull, aft	
	Impulse Engine	
	Type: Class 3A (.5c/.75c) [5/7 Power/round]	18
	Location: Ventral of pylons, attached to main hull	
	Reaction Control System (.025c) [2 Power/round when in use]	8
	POWER SYSTEMS	
00	Artificial Quantum Singularity Drive	
32	Type: Type V (generates 530 Power/round)	113
32	Location: Main hull, amidships	115
	Impulse Engine[s]: 2 Class 3A (generate 28 Power/engine/round)	
12	Auxiliary Power: 5 reactors (generate 5 Power/reactor/round)	15
12	Emergency Power: Type F (generates 50 Power/round)	50
	EPS: Standard Power flow, +250 Power transfer/round	65
32	,	
16	Standard Usable Power: 586	
16		
	OPERATIONS SYSTEMS	
	Bridge: Command hull dorsal forward	40
	Computers	
10	Core 1: Command hull [5 Power/round]	16
10	Core 2: Main hull, starboard [5 Power/round]	16
30 20	Core 3: Main hull, port [5 Power/round]	16
30	Uprating: Class Beta (+2) [2 Power/computer/round]	12
10	ODN	24
10	Navigational Deflector [5 Power/round]	32
32	Range: 10/20,000/50,000/150,000	
16	Accuracy: 5/6/8/11 Location: Ventral	
16	Sensor Systems	
8	Long-range Sensors [5 Power/round]	48
40	Range Package: Type 6 (Accuracy 3/4/7/10)	10
	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0)	
8	Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16)	
22	Strength Package: Class 9 (Strength 9)	
LL	Gain Package: Člass Beta (+2)	
	Coverage: Standard	
40	Lateral Šensors [5 Power/round]	24
56	Strength Package: Class 9 (Strength 9)	
24	Gain Package: Class Beta (+2)	
8	Coverage: Standard	~~
9	Navigational Sensors [5 Power/round]	22
	Strength Package: Class 9 (Strength 9)	
10	Gain Package: Class Beta (+2) Probes: 140	14
	Sensors Skill: 5	14
	JCIIJUI J JKIII. J	

VIDIAN 1/3

FLIGHT CONTROL SYSTEMS		TACTICAL SYSTEMS	
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2		Forward Disruptor Array	46
[1 Power/round in use]	11	Type: Tethpet	
Navigational Computer		Damage: 220 [22 Power]	
Main: Class 3 (+2) [2 Power/round]	4	Number of Shots: Up to 3 shots per round	
Backups: 2	2	Targeting System: Accuracy 4/5/7/10	
Inertial Damping Field Main	48	Range: 10/30,000/100,000/300,000	
Strength: 9 [3 Power/round]	40	Location: Forward of command hull	
Number: 3		Firing Arc: 360 degrees forward Firing Modes: Standard, Pulse	
Backup	12	Dorsal Disruptor Array	42
Strength: 6 [2 Power/round]		Type: Prenak	74
Number: 3		Damage: 200 [20 Power]	
Attitude Control [2 Power/round]	2	Number of Shots: Up to 3 shots per round	
Communications Systems		Targeting System: Accuracy 4/5/7/10	
Type: Class 8 [2 Power/round]	19	Range: 10/30,000/100,000/300,000	
Strength: 8		Location: Dorsal on main hull	
Security: -3		Firing Arc: 360 degrees dorsal	
Basic Úprating: Class Alpha (+1)		Firing Modes: Standard, Pulse	
Emergency Communications: Yes [2 Power/round]	1	Ventral Disruptor Array	42
TRACTOR BEAMS		Type: Prenak	
Emitter: Class Gamma [3 Power/Strength used/round]	9	Damage: 200 [20 Power]	
Accuracy: 4/5/7/10		Number of Shots: Up to 3 shots per round	
Location: Forward ventral		Targeting System: Accuracy 4/5/7/10 Pange: 10/20 000/100 000/200 000	
Emitter: Class Gamma [3 Power/Strength used/round]	9	Range: 10/30,000/100,000/300,000 Location: Ventral on main hull	
Accuracy: 4/5/7/10		Firing Arc: 360 degrees ventral	
Location: Aft ventral		Firing Modes: Standard, Pulse	
Emitter: Class Alpha [3 Power/Strength used/round]	6	Aft Disruptor Array	42
Accuracy: 5/6/8/11		Type: Prenak	
Location: Shuttlebay (x2)		Damage: 200 [20 Power]	
TRANSPORTERS	100	Number of Shots: Up to 3 shots per round	
Type: Personnel [5 Power/use]	108	Targeting System: Accuracy 4/5/7/10	
Pads: 6 Emitter / Persiver Array: Personnel Type 6 (40,000 km range)		Range: 10/30,000/100,000/300,000	
Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class I (Strength 9)		Location: Aft	
Number and Location: Two in command hull, four in main hull		Firing Arc: 360 degrees aft	
Type: Emergency [7 Power/use]	108	Firing Modes: Standard, Pulse	24
Pads: 24		Forward Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules)	24
Emitter/Receiver Array: Emergency Type 3 (15,000 km range)		Spread: 6	
Energizing/Transition Coils: Class I (Strength 9)		Range: See text	
Number and Location: Two in command hull, four in main hull		Targeting System: Accuracy 4/5/7/10	
Type: Cargo [4 Power/use]	70	Power: [20 + 5 per torpedo fired]	
Pads: 400 kg		Location: Forward	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)		Firing Arc: Forward, but are self-guided	
Energizing/Transition Coils: Class I (Strength 9)		Aft Plasma Torpedo Launcher (High-Yield)	24
Number and Location: One in command hull, four in main hull	32	Standard Load: Class XIV plasma torpedo (600 Damage; see rules)	
Cloaking Device: Class 8 [40 Power/class/round]	32	Spread: 6	
SECURITY SYSTEMS	1/	Range: See text	
Rating: 4	16	Targeting System: Accuracy 4/5/7/10	
Anti-Intruder System: Yes [1 Power/round]	8 8	Power: [20 + 5 per torpedo fired] Location: Aft	
Internal Force Fields [1 Power/3 Strength]	0	Firing Arc: Aft, but are self-guided	
SCIENCE SYSTEMS	0.0	Torpedoes Carried: 20 Class XIV plasma, 80 Type II photon	10
Rating 3 (+2) [3 Power/round]	23 20	TA/T/TS: Class Beta [1 Power/round]	9
Specialized Systems: 4 Laboratories: 48	20 10	Strength: 8	-
במסטומוטווכז. דט	10	Bonus: +1	
		Weapons Skill: 4	

CHAPTER 3

VIDIAN 2/3

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

32

Shields (Forward, Aft, Port, Starboard)	80 (x4)
Shield Generator: Class R-ID (Protection 800) [80 Power/shield/round]	
Shield Grid: Type C (50% increase to 1200 Protection)	
Subspace Field Distortion Amplifiers: Class Epsilon (Threshold 250)	
Recharging System: Class 1 (45 seconds)	
Backup Šhield Generators: 4 (1 per shield)	8
Auto-Destruct System	8
·	

AUXILIARY SPACECRAFT SYSTEMS

Shuttlebay(s): Capacity for 16 Size worth of ships Standard Complement: 8 shuttlecraft Location(s): Main hull ventral, port and starboard Captain's Yacht: No

DESCRIPTION AND NOTES

FLEET DATA: The largest exploratory vessel designed to date by the Star Navy, the *Vidian*-class Heavy Starbird resembles the much smaller *Neh'vor*-class science vessel, except for a slightly different command hull, wing pylons with slightly less forward sweep, no exposed systems on the wing pylons, a broader central structure for the main hull, and no half circle-shaped superstructure aft.

Able to remain in space for up to five years at a time, the *Vidian* is a self-reliant vessel, crewed by loyal Romulan officers who don't mind the deprivation and separation from their loved ones if it means furthering the cause of *D'era*. Venturing into the deeps of space beyond the furthest Romulan outpost, they find new colony worlds, new strategic assets, and rich economic resources for the Empire to exploit.

Noteworthy vessels/service records/encounters: *Vidian*, prototype; *T'relt*, found a Class L planet with what may be the richest pergium deposits known to the Star Empire (2366); *D'narex Tomair*, conducted comprehensive survey of the Vela Expanse and space between the Romulan and Klingon Empires (2366-72); *Requine*, was attacked by and destroyed warning beacon and patrol ship of unknown species in a region coreward of Romulan space, but has proceeded onward with its mission of exploration (2375).

VIDIAN 3/3
ship recognition manual volume fiv GHIPG OF THE ROMULAN STAR EMPIRE

V'TIR CLASS

Class and Type: V'tir-Class Warbird Commissioning Date: 2369

SYSTEM

HULL SYSTEMS

Size: 8

Length: 655.48 meters Beam: 422.15 meters Height: 157.66 meters Decks: 35 Mass: 4,433,000 metric tonnes SUs Available: 2,775 SUs Used: 2,585

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 7 (Protection 100/150) [1 Power/10 Protection/round] Backup: Class 7 (Protection 50) [1 Power/10 Protection/round] Backup: Class 7 (Protection 50) [1 Power/10 Protection/round] Specialized Hull: Cloak-Enhancing

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 875/240/8,500

CREW QUARTERS

Spartan: 200				
Basic: 800				
Expanded: 150				
Luxury: 25				
Unusual: 10				
	-			

ENVIRONMENTAL SYSTEMS

Basic Life Support [12 Power/round]	
Reserve Life Support [6 Power/round]	
Emergency Life Support (48 emergency shelters)	
Gravity [4 Power/round]	
Consumables: 3 years' worth	

REPLICATOR SYSTEMS

Food Replicators [8 Power/round] Industrial Replicators Type: Two networks of small replicators [2 Power/round] Type: 2 large units [2 Power/replicator/round] **Medical Facilities:** 8 (+2) [8 Power/round] **Recreation Facilities:** 7 [14 Power/round] **Personnel Transport:** Turbolifts, Jefferies tubes [2 Power/round] **Fire Suppression System** [1 Power/round when active] **Cargo Holds:** 250,000 cubic meters Locations: 15 locations throughout ship **Escape Pods** Number: 180 Capacity: 12 persons per pod

/'TIR 1/3

PROPULSION SYSTEMS

SUs

Js	WARP PROPULSION SYSTEM Nacelles: Type 5C2 Speed: 5.0/8.0/9.2 [1 Power/.2 warp speed]	66
	PIS: Type H (12 hours of Maximum warp)	16
	IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Main hull	18
	IMPULSE ENGINE Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Main hull	18
	Reaction Control System (.025c) [2 Power/round when in use]	8
	POWER SYSTEMS	
32	Artificial Quantum Singularity Drive	
32	Type: Type VI (generates 600 Power/round) Location: Main hull	125
12	Engine Core Ejection System: Yes Impulse Engine[s]: 2 Class 3A (generate 28 Power/engine/round)	8
12	Auxiliary Power: 4 reactors (generate 5 Power/reactor/round)	12
	Emergency Power: Type D (generates 40 Power/round)	40
40	EPS: Standard Power flow, +300 Power transfer/round	70
20 20		
20	Standard Usable Power: 656	
	OPERATIONS SYSTEMS Bridge: Command hull dorsal forward	40
	COMPUTERS	
10	Core 1: Command hull [5 Power/round]	16
10 80	Core 2: Main hull, starboard [5 Power/round]	16
30	Core 3: Main hull, port [5 Power/round]	16
25	Uprating: Class Beta (+2) [2 Power/computer/round]	12
10	ODN Nevientional Deflector [5 Device (round]	24 32
	Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000	32
32	Accuracy: 5/6/8/11	
16	Location: Ventral	
16	Sensor Systems	
8	Long-range Sensors [5 Power/round]	40
24	Range Package: Type 4 (Accuracy 3/4/7/10)	
	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	
8	Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14)	
22	Strength Package: Class 9 (Strength 9)	
	Gain Package: Class Beta (+2)	
40	Coverage: Standard	24
56	Lateral Sensors [5 Power/round] Strength Package: Class 9 (Strength 9)	24
24	Gain Package: Class Beta (+2)	
8	Coverage: Standard	
8	Navigational Sensors [5 Power/round]	22
	Strength Package: Class 9 (Strength 9)	
11	Gain Package: Class Beta (+2)	
	Probes: 120	12
	Sensors Skill: 5	

ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2	
[1 Power/round in use]	1
Navigational Computer	
Main: Class 3 (+2) [2 Power/round] Backups: 2	4
Inertial Damping Field	4
Main	48
Strength: 9 [3 Power/round]	
Number: 3	
Backup	12
Strength: 6 [2 Power/round] Number: 3	
Attitude Control [2 Power/round]	2
Communications Systems	-
Type: Class 8 [2 Power/round]	26
Strength: 8	
Security: -5 (Class Delta uprating)	
Basic Uprating: Class Beta (+2)	
Emergency Communications: Yes [2 Power/round]	1
TRACTOR BEAMS	
Emitter: Class Delta [3 Power/Strength used/round]	12
Accuracy: 4/5/7/10 Location: Forward ventral	
Emitter: Class Delta [3 Power/Strength used/round]	12
Location: Aft ventral	
Emitter: Class Alpha [3 Power/Strength used/round]	6
Accuracy: 5/6/8/11	
Location: Shuttlebay (x2)	
TRANSPORTERS	100
Type: Personnel [5 Power/use] Pads: 6	108
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)	
Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: Two in command hull, four in main hull	
Type: Emergency [7 Power/use]	108
Pads: 24	
Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: Two in command hull, four in main hull	
Type: Cargo [4 Power/use]	7(
Pads: 400 kg	
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)	
Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: One in command hull, four in main hull Cloaking Device: Class 8 [40 Power/class/round]	32
Security Systems	34
Rating: 5	20
Anti-Intruder System: Yes [1 Power/round]	
Internal Force Fields [1 Power/3 Strength]	8
Science Systems	
Rating 2 (+1) [2 Power/round]	18
Specialized Systems: 2	10
Laboratories: 16	4

TACTICAL SYSTEMS

	Forward Disruptor Array	54
11	Type: Valkar	
	Damage: 260 [26 Power]	
4	Number of Emitters: Up to 5 shots per round	
2	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
48	Location: Forward command hull	
	Firing Arc: 360 degrees forward	
	Firing Modes: Standard, Pulse	
12	Dorsal Starboard Disruptor Array	50
	Type: Uregal	50
	Damage: 240 [24 Power]	
2		
-	Number of Emitters: Up to 5 shots per round	
•	Targeting System: Accuracy 4/5/7/10	
26	Range: 10/30,000/100,000/300,000	
	Location: Dorsal on starboard "wing"	
	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Pulse	50
1	Dorsal Port Disruptor Array	50
	Type: Uregal	
12	Damage: 240 [24 Power]	
	Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 4/5/7/10	
12	Range: 10/30,000/100,000/300,000	
	Location: Dorsal on port "wing"	
	Firing Arc: 360 degrees dorsal	
6	Firing Modes: Standard, Pulse	50
	Ventral Starboard Disruptor Array	50
	Type: Uregal	
	Damage: 240 [24 Power]	
108	Number of Emitters: Up to 5 shots per round	
100	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
	Location: Ventral on starboard "wing"	
	Firing Arc: 360 degrees ventral	
108	Firing Modes: Standard, Pulse	
100	Ventral Port Disruptor Array	50
	Type: Uregal	
	Damage: 240 [24 Power]	
	Number of Emitters: Up to 5 shots per round	
70	Targeting System: Accuracy 4/5/7/10	
/0	Range: 10/30,000/100,000/300,000	
	Location: Ventral on port "wing"	
	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Pulse	
20	Forward Plasma Torpedo Launcher (High-Yield)	28
32	Standard Load: Class XIV plasma torpedo (600 Damage; see rules)	
	Spread: 10	
20	Range: See text	
8	Targeting System: Accuracy 4/5/7/10	
8	Power: [20 + 5 per torpedo fired]	
	Location: Forward	
18	Firing Arc: Forward, but are self-guided	
10		
4		

V'TIR 2/3

Starboard Wing Plasma Torpedo Launcher (High-Yield) Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward edge of starboard "wing" Firing Arc: Forward, but are self-guided Port Wing Plasma Torpedo Launcher (High-Yield) 28 Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward edge of port "wing" Firing Arc: Forward, but are self-guided Aft Plasma Torpedo Launcher (High-Yield) 28 Standard Load: Class XIV plasma torpedo (600 Damage; see rules) Spread: 10 Range: See text Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Aft Firing Arc: Aft, but are self-guided Torpedoes Carried: 100 Class XIV plasma; 200 Type G-II singularity 30 TA/T/TS: Class Gamma [2 Power/round] Strength: 9 Bonus: +2 Weapons Skill: 5 Shields (Forward, Aft, Port, Starboard) 82 (x4) Shield Generator: Class R-II (Protection 900) [90 Power/shield/round] Shield Grid: Type B (33% increase to 1200 Protection) Subspace Field Distortion Amplifiers: Class Zeta (Threshold 300) Recharging System: Class 1 (45 seconds) **Backup Shield Generators: 4 (1 per shield)** 8 8 Auto-Destruct System **AUXILIARY SPACECRAFT SYSTEMS** Shuttlebay(s): Capacity for 25 Size worth of ships 50 Standard Complement: 10 shuttlecraft, 5 shuttlepods Location(s): Main hull ventral, port and starboard

DESCRIPTION AND NOTES

Captain's Yacht: Yes

FLEET DATA: One of the newest warbirds in the Romulan fleet, the *V'tir* incorporates design principles different from those of the *D'deridex* class and related ships. Instead of using the *Argus* class and its successors as the basis for the design, the Star Navy's engineers chose instead to look to that line of ships deriving from the *D-7* class Battle Cruisers obtained from the Klingons in the late 2360s. While Romulan ship designers had used aesthetics and system arrangements deriving from the Klingon vessels in later starships, they were not nearly as common as *Argus*-descended ships. Chief Engineer Praddus, the man in charge of the *V'tir* Design Project, decided to take the path less chosen and try to develop an innovative and powerful ship that wouldn't look like the *D'deridex's* younger cousin.

10

The jury remains out on whether he succeeded. In the eyes of many, the V'tir is an ungainly-looking cross between a D-7 and

- **28** a *D'deridex*. Its main hull is a single, slightly curved, structure that curves down sharply at its edges to hold warp nacelles. The dome-like command hull attaches to a central spine that projects slightly forward and upward. To its admirers, the *V'tir* resembles one of the graceful scavandra swans of Romulus, sweeping in for a landing on some crystal-clear mountain lake; to its detractors, it's an awkward-looking ugly duckling.
- However, admirer and detractor alike agree that regardless of its appearance, the *V'tir* is a powerful ship that plays an important role as part of the Romulan military arm. Smaller than both the *D'deridex* and *T'korex*, but larger than the Light Warbirds, it neatly combines the power of the former with the mobility and agility of the latter. Its array of *Valkar* and *Uregal* disruptors (one forward, one on each side of each "wing" of the main hull) and torpedo launchers (one forward, one on the forward edge of each "wing," one aft) provide it with sufficient firepower to take on any
- foe. Many *V'tirs* were used during the Dominion War, helping to hold the line against powerful Jem'Hadar and Cardassian fleets.

NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: V'tir, prototype; Thosar, under the command of Centurion Broden, fought in and survived five major battles of the Fifth Taurhai Offensive without ever sustaining more than 20% casualties (2371-74); D'moreus, destroyed two Firedrakes during the Battle of Destrix (2374); Pharros, participated in the liberation of Benzar (2374); Hortarus, ambushed and destroyed three Jem'Hadar Battle Cruisers (2375).

CHAPTER 3

Ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

PART TWO Romulan Civilian Vessels

073 ROMULAN CIVILIAN VESSELS

DESARA CLASS

Class and Type: Desara-Class Merchant Vessel **Commissioning Date: 2345**

SYSTEM

HULL SYSTEMS

Size: 5 Length: 165.32 meters Beam: 96.22 meters Height: 45.35 meters Decks: 7 Mass: 279,000 metric tonnes (plus mass of cargo, when loaded) SUs Available: 1,000 SUs Used: 888

HULL

Outer Inner

RESISTANCE

Outer Hull: 4 Inner Hull: 4

STRUCTURAL INTEGRITY FIELD

Main: Class 3 (Protection 60/90) [1 Power/10 Protection/round] Backup: Class 3 (Protection 30) [1 Power/10 Protection/round] Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 26/40/2,900

CREW QUARTERS

Barracks: None Spartan: 11 Basic: 40 Expanded: 4 Luxury: None Unusual: None

ENVIRONMENTAL SYSTEMS

Basic Life Support [10 Power/round]	
Reserve Life Support [5 Power/round]	
Emergency Life Support (30 emergency shelte	rs)
Gravity [3 Power/round]	-
Consumables: 1 years' worth	

REPLICATOR SYSTEMS

Food Replicators [5 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Medical Facilities: 3 (+1) [3 Power/round] **Recreation Facilities:** 4 [8 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [1 Power/round when active] Cargo Holds: 420,000 cubic meters Locations: Five cargo containers (each 150 x 16 x 35 meters) Escape Pods

Number: 30

CHAPTER

Capacity: 4 persons per pod

PROPULSION SYSTEMS

SU

Us	Warp Drive Nacelles: Type 4A6 Speed: 4.0/7.4/8.6 [] Power/.2 warp speed]	39
	PIS: Type F (9 hours of Maximum warp) IMPULSE ENGINE	12
	Type: Class 3A (.5c/.75c) [5/7 Power/round] Location: Aft of main hull	18
	Reaction Control System (.025c) [2 Power/round when in use]	5
	POWER SYSTEMS	
00	WARP ENGINE Type: Class 5/H (generates 265 Power/round) Location: Amidships of main hull Impulse Engine[s]: 1 Class 3A (generate 28 Power/engine/round)	62
20 20	Auxiliary Power: 3 reactors (generate 5 Power/reactor/round) Emergency Power: Type C (generates 35 Power/round) EPS: Standard Power flow, +120 Power transfer/round	9 35 37
3 3	Standard Usable Power: 293	
23 12	OPERATIONS SYSTEMS Bridge: Forward dorsal of command hull	28
12	Computer Core 1: Aft of command hull [5 Power/round]	10
	ODN	15
	Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11	20
1 4	Location: Ventral of command hull SENSOR SYSTEMS	
1	Long-range Sensors [5 Power/round] Range Package: Type 2 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 12 light-years (1/1.1-3.0/3.1-8.0/8.1-12)	18
20 10	Strength Package: Class 5 (Strength 5) Gain Package: Standard	
10	Coverage: Standard Lateral Sensors [5 Power/round]	10
5 5	Strength Package: Class 5 (Strength 5) Gain Package: Standard Coverage: Standard	ĨŬ
5 5	Navigational Sensors [5 Power/round] Strength Package: Class 5 (Strength 5)	10
15	Gain Package: Standard Probes: 5	1
32 15	Probe Launcher Sensors Skill: 3	2
5 13	FLIGHT CONTROL SYSTEMS	
3	Autopilot: Shipboard Systems (Flight Control) 2, Coordination 1 [1 Power/round in use]	7
	Navigational Computer Main: Class 1 (+0) [O Power/round] Backups: 2	0 0

DEGARA

Ship recognition manual volume five Ships of the Romulan Star Empire

Inertial Damping Field parts of the D'deridex. Five large cargo containers fit into this Main **20** frame. Attached to the dorsal center of the framework is a large Strength: 8 [3 Power/round] command hull, which also includes accomodations for the crew Number: 2 and the passengers. The command hull projects forward from the Backup main hull slightly for docking purposes. Strength: 5 [2 Power/round] Per Romulan law, civilian vessels cannot have military-strength Number: 2 systems, or any weapons, unless specifically licensed to do so. 1 Attitude Control [] Power/round] (Such licenses are rarely granted; the applicant must show that he **COMMUNICATIONS SYSTEMS** travels outside the Empire, or in regions of the Empire considered Type: Class 5 [2 Power/round] 10 "highly dangerous," for more than half of his logged light-years.) Strength: 5 Many a merchant captain secretly flouts these regulations, so Nar-Security: -2 rators may add a low-powered disruptor or two (for protection Basic Uprating: None against pirates, of course!) if desired. **Emergency Communications: No** Because merchant vessels often vary from a standard configura-**TRACTOR BEAMS** tion, Narrators can easily create entire merchant fleets simply by Emitter: Class Beta [3 Power/Strength used/round] tweaking this Starship Template, adding, removing, or upgrading Accuracy: 5/6/8/11 a few systems here or there. Location: Forward ventral of command hull **T**RANSPORTERS Type: Personnel [4 Power/use] 26 Pads: 4 Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class E (Strength 5) Number and Location: One in command hull, one in main hull 70 Type: Cargo [6 Power/use] Pads: 800 kg Emitter/Receiver Array: Carao Type 3 (40,000 km ranae) Energizing/Transition Coils: Class G (Strength 7) Number and Location: One in each cargo pod **Cloaking Device: None** SECURITY SYSTEMS Rating: 3 12 Anti-Intruder System: Yes [1 Power/round] 5 Internal Force Fields [1 Power/3 Strength] 5 **SCIENCE SYSTEMS** Rating 1 (+0) [1 Power/round] 10 Specialized Systems: None Laboratories: None TACTICAL SYSTEMS Shields (Forward, Aft, Port, Starboard) 29 (x4) Shield Generator: Class 2 (Protection 350) [35 Power/shield/round] Shield Grid: Type B (33% increase to 465 Protection) Subspace Field Distortion Amplifiers: Class Beta (Threshold 100) Recharging System: Class 1 (45 seconds) Backup Shield Generators: 4 (1 per shield) 4 5 **Auto-Destruct System AUXILIARY SPACECRAFT SYSTEMS** Shuttlebay(s): Capacity for 6 Size worth of ships 12 Standard Complement: 3 shuttlecraft

CHAPTER 3

DEGARA 2/2

DESCRIPTION AND NOTES

Location(s): Aft of main hull Captain's Yacht: No

FLEET DATA: The *Desara* class of cargo carriers represents a typical merchant vessel found in Romulan space. It consists of a main "hull" which is an oval-shaped rounded framework similar to

GHIPG OF THE ROMULAN STAR EMPIRE ROMULAN SENATORIAL TRANSPORT

Class and Type: Transport Commissioning Date: 2370

SYSTEM

HULL SYSTEMS

Size: 4 Length:

Length: 105.77 meters Beam: 28.54 meters Height: 23.24 meters Decks: 4 Mass: 83,500 metric tonnes SUs Available: 1,300 SUs Used: 1,294

HULL

HULL			
Outer			
Inner			
RESISTANCE			

Outer	Hull:	8
Inner	Hull:	8

STRUCTURAL INTEGRITY FIELD

Main: Class 3 (Protection 60/90) [1 Power/10 Protection/round]	22
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]	11
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]	11
Specialized Hull: Cloak-Enhancing; Atmospheric Capability; Planetfall	
Capability	16

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 53/150/3,400

CREW QUARTERS

CREW GUARTERS
Spartan: None
Basic: 50
Expanded: 140
Luxury: 10
Unusual: 3
Environmental Systems
Basic Life Support [10 Power/round]
Reserve Life Support [5 Power/round]
Emergency Life Support (24 emergency shelters)
Gravity [2 Power/round]
Consumables: 1 years' worth
Replicator Systems
Food Replicators [4 Power/round]
Industrial Replicators
Type: Network of small replicators [2 Power/round]
Medical Facilities: 8 (+2) [8 Power/round]
Recreation Facilities: 8 [16 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [] Power/round when active]
Cargo Holds: 5,000 cubic meters
Locations: Six locations throughout ship
Escape Pods
Number: 80
Capacity: 8 persons per pod

PROPULSION SYSTEMS

	PROPULSION STSTEMS	
SUs	Warp Propulsion System Nacelles: Type 5E6	78
	Speed: 5.0/9.0/9.6 [1 Power/.2 warp speed] PIS: Type I (24 hours of Maximum warp)	18
	IMPULSE ENGINE Type: Class 5A (.72c/.9c) [7/9 Power/round] Location: Aft ventral, port and starboard	28
	IMPULSE ENGINE Type: Class 5A (.72c/.9c) [7/9 Power/round] Location: Ventral of each wing pylon, attached to main hull Reaction Control System (.025c) [2 Power/round when in use]	28 4
16	POWER SYSTEMS	
16	WARP ENGINE Type: Class 8/N (generates 430 Power/round) Location: Amidships	93
9 9	Impulse Engine[s]: 2 Class 5A (generate 44 Power/engine/round) Auxiliary Power: 5 reactors (generate 5 Power/reactor/round)	15
22 11	Emergency Power: Type F (generates 50 Power/round) EPS: Standard Power flow, +250 Power transfer/round	50 45
11 all	Standard Usable Power: 518	
16	OPERATIONS SYSTEMS Bridge: Command hull (forward)	20
	COMPUTER Core 1: Forward [5 Power/round] Uprating: Class Alpha (+1) [1 Power/computer/round] ODN	8 2 12
5 28 10 3	Navigational Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Forward ventral	16
16 8 8 4 4	SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14) Strength Package: Class 7 (Strength 7) Gain Package: Class Beta (+2)	36
4 4	Coverage: Standard Lateral Sensors [5 Power/round] Strength Package: Class 7 (Strength 7)	20
40 64	Gain Package: Class Beta (+2) Coverage: Standard	
12 4	Navigational Sensors [5 Power/round] Strength Package: Class 7 (Strength 7)	18
1	Gain Package: Class Beta (+2) Probes: 10 Sensors Skill: 5	1

5 Sensors Skill: 5

CHAPTER 3

ROMULAN GENATORIAL TRANSPORT 1/2

GHIPS OF THE ROMULAN STAR EMPIRE

FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 3 [1 Power/round in use] **Navigational Computer** Main: Class 2 (+1) [1 Power/round] Backups: Three **Inertial Damping Field** Main Strength: 9 [3 Power/round] Number: 2 Backup Strength: 6 [2 Power/round] Number: 2 Attitude Control [1 Power/round] **COMMUNICATIONS SYSTEMS** Type: Class 9 [2 Power/round] Strength: 9 Security: -6 (Class Delta uprating) Basic Uprating: Class Beta (+2) **Emergency Communications: No TRACTOR BEAMS** Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Forward ventral Emitter: Class Gamma [3 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Aft ventral **T**RANSPORTERS Type: Personnel [4 Power/use] Pads: 4 Emitter/Receiver Array: Personnel Type 6 (40,000 km range) Energizing/Transition Coils: Class G (Strength 7) Number and Location: One forward Type: Emergency [5 Power/use] Pads: 16 Emitter/Receiver Array: Emergency Type 3 (15,000 km range) Energizing/Transition Coils: Class G (Strength 7) Number and Location: One amidships Type: Cargo [4 Power/use] Pads: 400 kg Emitter/Receiver Array: Cargo Type 3 (40,000 km range) Energizing/Transition Coils: Class G (Strength 7) Number and Location: One in largest cargo hold Cloaking Device: Class 9 [40 Power/class/round] SECURITY SYSTEMS Rating: 5 Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength] **Science Systems** Rating 1 (+0) [1 Power/round] Specialized Systems: None Laboratories: 3

TACTICAL SYSTEMS

Forward Disruptor Array Type: Prenak Damage: 200 [20 Power] Number of Shots: Up to 3 shots per round

	Targeting System: Accuracy 4/5/7/10	
12	Range: 10/30,000/100,000/300,000	
12	Location: Forward on command hull	
0	Firing Arc: 360 degrees forward	
2	Firing Modes: Standard, Pulse	1/
3	Forward Torpedo Launcher	16
	Standard Load: Type G-II singularity torpedo (400 Damage)	
16	Spread: 6	
	Range: 15/350,000/1,500,000/4,050,000	
-	Targeting System: Accuracy 4/5/7/10	
4	Power: [20 + 5 per torpedo fired]	
	Location: Forward on command hull	
	Firing Arc: Forward, but are self-guided	
1	Torpedoes Carried: 60	6
	TA/T/TS: Class Beta [1 Power/round]	9
28	Strength: 8	
	Bonus: +1	
	Weapons Skill: 5	
	Shields (Forward, Aft, Port, Starboard)	42 (x4)
	Shield Generator: Type R-II (Protection 900) [90 Power/shield/round]	
	Shield Grid: Type B (33% increase to 1200 Protection)	
•	Subspace Field Distortion Amplifiers: Class Zeta (Threshold 300)	
9	Recharging System: Class 1 (45 seconds)	
	Backup Shield Generators: 4 (1 per shield)	4
•	Auto-Destruct System	4
9		-
	AUXILIARY SPACECRAFT SYSTEMS	
	Shuttlebay(s): Capacity for 8 Size worth of ships	16
	Standard Complement: 4 shuttlecraft	
15	Location(s): Aft	
	Captain's Yacht: Yes	10
	uprum 2 ruente 103	

DESCRIPTION AND NOTES

FLEET DATA: When powerful Romulan senators travel, they desire three things: speed, secrecy, and comfort. The Romulan Senatorial Transport provides all three, and more. Its powerful engines, state of the art cloaking and communications systems, and luxurious accomodations make the ideal means of transport for high-ranking Romulan officials.

Senatorial Transports are built, maintained, and operated solely by senators and other persons with enough wealth and power to afford them. The owners usually go to great lengths to keep the existence and/or capabilities of their transports secret from the Star Naux and the Tel Shiar (The Tel Shiar users a similar users)

31 Star Navy and the Tal Shiar. (The Tal Shiar uses a similar vessel for many of its own missions.)

20 Physically, the Senatorial Transport resembles a smaller version

- 4 of the T'rasus-class Light Starbird, with a few modifications. First,
- 4 the connecting interhull is thicker and the command hull smaller, reducing the possibility of the command hull being severed from
- 9 the ship by a lucky enemy shot. Second, the wing pylons are more rounded, with a more pronounced downward curve, somewhat2 like the D'deridex.

42

ROMULAN SENATORIAL TRANSPORT 2/2

ship recognition manual volume five Ghips of the Romulan Star Empire

PART THREE ALLIED AND THREAT VESSELS



ALLIED AND THREAT VEGGELS

9 h EMPIRE R TAURHAI STAR DRAGON

Class and Type: Star Dragon-Class Ship Commissioning Date: Mid 24th century

SYSTEM

HULL SYSTEMS

Size: 12

Length: 1,500.00 meters Beam: 250.00 meters Height: 250.00 meters Decks: 55 Mass: 8,450,000 metric tonnes SUs Available: 4,500 SUs Used: 4,495

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 7 (Protection 100/150) [1 Power/10 Protection/round]
Backup: Class 7 (Protection 50) [1 Power/10 Protection/round]
Backup: Class 7 (Protection 50) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 1,500/1,600/18,000

Crew Quarters
Spartan: 800
Basic: 1,300
Expanded: 200
Luxury: 40
Unusual: 15
Environmental Systems
Basic Life Support [13 Power/round]
Reserve Life Support [7 Power/round]
Emergency Life Support (72 emergency shelters)
Gravity [6 Power/round]
Consumables: 10 years' worth
REPLICATOR SYSTEMS
Food Replicators [12 Power/round]
Industrial Replicators
Type: Two networks of small replicators [2 Power/round]
Type: 4 large units [2 Power/replicator/round]
Medical Facilities: 9 (+2) [9 Power/round]
EMH: Mark III [5 Power/round when active] Recreation Facilities: 8 [16 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [1 Power/round when active]
Cargo Holds: 300,000 cubic meters
Locations: 25 locations throughout ship
Escape Pods
Number: 260
Capacity: 12 persons per pod

PROPULSION SYSTEMS

	PROPULSION SYSTEMS	
SUs	GRAVITY INDUCTION DRIVE Type: Class III [250 Power/use] Speed: 2 light-years maximum per jump (24 light-years per minute)	300
	IMPULSE ENGINE Type: Class 6 (.75c/.9c) [7/9 Power/round] Location: Aft section of command hull, port and starboard	30
	IMPULSE ENGINE Type: Class 6 (.75c/.9c) [7/9 Power/round] Location: Aft of Segment 24	30
	Reaction Control System (.025c) [2 Power/round when in use]	12
	POWER SYSTEMS	
48 48	MATTER/ANTIMATTER POWER GENERATION SYSTEM I Type: Class 9/O (generates 450 Power/round) Location: Aft section of command hull	100
12 12	MATTER/ANTIMATTER POWER GENERATION SYSTEM II Type: Class 9/O (generates 450 Power/round) Location: Segment 17	100
	Impulse Engine[s]: 2 Class 6 (generate 48 Power/engine/round) Auxiliary Power: 5 reactors (generate 5 Power/reactor/round)	15
42 21	Emergency Power: Type D (generates 40 Power/round)	40
21	EPS: Standard Power flow, +300 Power transfer/round	90
	Standard Usable Power: 996	
	OPERATIONS SYSTEMS	
40	Bridge: Command hull, forward dorsal	60
130	Auxiliary Control Room: Segment 8 Separation System: 13 detachable segments (command hull and d	36 aach 2
40	segments)	GULII Z
40 15	[5 Power per segment detached]	156
IJ	COMPUTERS	
48	Core 1: Command hull [5 Power/round] Core 2: Segment 10 [5 Power/round]	24 24
24	Core 3: Segment 20 [5 Power/round]	24
24	Uprating: Class Beta (+2) [2 Power/computer/round]	12
12 120		36
120	Gravimetric Deflector [5 Power/round] Range: 10/20,000/50,000/150,000	48
12	Accuracy: 5/6/8/11	
36	Location: To port and starboard of ventral side of command hull	
	Sensor Systems	
45	Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10)	48
18	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0)	
64	Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16)	
36 12	Strength Package: Class 9 (Strength 9)	
9	Gain Package: Class Beta (+2) Coverage: Standard	
	Lateral Sensors [5 Power/round]	24
15	Strength Package: Class 9 (Strength 9)	
	Gain Package: Class Beta (+2) Gaverage: Standard	

TAURHAI STAR DRAGON 1/3

Coverage: Standard

V P

ghipg F 22

Navigational Sensors [5 Power/round] Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2)	22
Probes: 40 Sensors Skill: 5	4
Flight Control Systems	
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 3 [1 Power/round in use]	12
Navigational Computer Main: Class 2 (+1) [1 Power/round]	2
Backups: Three	3
Inertial Damping Field Main Strength: 9 [3 Power/round]	48
Number: 2 Backup	12
Strength: 6 [2 Power/round] Number: 2	12
Attitude Control [3 Power/round]	3
COMMUNICATIONS SYSTEMS	
Type: Class 7 [2 Power/round] Strength: 7	19
Security: -4 (Class Gamma uprating)	
Basic Uprating: Class Alpha (+1)	
Emergency Communications: Yes [2 Power/round] Holocommunications: Yes	1
TRACTOR BEAMS	10
Emitter: Class Delta [2 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Forward of command hull	12
Emitter: Class Delta [2 Power/Strength used/round] Accuracy: 4/5/7/10	12
Location: Aft ventral of Segment 20	
Emitter: Class Alpha [2 Power/Strength used/round]	12
Accuracy: 5/6/8/11	
Location: Shuttlebay (x4)	
TRANSPORTERS	125
Type: Personnel [10 Power/use] Pads: 8	125
Emitter/Receiver Array: Personnel Type 12 (5,000,000 km range) Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: Two in command hull, one each in Segments 8, 16, Type: Emergency [9 Power/use]	and 24 105
Pads: 28 Emitter/Receiver Array: Emergency Type 5 (25,000 km range)	
Energizing/Transition Coils: Class I (Strength 9)	1.04
Number and Location: Two in command hull, one each in Segments 8, 16, Type: Cargo [9 Power/use] Pads: 800 kg	and 24 84
Emitter/Receiver Array: Cargo Type 8 (5,000,000 km range) Energizing/Transition Coils: Class I (Strength 9)	
Number and Location: One in command hull, one each in Segments 4, 12, Cloaking Device: None	and 24
Security Systems	
Rating: 4	16
Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]	12 12
	14

Science Systems	
Rating 3 (+2) [3 Power/round]	27
Specialized Systems: 3	15
Laboratories: 46	10
TACTICAL SYSTEMS	
Forward Heavy Graviton Beam	60
Type: <i>Rhu'shai</i>	
Damage: 280 [28 Power]	
Number of Emitters: Up to 5 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Forward of command hull	
Firing Arc: 360 degrees forward	
Firing Modes: Standard, Continuous, Pulse, Wide-Beam Dorsal Heavy Graviton Beams (x3)	180
Type: Rhu'shai	100
Damage: 280 [28 Power]	
Number of Emitters: Up to 5 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Dorsal of Segments 4, 12, and 20	
Firing Arc: 360 degrees dorsal	
Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
Ventral Heavy Graviton Beams (x3)	180
Type: Rhu'shai	
Damage: 280 [28 Power]	
Number of Emitters: Up to 5 shots per round Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Ventral of Segments 4, 12, and 20	
Firing Arc: 360 degrees ventral	
Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
Starboard Heavy Graviton Beams (x3)	180
Type: Rhu'shai	
Damage: 280 [28 Power]	
Number of Emitters: Up to 5 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Starboard of Segments 10, 18, and 22	
Firing Arc: 360 degrees starboard Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
Port Heavy Graviton Beams (x3)	180
Type: Rhu'shai	100
Damage: 280 [28 Power]	
Number of Emitters: Up to 5 shots per round	
Targeting System: Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Port of Segments 10, 18, and 22	
Firing Arc: 360 degrees port	
Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
Forward Torpedo Launcher	16
Standard Load: Type II quantum torpedo (450 Damage)	
Spread: 8 Range: 15/350,000/1,500,000/4,050,000	
Targeting System: Accuracy 4/5/7/10	
rangoning system. Accoracy t/ J/1/10	

- 12
- Power: [20 + 5 per torpedo fired] Location: Forward of command hull Firing Arc: Forward, but are self-guided

CHAPTER 3

TAURHAI STAR DRAGON 2/3

Segment Torpedo Launchers (x4)	64
Standard Load: Type II quantum torpedo (450 Damage)	
Spread: 8	
Range: 15/350,000/1,500,000/4,050,000	
Targeting System: Accuracy 4/5/7/10	
Power: [20 + 5 per torpedo fired]	
Location: One each dorsal (Segment 9), ventral (Segment 13), port	(Segment
17), and starboard (Segment 21)	
Firing Arc: Various, but are self-guided	
Torpedoes Carried: 300	30
TA/T/TS: Class Gamma [2 Power/round]	12
Strength: 9	
Bonus: +2	
Weapons Skill: 5	
Taurhai Absorption Fields (Forward, Aft, Port, Starboard)	184 (x4)
Shield Generator: Class 7 (Protection 1400) [140 Power/shield/rou	nd]
Shield Grid: Type C (50% increase to 2100 Protection)	
Subspace Field Distortion Amplifiers: Class Iota (Threshold 450)	
Recharging System: Class 2 (40 seconds)	
Backup Shield Generators: 4 (1 per shield)	12
Auto-Destruct System	12
AUXILIARY SPACECRAFT SYSTEMS	
Shuttlebay(s): Capacity for 50 Size worth of ships	100

Standard Complement: 10 shuttlepods, 20 shuttlecraft Location(s): Ventral of Segments 15, 16, 23, and 24 Captain's Yacht: Yes

DESCRIPTION AND NOTES

FLEET DATA: The most powerful and versatile vessel fielded by the Taurhai Unity, the "Star Dragon" (a Romulan term; the Taurhai designation is unknown) represents the pinnacle of Taurhai space travel technology. It consists of a 300 meter-long wedge-shaped command hull, which also includes the main engineering section, and 24 50 meter-long segments. Thanks to Taurhai structural integrity fields, gravity induction units, and other technologies, the ship can "coil" and "flex" at the joints of the segments, thus allowing it to perform some bizarre, but highly effective, maneuvers in combat. (Consider the Star Dragon to be Size 5 for purposes of calculating the amount of benefits it can receive from maneuvers, and the Difficulty of performing those maneuvers; see **Spacedock**, pages 101-03.) The ship's gravimetric deflectors are located to port and starboard of the ventral side of the command hull.

Furthermore, a Star Dragon's crew can separate the ship, dividing it into the command hull and up to twelve "sub-ships" of two segments each (see Detachable Segments, page ???). Normally this is only done when the ship as a whole has been badly damaged (or is otherwise stranded), but occasionally Taurhai commanders have used this feature to surprise and defeat an enemy.

Virtually any other Alpha or Beta Quadrant species would find a Star Dragon to be a treasure trove of advanced, sophisticated technology. Taurhai transporters, tractor beams, and the like put those of the Star Empire or the Federation to shame, and many other Taurhai inventions could be incorporated in other species's systems to their general improvement. Unfortunately for the Romulans, the auto-destruct systems on Star Dragons are very efficient, leaving little more than dust behind. Taurhai crews willingly sacrifice their own lives to prevent their technology from falling into

64 enemy hands if necessary, though usually the clever Taurhai officers can find a way to save the day.

To help prosecute their ongoing conflicts with the Romulans and other enemies, the Taurhai have provided the Star Dragon with powerful armaments. Thirteen separate heavy graviton beam generators, and five quantum torpedo launchers, make the ship a match for any foe. These weapons are scattered over the surface of the ship, so that loss of any given segment only costs the ship a fraction of its offensive capability. The ship's high Power capacity allows it to attack multiple targets at once.

However, like the Federation, the Taurhai use their ships as much for exploration and diplomacy as defense, and the Star Dragon comes equipped with systems for use on those sorts of missions as well. The ship has nearly four dozen laboratories, including three highly specialized ones. Its sensors are extremely advanced as well. Both laboratories and sensor pallets are modular, and can be swapped out for different ones at a space station or like facility.

Perhaps most amazingly of all, a Star Dragon includes powerful "converters" that can perform total matter/energy conversion. This allows a Star Dragon to remain in space almost indefinitely, without the need for refueling. Although the need for supplies and 00 maintenance will eventually drive a Star Dragon to port, according to Romulan estimates one of these ships could remain in space without any degree of outside support for a decade. 10

The Romulans presume that the Taurhai give their ships individual names, but since they do not display said names on the exteriors of their ships, those names remain unknown.

CHAPTER

TAURHAI STAR DRAGON 3/3

Ship recognition manual volume fiv Ships of the Romulan Star Empire

TAURHAI FIREDRAKE

Class and Type: Firedrake-class Cruiser Commissioning Date: Mid 24th century

SYSTEM

HULL SYSTEMS

Size: 6

Length: 325.00 meters Beam: 75.00 meters Height: 75.00 meters Decks: 15 Mass: 1,270,000 metric tonnes SUs Available: 2,300 SUs Used: 2,083

HULL

Outer Inner

RESISTANCE

Outer Hull: 10 Inner Hull: 10

STRUCTURAL INTEGRITY FIELD

Main: Class 5 (Protection 80/120) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 472/310/6,750

CREW QUARTERS Spartan: 160 Basic: 350 Expanded: 90 Luxury: 20 Unusual: 2 ENVIRONMENTAL SYSTEMS Basic Life Support [11 Power/round] Reserve Life Support [6 Power/round] Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round] Fire Suppression System [1 Power/round when active]	
Expanded: 90 Luxury: 20 Unusual: 2 ENVIRONMENTAL SYSTEMS Basic Life Support [11 Power/round] Reserve Life Support [6 Power/round] Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	Spartan: 160
Unusual: 2 ENVIRONMENTAL SYSTEMS Basic Life Support [11 Power/round] Reserve Life Support [6 Power/round] Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
ENVIRONMENTAL SYSTEMS Basic Life Support [11 Power/round] Reserve Life Support [6 Power/round] Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Basic Life Support [11 Power/round] Reserve Life Support [6 Power/round] Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	Unusual: 2
Reserve Life Support [6 Power/round] Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Emergency Life Support (36 emergency shelters) Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Gravity [3 Power/round] Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Consumables: 6 years' worth REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
REPLICATOR SYSTEMS Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Food Replicators [6 Power/round] Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	Consumables: 6 years' worth
Industrial Replicators Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Type: Network of small replicators [2 Power/round] Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Type: 1 large unit [2 Power/replicator/round] Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Medical Facilities: 7 (+2) [7 Power/round] Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Recreation Facilities: 7 [14 Power/round] Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]	
The Jopphession System [1 Lower/ roomd when drive]	
Cargo Holds: 80,000 cubic meters	
Locations: Ten locations throughout ship	
Escape Pods	
Number: 140	

Capacity: 8 persons per pod

CHAPTER 3

PROPULSION SYSTEMS

3 8	Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Probes: 60 Sensors Skill: 4	6
35 56 18 6	Lateral Sensors [5 Power/round] Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard Navigational Sensors [5 Power/round]	24 22
12 12 36 6 9	SENSOR SYSTEMS Long-range Sensors [5 Power/round] Range Package: Type 4 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0) Low Resolution: 14 light-years (1/1.1-3.5/3.6-10.0/10.1-14) Strength Package: Class 9 (Strength 9) Gain Package: Class Beta (+2) Coverage: Standard	40
8 35 18 20 2 24	COMPUTERS Core 1: Command hull [5 Power/round]12 Core 2: Segment 5 [5 Power/round] Uprating: Class Beta (+2) [2 Power/computer/round] ODN Gravimetric Deflector [5 Power/round] Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11 Location: Ventral of command hull, to port and starboard	12 8 18 24
12 30 15 15	OPERATIONS SYSTEMS Bridge: Command hull Auxiliary Control Room: Segment 3 Separation System: 5 detachable segments (command hull and e segments) [5 Power per segment detached]	30 18 ach 2 30
12	Standard Usable Power: 488	
24 24	MATTER/ANTIMATTER POWER GENERATION SYSTEM Type: Class 8/N (generates 440 Power/round) Location: Aft section of command hull Impulse Engine[s]: 1 Class 6 (generates 48 Power/engine/round) Auxiliary Power: 4 reactors (generate 5 Power/reactor/round) Emergency Power: Type D (generates 40 Power/round) EPS: Standard Power flow, +300 Power transfer/round	94 12 40 60
	POWER SYSTEMS	
	IMPULSE ENGINE Type: Class 6 (.75c/.9c) [7/9 Power/round] Location: Aft section of command hull, port and starboard Reaction Control System (.025c) [2 Power/round when in use]	30 6
SUs	GRAVITY INDUCTION DRIVE Type: Class I [150 Power/use] Speed: .5 light-years maximum per jump (6 light-years per minute)	200

TAURHAI FIREDRAKE 1/3

ship recognition manual volume five Ships of the ROMULAN STAR EMPIRE

FLIGHT CONTROL SYSTEMS Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2 [1 Power/round in use]
Navigational Computer Main: Class 2 (+1) [1 Power/round] Backups: Two Inertial Damping Field
Main Strength: 8 [3 Power/round] Number: 3
Backup Strength: 5 [2 Power/round] Number: 3
Attitude Control [2 Power/round]
COMMUNICATIONS SYSTEMS Type: Class 7 [2 Power/round] Strength: 7 Security: -4 (Class Gamma uprating) Basic Uprating: Class Alpha (+1) Emergency Communications: Yes [2 Power/round] Holocommunications: Yes
Tractor Beams
Emitter: Class Delta [2 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Forward of command hull
Emitter: Class Delta [2 Power/Strength used/round] Accuracy: 4/5/7/10 Location: Aft ventral of Segment 20
Emitter: Class Alpha [2 Power/Strength used/round] Accuracy: 5/6/8/11 Location: Shuttlebay
TRANSPORTERS
Type: Personnel [10 Power/use] Pads: 8
Emitter/Receiver Array: Personnel Type 12 (5,000,000 km range)
Energizing/Transition Coils: Class I (Strength 9) Number and Location: One in command hull, one each in Segments 3 and 6
Type: Emergency [9 Power/use] Pads: 28
Emitter/Receiver Array: Emergency Type 5 (25,000 km range) Energizing/Transition Coils: Class I (Strength 9)
Number and Location: One in command hull, one each in Segments 2 and 7 Type: Cargo [9 Power/use]
Pads: 800 kg Emitter/Receiver Array: Cargo Type 8 (5,000,000 km range) Energizing/Transition Coils: Class I (Strength 9)
Number and Location: One each in three largest cargo bays Cloaking Device: None
Security Systems
Rating: 4 Anti-Intruder System: Yes [1 Power/round] Internal Force Fields [1 Power/3 Strength]
SCIENCE SYSTEMS Rating 2 (+1) [2 Power/round] Specialized Systems: 2 Inducations 22
Laboratories: 22

083/

TACTICAL SYSTEMS

	Forward Heavy Graviton Beam	60
11	Type: Rhu'shai	00
2	Damage: 280 [28 Power]	
2	Number of Emitters: Up to 5 shots per round	
Z	Targeting System: Accuracy 4/5/7/10	
• /	Range: 10/30,000/100,000/300,000	
36	Location: Forward of command hull	
	Firing Arc: 360 degrees forward	
	Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
9	Dorsal Heavy Graviton Beam	60
	Type: <i>Rhu'sha</i> i	
	Damage: 280 [28 Power]	
2	Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 4/5/7/10	
19	Range: 10/30,000/100,000/300,000	
• •	Location: Dorsal of Segment 2	
	Firing Arc: 360 degrees dorsal	
	Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
1	Ventral Heavy Graviton Beam	60
i	Type: Rhu'shai	
	Damage: 280 [28 Power]	
	Number of Emitters: Up to 5 shots per round	
12	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
	Location: Ventral of Segment 3	
12	Firing Arc: 360 degrees ventral	
	Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
	Starboard Heavy Graviton Beam	60
3	Type: Rhu'shai	
	Damage: 280 [28 Power]	
	Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 4/5/7/10	
75	Range: 10/30,000/100,000/300,000	
	Location: Starboard of Segment 5	
	Firing Arc: 360 degrees starboard	
	Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
	Port Heavy Graviton Beam	60
63	Type: Rhu'shai	00
	Damage: 280 [28 Power]	
	Number of Emitters: Up to 5 shots per round	
	Targeting System: Accuracy 4/5/7/10	
	Range: 10/30,000/100,000/300,000	
63	Location: Port of Segment 6	
	Firing Arc: 360 degrees port	
	Firing Modes: Standard, Continuous, Pulse, Wide-Beam	
	Forward Torpedo Launcher	16
	Standard Load: Type II quantum torpedo (400 Damage)	10
	Spread: 8	
	Range: 15/350,000/1,500,000/4,050,000	
16	Targeting System: Accuracy 4/5/7/10	
6	Power: [20 + 5 per torpedo fired]	
6	Location: Forward of command hull	
U	Firing Arc: Forward, but are self-guided	
	Aft Torpedo Launcher	16
16	Standard Load: Type II quantum torpedo (400 Damage)	10
10	Spread: 8	
6	Range: 15/350,000/1,500,000/4,050,000	
	Targeting System: Accuracy 4/5/7/10	
	iuiyeiiiy yysieiii. Alluiuly 4/ J/ // 10	

SHIP FECULATION AND A STAR EMPIRE

Power: [20 + 5 per torpedo fired] Location: Aft of Segment 8	
Firing Arc: Aft, but are self-guided	
Torpedoes Carried: 100	10
TA/T/TS: Class Gamma [2 Power/round]	12
Strength: 9	
Bonus: +2	
Weapons Skill: 5	
Taurhai Absorption Fields (Forward, Aft, Port, Starboard)	49 (x4)
Shield Generator: Class 4 (Protection 750) [75 Power/shield/round]	
Shield Grid: Type B (33% increase to 1000 Protection)	
Subspace Field Distortion Amplifiers: Class Epsilon (Threshold 250)	
Recharging System: Class 2 (40 seconds)	
Backup Shield Generators: 4 (1 per shield)	8
Auto-Destruct System	6
AUXILIARY SPACECRAFT SYSTEMS	
Shuttlebay(s): Capacity for 8 Size worth of ships	16
Standard Complement: 4 shuttlecraft	10
Location(s): Aft ventral of Segment 8	
Captain's Yacht: No	

DESCRIPTION AND NOTES

FLEET DATA: The Firedrake (a Romulan designation) is, in essence, a miniature version of the Star Dragon, with many of the same (or slightly inferior) systems. It features a 125 meter-long command hull, and eight 25 meter-long separable segments. (Consider the Firedrake to be Size 4 for purposes of calculating the amount of benefits it can receive from maneuvers, and the Difficulty of performing those maneuvers; see *Spacedock*, pages 101-03.)

Compared to the Star Dragon, which frequently undertakes exploratory missions, the Unity regards the Firedrake as a more purely military vessel. When not assigned to a specific wartime fleet, Firedrakes usually patrol disputed borders, conduct raids and skirmishes against threats, defend shipping against pirates, and so forth.

9 h

EMPIRE M'ROK WA'H'KR'AA'TA CL

Class and Type: M'rok Wa'h'kr'aa'ta-Class Cruiser **Commissioning Date: 2348**

SYSTEM

HULL SYSTEMS

Size: 7

Length: 452.36 meters Beam: 266.66 meters Height: 136.48 meters Decks: 30 Mass: 2,565,430 metric tonnes SUs Available: 2,450 SUs Used: 2,274

HULL

Outer Inner

RESISTANCE

Outer Hull: 8 Inner Hull: 8

STRUCTURAL INTEGRITY FIELD

Main: Class 5 (Protection 80/120) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]
Backup: Class 5 (Protection 40) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 458/153/5,600

CREW QUARTERS

Spartan: None
Basic: 520
Expanded: 80
Luxury: 25
Unusual: 5
Environmental Systems
Basic Life Support [11 Power/round]
Reserve Life Support [6 Power/round]
Emergency Life Support (42 emergency shelters)
Gravity [4 Power/round]
Consumables: 2 years' worth
REPLICATOR SYSTEMS
Food Replicators [7 Power/round]
Industrial Replicators
Type: Network of small replicators [2 Power/round]
Type: 1 large unit [2 Power/replicator/round]
Medical Facilities: 6 (+1) [6 Power/round]
Recreation Facilities: 6 [12 Power/round]
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]
Fire Suppression System [1 Power/round when active]
Cargo Holds: 40,000 cubic meters
Locations: Ten locations throughout ship
Escape Pods
Number: 160
Capacity: 8 persons per pod

PROPULSION SYSTEMS

SUs

	FROPULSION STSTEMS	
Us	WARP PROPULSION SYSTEM Nacelles: Type 5B2 Speed: 5.0/7.0/9.2 [1 Power/.2 warp speed]	61
	PIS: Type H (12 hours of Maximum warp)	16
	IMPULSE ENGINE	
	Type: Class 5 (.7c/.9c) [7/9 Power/round] Location: Aft of secondary hulls	25
	IMPULSE ENGINE Type: Class 5 (.7c/.9c) [7/9 Power/round] Location: Aft of secondary hulls	25
	Reaction Control System (.025c) [2 Power/round when in use]	7
	POWER SYSTEMS	
28	WARP ENGINE Type: Class 10/P (generates 525 Power/round)	113
28	Location: Command hull, aft amidships	113
9	Impulse Engine[s]: 2 Class 5 (generate 40 Power/engine/round)	10
9	Auxiliary Power: 4 reactors (generate 5 Power/reactor/round) Emergency Power: Type F (generates 50 Power/round)	12 50
	EPS: Standard Power flow, +200 Power transfer/round	55
30	,	
15 15	Standard Usable Power: 605	
	OPERATIONS SYSTEMS	
	Bridge: Command hull	35
	Auxiliary Control Room: Starboard secondary hull	21
	Auxiliary Control Room: Port secondary hull	21
52	COMPUTERS Core 1: Command hull [5 Power/round]	14
16	Core 2: Starboard secondary hull [5 Power/round]	14
25	Core 3: Port secondary hull [5 Power/round]	14
5	Uprating: Class Alpha (+1) [1 Power/computer/round]	6
28	ODN Navigational Deflector [5 Power/round]	21 28
14	Range: 10/20,000/50,000/150,000	20
14	Accuracy: 5/6/8/11	
7 14	Location: Ventral of command hull	
14	Sensor Systems	20
7	Long-range Sensors [5 Power/round] Range Package: Type 6 (Accuracy 3/4/7/10)	39
10	High Resolution: 5 light-years (.5/.6-1.0/1.1-3.7/3.8-5.0)	
	Low Resolution: 16 light-years (1/1.1-5.0/5.1-12.0/12.1-16)	
30	Strength Package: Class 6 (Strength 6)	
30 48	Gain Package: Class Alpha (+1) Coverage: Standard	
21	Lateral Sensors [5 Power/round]	15
7	Strength Package: Class 6 (Strength 6)	
1	Gain Package: Class Alpha (+1)	
9	Coverage: Standard Navigational Sensors [5 Power/round]	14
	Strength Package: Class 6 (Strength 6)	••
	Gain Package: Class Alpha (+1)	

M'ROK WA'H'KR'AA'TA 1/3

ship recognition manual volume five GHIPS OF THE ROMULAN STAR EMPIRE

42

42

84

84

84

84

Probes: 40	4	TACTICAL SYSTEMS
Sensors Skill: 4	4	Starboard Forward Disruptor Array
FLIGHT CONTROL SYSTEMS		Type: 9
Autopilot: Shipboard Systems (Flight Control) 3, Coordination 2		Damage: 200 [20 Power]
[1 Power/round in use] 11		Number of Shots: Up to 3 shots per round
Navigational Computer		Targeting System: Accuracy 4/5/7/10
Main: Class 2 (+1) [1 Power/round]	2	Range: 10/30,000/100,000/300,000
Backups: Two	2	Location: Forward of starboard secondary hull
Inertial Damping Field		Firing Arc: 360 degrees forward
Main	42	Firing Modes: Standard, Pulse Port Forward Disruptor Array
Strength: 9 [3 Power/round] Number: 3		Type: 9
Backup	12	Damage: 200 [20 Power]
Strength: 6 [2 Power/round]		Number of Shots: Up to 3 shots per round
Number: 3		Targeting System: Accuracy 4/5/7/10
Attitude Control [2 Power/round]	2	Range: 10/30,000/100,000/300,000
Communications Systems		Location: Forward of port secondary hull
Type: Class 7 [2 Power/round]	19	Firing Arc: 360 degrees forward
Strength: 7		Firing Modes: Standard, Pulse Starboard Disruptor Arrays (x2)
Security: -4 (Class Gamma uprating)		Type: 9
Basic Uprating: Class Alpha (+1)		Damage: 200 [20 Power]
Emergency Communications: Yes [2 Power/round]	1	Number of Shots: Up to 3 shots per round
TRACTOR BEAMS		Targeting System: Accuracy 4/5/7/10
Emitter: Class Delta [3 Power/Strength used/round]	12	Range: 10/30,000/100,000/300,000
Accuracy: 4/5/7/10		Location: On outer edge of starboard secondary hull
Location: Ventral of command hull	12	Firing Arc: 360 degrees starboard
Emitter: Class Delta [3 Power/Strength used/round] Accuracy: 4/5/7/10	12	Firing Modes: Standard, Pulse
Location: Dorsal of command hull		Port Disruptor Arrays (x2)
Emitter: Class Alpha [3 Power/Strength used/round]	6	Type: 9 Damage: 200 [20 Power]
Accuracy: 5/6/8/11		Number of Shots: Up to 3 shots per round
Location: Shuttlebay (x2)		Targeting System: Accuracy 4/5/7/10
TRANSPORTERS		Range: 10/30,000/100,000/300,000
Type: Personnel [5 Power/use]	68	Location: On outer edge of port secondary hull
Pads: 6		Firing Arc: 360 degrees port
Emitter/Receiver Array: Personnel Type 6 (40,000 km range)		Firing Modes: Standard, Pulse
Energizing/Transition Coils: Class H (Strength 8)		Dorsal Disruptor Arrays (x2)
Number and Location: Two in command hull, one in each secondary hull	60	Type: 9 Damaga: 200 [20 Bower]
Type: Emergency [5 Power/use] Pads: 16	00	Damage: 200 [20 Power] Number of Shots: Up to 3 shots per round
Emitter/Receiver Array: Emergency Type 3 (15,000 km range)		Targeting System: Accuracy 4/5/7/10
Energizing/Transition Coils: Class H (Strength 8)		Range: 10/30,000/100,000/300,000
Number and Location: Two in command hull, one in each secondary hull		Location: Dorsal of command hull, to port and starboard of bridge module
Type: Cargo [4 Power/use]	60	Firing Arc: 360 degrees dorsal
Pads: 400 kg		Firing Modes: Standard, Pulse
Emitter/Receiver Array: Cargo Type 3 (40,000 km range)		Ventral Disruptor Arrays (x2)
Energizing/Transition Coils: Class H (Strength 8)		Type: 9
Number and Location: Two in each secondary hull Cloaking Device: None		Damage: 200 [20 Power] Number of Shots: Up to 3 shots per round
•		Targeting System: Accuracy 4/5/7/10
SECURITY SYSTEMS	14	Range: 10/30,000/100,000/300,000
Rating: 4 Anti-Intruder System: Yes [1 Power/round]	16 7	Location: Ventral of command hull, to port and starboard of bridge module
Internal Force Fields [1 Power/3 Strength]	7	Firing Arc: 360 degrees ventral
Science Systems		Firing Modes: Standard, Pulse
Rating 2 (+1) [2 Power/round]	17	
Specialized Systems: 2	10	
Laboratories: 17	4	

M'ROK WA'H'KR'AA'TA 2/3

Aft Disruptor Array Type: 9 Damage: 200 [20 Power] Number of Shots: Up to 3 shots per round Targeting System: Accuracy 4/5/7/10 Range: 10/30,000/100,000/300,000 Location: Aft of command hull Firing Arc: 360 degrees aft Firing Modes: Standard, Pulse **Starboard Forward Torpedo Launcher** Standard Load: Type II photon torpedo (200 Damage) Spread: 8 Range: 15/350,000/1,500,000/4,050,000 Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward of starboard secondary hull Firing Arc: Forward, but are self-guided **Port Forward Torpedo Launcher** Standard Load: Type II photon torpedo (200 Damage) Spread: 8 Range: 15/350,000/1,500,000/4,050,000 Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Forward of port secondary hull Firing Arc: Forward, but are self-guided Aft Torpedo Launcher Standard Load: Type II photon torpedo (200 Damage) Spread: 8 Range: 15/350,000/1,500,000/4,050,000 Targeting System: Accuracy 4/5/7/10 Power: [20 + 5 per torpedo fired] Location: Aft of command hull Firing Arc: Aft, but are self-guided **Torpedoes Carried: 200** TA/T/TS: Class Beta [1 Power/round] Strength: 8 Bonus: +1 Weapons Skill: 4 Shields (Forward, Aft, Port, Starboard) 62 (x4) Shield Generator: Class 5 (Protection 900) [90 Power/shield/round] Shield Grid: Type B (33% increase to 1200 Protection) Subspace Field Distortion Amplifiers: Class Zeta (Threshold 300) Recharging System: Class 1 (45 seconds) Backup Shield Generators: 4 (1 per shield) Auto-Destruct System AUXILIARY SPACECRAFT SYSTEMS Shuttlehav(s): Canacity for 20 Size worth of shins

Shorine buy (3). Cupacity for 20 Size worth of Sinps	10
Standard Complement: 10 shuttlecraft	
Location(s): Aft ventral of each secondary hull	
Captain's Yacht: Yes	10

DESCRIPTION AND NOTES

FLEET DATA: The primary military and exploration ship of the M'rok (see accompanying sidebar), the Wa'h'kr'aa'ta-class Cruiser was first encountered by the Romulan ship Visen in 2364-which was also first contact between the two species. Although the initial confrontation nearly turned into a fight between the two vessels over the rights to an unclaimed system, the two species found a way to work out their differences and begin more peaceful con-

- 42 tact. Due to the large size and ferocity of the M'rok fleet, the Romulans decided that it would be best not to become involved in a war with them during a period when they had the Federation and the Taurhai to contend with. Accordingly, peaceful relations continued, culminating in a formal alliance between the two governments in 2366. Since then M'rok ships have bolstered Romulan forces in several conflicts with the Taurhai, though the alliance is mostly an economic one.
- The Wa'h'kr'aa'ta-class Cruiser consists of two roughly half-oval-16 shaped secondary hulls joined by a crescent-shaped command hull (with the "horns" pointing aft) two-thirds to aft. A large bridge module attaches to the command hull at the midpoint between the secondary hulls. Weapons line the edges and surfaces of all three sections of the ship, for the M'rok defend themselves and their territory vigorously.
- The Wa'h'kr'aa'ta uses a typical matter/antimatter propulsion 16 system to achieve superluminal velocities, though the M'rok have retained the horizontal configuration generally abandoned by the Romulans, Federation, and most other comparative species. The warp core feeds power out to two nacelles, one attached directly to the outer dorsal surface of each secondary hull.

NOTEWORTHY VESSELS/SERVICE RECORDS/ENCOUNTERS: Wa'h'kr'aa'ta, prototype; Treh'ku'ta, made first contact with the Romulans (2364); Ukara'ta'mua, destroyed two Taurhai Firedrakes at the 16 Battle of the Blue Spiral Nebula before suffering a catastrophic warp core explosion due to damage sustained in combat (2371).

CHAPTER 3

M'ROK WA'H'KR'AA'TA 3/3

20

9

8

7

GHIPS OF THE ROMULAN STAR EMPIRE

CHE CAN 3 430 6034-

M'ROK TEMPLATE

ATTRIBUTES

Fitness 2 [5] Vitality +1 Coordination 3 [6] Reaction +1 Intellect 2 [5] Perception +1 Presence 2 [5] Empathy -1 Psi 0 [5]

SKILLS

Athletics (Climbing) 2 (3) Culture (M'rok) 2 (3) History (M'rok) 1 (2) Language M'rok 2 Primitive Weaponry (Ta'tak) 1 (2) World Knowledge (M'rokta'ra) 1 (2)

Typical Advantage

Night Vision +2 Peripheral Vision +1 NATIVES OF THE PLANET M'ROKTA'RA ("Home of the People"), the M'rok are a tall, often spindly-looking species descended from an arachnid-like animal. Their most distinctive physical features include their four black eyes (grouped two by two on their head), which grant them superb vision; their purplish skin (the color actually results from a very short layer of fur-like hair all over their bodies); and their long, three-fingered arms (which make them excellent climbers).

The M'rok are best known outside their home region of space for the duelling elements of their culture. All M'rok know how to use the *ta'tak*, a hook-like bladed knife, and often many other distinctive weapons as well. Any M'rok who takes any degree of offense at any action or statement of another M'rok can challenge him to a duel, then and there, and killing someone in a duel does not count as a crime (though it may start a blood feud with the deceased's family). Since "offense" is entirely subjective, the M'rok have developed elaborate customs of courtesy and tactfulness. Interactions between M'rok, or with a M'rok, often take many times as long as interactions between other species, since the M'rok have such a roundabout, overly polite way of saying and doing everything.

Although regarded as hot-tempered and bloodthirsty because of their duelling, in truth the M'rok are as sensitive and culturally diverse as most other species. Their art, particularly painting, is highly regarded, since their eyesight allows them to see and use subtleties of color and shading that most species cannot. Their religions are often highly philosophical, complex, and open (though a few have spawned close-minded fanatics, as well).

Following their initial contact with the Romulans in 2364, and their eventual alliance with the Star Empire in 2366, the M'rok have developed strong ties to the Romulans. They have adopted many items of Romulan culture, and Romulan aesthetics have become something of a "fad" over the past decade. Nevertheless, the M'rok remain a distinctive and fascinating species in their own right.

9 h VOI

AR EMPIRE THAN UNASHA CLASS ()

Class and Type: Unasha-Class Battle Cruiser **Commissioning Date: 2358**

SYSTEM

HULL SYSTEMS

Size: 5

Length: 193.26 meters Beam: 75.62 meters Height: 35.75 meters Decks: 8 Mass: 312,400 metric tonnes SUs Available: 1,300 SUs Used: 1,172

HULL

Outer Inner

RESISTANCE

Outer Hull: 6 Inner Hull: 6

STRUCTURAL INTEGRITY FIELD

Main: Class 3 (Protection 60/90) [1 Power/10 Protection/round]
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]
Backup: Class 3 (Protection 30) [1 Power/10 Protection/round]

PERSONNEL SYSTEMS

Crew/Passengers/Evac: 97/24/3,100

CREW QUARTERS Spartan: 50 Basic: 30 Expanded: 1

	Emergency Life Support (30 emergency shelters)
	Gravity [3 Power/round]
	Consumables: 2 years' worth
•	C

REPLICATOR **S**YSTEMS

None (the Othans lack replicator technology)			
Medical Facilities: 4 (+1) [4 Power/round]			
Recreation Facilities: 4 [8 Power/round]			
Personnel Transport: Turbolifts, Jefferies tubes [2 Power/round]			
Fire Suppression System [1 Power/round when active]			
Cargo Holds: 5,000 cubic meters			
Locations: Five locations throughout ship			
Escape Pods			
Number: 50			
Convertient A newscone new ned			

Capacity: 4 persons per pod

PROPULSION SYSTEMS

	PROPULSION STSTEMS	
	Warp Propulsion System Nacelles: Type 5	50
SUs	Speed: 5.0/6.0/7.0 [1 Power/.2 warp speed]	
	PIS: Type E (8 hours of Maximum warp)	10
	IMPULSE ENGINE Type: Class 3 (.5c/.7c) [5/7 Power/round] Location: Aft	15
	Reaction Control System (.025c) [2 Power/round when in use]	5
	POWER SYSTEMS	
	WARP ENGINE Type: Class 6/K (generates 320 Power/round) Location: Main hull amidships	72
20	Impulse Engine[s]: 1 Class 3 (generates 24 Power/engine/round)	,
20	Auxiliary Power: 2 reactors (generate 5 Power/reactor/round) Emergency Power: Type C (generates 35 Power/round)	6 35
	EPS: Standard Power flow, +100 Power transfer/round	35
6 6	Standard Usable Power: 344	
23	OPERATIONS SYSTEMS	
12	Bridge: Command hull	25
12	COMPUTER	10
	Core 1: Main hull [5 Power/round] ODN	15
	Navigational Deflector [5 Power/round]	20
•	Range: 10/20,000/50,000/150,000 Accuracy: 5/6/8/11	
3 3	Location: Forward ventral of main hull	
ĩ	Sensor Systems	
	Long-range Sensors [5 Power/round]	18
	Range Package: Type 2 (Accuracy 3/4/7/10) High Resolution: 5 light-years (.5/.6-1.0/1.1-3.5/3.6-5.0)	
20	Low Resolution: 12 light-years (1/1.1-3.0/3.1-8.0/8.1-12)	
10	Strength Package: Class 5 (Strength 5)	
10 5	Gain Package: Standard Coverage: Standard	
10	Lateral Sensors [5 Power/round]	10
	Strength Package: Class 5 (Strength 5) Gain Package: Standard	
20	Coverage: Standard Navigational Sensors [5 Power/round]	10
32 15	Strength Package: Class 5 (Strength 5)	
5	Gain Package: Standard	2
1	Probes: 25 Sensors Skill: 3	3
3	FLIGHT CONTROL SYSTEMS	
Ū	Autopilot: Shipboard Systems (Flight Control) 2, Coordination 1 [1 Power/round in use] 7	
	Navigational Computer Main: Class 1 (+0) [O Power/round]	0
	Backups: Two	0
	·	

OTHAN UNASHA 1/3

GHIPG ЛЕ ТИЕ **R**

Inertial Damping Field		Location: Ventral on main hull	
Main	20	Firing Arc: 360 degrees ventral	
Strength: 7 [3 Power/round]		Firing Modes: Standard, Pulse	
Number: 2	•	Aft Disruptor Array	31
Backup	9		
Strength: 5 [2 Power/round]		Damage: 160 [16 Power]	
Number: 3	1	Number of Shots: Up to 3 shots per round	
Attitude Control [1 Power/round]	1	Targeting System: Accuracy 5/6/8/11	
COMMUNICATIONS SYSTEMS		Range: 10/30,000/100,000/300,000 Location: Aft	
Type: Class 6 [2 Power/round]	12	Firing Arc: 360 degrees aft	
Strength: 6		Firing Modes: Standard, Pulse	
Security: -2		Forward Torpedo Launcher	15
Basic Uprating: None	,	Standard Load: Type II photon torpedo (200 Damage)	15
Emergency Communications: Yes [2 Power/round]	1	Spread: 4	
TRACTOR BEAMS	-	Range: 15/350,000/1,500,000/4,050,000	
Emitter: Class Beta [3 Power/Strength used/round]	6	Targeting System: Accuracy 4/5/7/10	
Accuracy: 5/6/8/11		Power: [20 + 5 per torpedo fired]	
Location: Forward ventral		Location: Forward	
Emitter: Class Alpha [3 Power/Strength used/round]	3	Firing Arc: Forward, but are self-guided	
Accuracy: 5/6/8/11		Aft Torpedo Launcher	15
Location: Shuttlebay		Standard Load: Type II photon torpedo (200 Damage)	
TRANSPORTERS		Spread: 4	
None (the Othans lack transporter technology)		Range: 15/350,000/1,500,000/4,050,000	
Cloaking Device: None		Targeting System: Accuracy 4/5/7/10	
SECURITY SYSTEMS		Power: [20 + 5 per torpedo fired]	
Rating: 5	20	Location: Aft	
Anti-Intruder System: Yes [1 Power/round]	5	Firing Arc: Aft, but are self-guided	
Internal Force Fields [1 Power/3 Strength]	5	Torpedoes Carried: 14	2
SCIENCE SYSTEMS		TA/T/TS: Class Alpha [O Power/round]	6
Rating 1 (+0) [1 Power/round]	10	Strength: 7	
Specialized Systems: None	10	Bonus: +0	
Laboratories: 4	2	Weapons Skill: 3	
	-	Shields (Forward, Aft, Port, Starboard)	38 (x4)
TACTICAL SYSTEMS		Shield Generator: Class 3 (Protection 480) [48 Power/shield/round]	
Forward Disruptor Array	31	Shield Grid: Type B (33% increase to 640 Protection)	
Type: 7		Subspace Field Distortion Amplifiers: Class Delta (Threshold 160)	
Damage: 160 [16 Power]		Recharging System: Class 1 (45 seconds)	
Number of Shots: Up to 3 shots per round		Backup Shield Generators: 4 (1 per shield)	4
Targeting System: Accuracy 5/6/8/11		Auto-Destruct System	5
Range: 10/30,000/100,000/300,000			
Location: Forward edge of main hull		AUXILIARY SPACECRAFT SYSTEMS	
Firing Arc: 360 degrees forward		Shuttlebay(s): Capacity for 24 Size worth of ships	48
Firing Modes: Standard, Pulse		Standard Complement: 10 shuttlecraft, 4 shuttlepods	
Dorsal Disruptor Array (x3)	93	Location(s): Aft ventral	
Type: Chareth		Captain's Yacht: No	
Damage: 160 [16 Power]		DECOUDTION AND NOTEC	
Number of Shots: Up to 3 shots per round		DESCRIPTION AND NOTES	
Targeting System: Accuracy 5/6/8/11		FLEET DATA: The Unasha class Battle Cruiser is the me	
Range: 10/30,000/100,000/300,000		erful, most advanced starship fielded by the tiny Othan	
Location: Dorsal on forward half of main hull, dorsal on command hull		located between the Klingon and Romulan empires. At	
Firing Arc: 360 degrees dorsal		the Romulans, and covertly bolstered by the Klingons, the	
Firing Modes: Standard, Pulse		are technologically primitive. Although they have had	
Ventral Disruptor Array (x3)	93	for 150 years, their warp-capable vessels remain comp	aratively
		SIGWE SHOT THEY LICE NOTH TRINCHOPTOR SHOT POPULATOR TOCHE	1010101/

Ventral Disruptor Array (x3) Type: Chareth Damage: 160 [16 Power] Number of Shots: Up to 3 shots per round

CHAPTER

Targeting System: Accuracy 5/6/8/11 Range: 10/30,000/100,000/300,000

OTHAN UNAGHA 2/3

slow, and they lack both transporter and replicator technology.

Aggressive and temperamental, the Othans build ships primarily

for military purposes. The Unasha is no different; it bristles with

weapons (by Othan standards, anyway). Though its weapons are

weak compared to those of most Romulan ships, the Othans don't

Ship recognition manual volume five Ships of the Romulan Star Empire

hesitate to beef them up with extra power, use suicidal tactics like close passes and ramming runs, and so forth. They like nothing better than to catch some Romulan ships unawares, ambush them, and destroy them.

The *Unasha* consists of two structures. The first and largest is a wedge- or arrowhead-shaped main hull. Attached to the aft dorsal side of that is the second, a dome-like (or sometimes rectangular) superstructure, the command hull. The forward dorsal edge of the command hull typically features a small structure that contains the bridge, but in some variants the bridge is moved further aft (to the center of the dome) or embedded within the command hull for greater protection. Two pylons reminiscent of those on a *Galaxy*-class Explorer project port and starboard from the aft end of the main hull to hold the nacelles.



OTHAN UNASHA 3/3

ship recognition manual volume five GHIPS OF THE ROMULAN STAR EMPIRE

CHAPTER 3

ALLIED AND THREAT VEGGELS

1092