

SUB MACHINEGUNS (United States)

M1921 / M1928 / M1928A1 / M1 / M1A1 THOMPSON "Tommygun"



M1928A1 Thompson

M1 Thompson



M1 Thompson



M1A1 Thompson



M1A1 Thompson



Nationality: US
Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg

Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
 (Automatic): rpm
 (Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.

Damage DM:

+2	+2	+1	-	-
----	----	----	---	---

Penetration:
Recoil:
Failure:

NOTE:

M2 HYDE



Nationality: US
Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
 (Automatic): rpm
 (Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.

Damage DM:




+2	+2	+1	-	-
----	----	----	---	---

Penetration:

Recoil:
Failure:

NOTE:

M3 / M3A1 GREASE GUN





Nationality: US
Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
 (Automatic): rpm
 (Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.


Damage DM:





+2	+2	+1	-	-
----	----	----	---	---

Penetration:
Recoil:
Failure:

NOTE:

COLT MODEL 633 (M633 / RO633 "SHORT" SMG)





Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
 (Automatic): rpm
 (Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds



RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.
Damage DM:				
+2	+2	+1	-	-

Penetration:
Recoil:
Failure:

NOTE: Special model run for the Department of Energy DOE.

COLT MODEL 635 (M635 / RO635 SMG)



Nationality: US
Weapon Type: Sub Machinegun

Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
 (Automatic): rpm
 (Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.
Damage DM:				
+2	+2	+1	-	-

Penetration:
Recoil:
Failure:

NOTE:

MAC 10


MAC 10 9 mm w/ 16 round magazine



MAC 10 9 mm w/ 30 round magazine



MAC 10 .45 ACP w/ 30 round magazine



MAC 10 .45 ACP w/ 30 round magazine



MAC 10 .45 ACP w/ 15 round under cover magazine



Nationality: US
Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
 (Automatic): rpm
 (Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds

RANGE
Point Blank C(9+) M(12+) L(14+) Ex(18+)
 2 m. 50 m. 150 m. 300 m. 450 m.
Damage DM:


+2 +2 +1 - -

Penetration:
Recoil:
Failure:


NOTE:

MAC 11

MAC 11 .380 ACP w/ 30 round magazine



MAC 11 .380 ACP w/ 30 round magazine





Nationality: US
Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
(Automatic): rpm
(Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds



RANGE				
Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.
Damage DM:				
+2	+2	+1	-	-

Penetration:
Recoil:
Failure:

NOTE:

SMITH & WESSON MODEL 76





Nationality: US
Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
(Automatic): rpm
(Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds

RANGE				
Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.
Damage DM:				
+2	+2	+1	-	-

Penetration:
Recoil:
Failure:

NOTE:

ARES FMG (FOLDING SUBMACHINE GUN)



ARES FMG Folded



Nationality: US
Weapon Type: Sub Machinegun
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire: Selective; Semi Automatic or Full Automatic
Rate of Fire (Semi Automatic): rpm
(Automatic): rpm
(Cyclic): rpm
Feed Device: or Round Magazine
Magazine Weight: 20: kg, 30: kg
Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.
Damage DM:				
+2	+2	+1	-	-

Penetration:
Recoil:
Failure:

NOTE:
