ANTITANK GUIDED MISSILES

Argentine ATGM British ATGMs Chinese ATGM French ATGM German ATGM Indian ATGM International ATGM Iranian ATGM Israeli ATGM Japanese ATGM Pakistani ATGM Russian ATGM South African ATGM **Spanish ATGM** Swedish ATGM **Taiwanese ATGM US ATGM Yugoslavian ATGM**

<u>CIBEL-2K</u>

Notes: This is a second-generation ATGM developed by Argentina in the mid-1980s to replace the earlier Mathogo. The CIBEL-2K is similar in appearance to the Mathogo, but uses a semi-automatic command to the line of sight (SACLOS) guidance system, which makes the missile much easier to guide than the Mathogo. The CIBEL-2K is guided by an infrared beam rather than wires; this allows the missile to fly faster, and it can be fired over water (unlike most wire-guided missiles). The guidance system includes a counter-countermeasure system that makes the CIBEL-2K less vulnerable to IR countermeasures and interference. The missiles are fired from a box launcher; these are connected to the guidance unit used by the gunner by wires, and the operator may be connected to as many as 12 launcher boxes (though he may guide only one at a time). The operator may be as far as 50 meters from any individual missile. An image intensifier or a thermal imager may be connected to the guidance optics, though such night vision devices must be of standard NATO or Israeli-compatible types. This missile, unfortunately, fell victim to budget cuts.

Weapon	Weig	hts	Missile Caliber	Guidance	Missile Speed	Prices	;
CIBEL-2K	(Launcher) 12 kg; 12.44	•	110mm	IR SACLOS	1500	(Launcher) \$250 \$734	· /
Weapon	Reload	Reload Round		Max Range	Damage	Pen	Difficulty
CIBEL-2K	IBEL-2K 3 HEAT-T		100	4000	C14 B35	82C/103C	AVG

<u>Mathogo</u>

Notes: Though developed in the late 1970s, the Mathogo is a first-generation ATGM design. It's not bad for a first effort, but it was quickly replaced by other missiles, both foreign and domestic in design. It is similar in appearance to a smaller version of the old British Vigilant ATGM, and has about the same performance. The missile is wire guided, and controlled from a guidance unit that is connected by wires to the launcher box. Up to 4 launcher boxes may be connected to the guidance unit. Two versions of the missile are available: the standard Mathogo-1, and the Mathogo-2 with an improved motor for longer range and improved warhead. The Mathogo-1 is an extremely slow missile; Mathogo-2 is only a little faster.

Weapon		Weight	5	Missile Caliber	Guidance	Missile Speed	Ρ	rices
Mathogo-1	(Lau	ncher) 8.2 kg Box) 11.3	•	102mm	Wire MCLOS	450	•	her) \$5253; sile) \$576
Mathogo-2	(Lau	ncher) 8.2 kg Box) 11.3	· ·	102mm	Wire MCLOS	675	(Launcher) \$5253; (Missile) \$576	
Weapon		Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Mathogo-	-1 1 HEAT		400	2000	C10 B30	75C	DIF	
Mathogo	Mathogo-2 1 HEAT		HEAT	400	3000	C12 B35	95C	DIF

BAe Swingfire

Notes: The Swingfire was an early ATGM development; it was developed in the mid-1960s, but proved to be very effective and served with the British Army until 2005, when it was replaced by the US-designed Javelin ATGM. When fired from a modified Land Rover, it is also known as the Beeswing; when carried and fired from a helicopter it is also known as the Hawkswing; and when carried and fired from a small trailer of Argocat light cargo vehicle, it is also known as the Golfswing. The Swingfire has seen service in both Iraq and Afghanistan, where it was primarily used as a bunker-buster.

The name "Swingfire" comes from a unique deployment ability. The operator can place the primary guidance module up to 50 meters away, and this primary guidance module may be pointed up to 90 degrees from the operator. The operator has a radio link to his own primary sight, and when the Swingfire is fired, it can swerve up to 90 degrees to place the missile and target inside the sight module radius. The Swingfire uses a simple box launcher, so the is a cold launch and the launch signature does not occur until the Swingfire has traveled 10 meters, at which point the main engine ignites. Thus, finding the operator of a Swingfire can be a bit difficult, especially is the operator is camouflaged and the crew can pack up and leave after the missile is hits its target. (Most Swingfire teams carried multiple primary guidance modules so that retrieving the original module is not as urgent). Despite the large control surfaces, the Swingfire is actually controlled by thrust squibs. Detonation is by impact upon the target (or an accidental hit on something else).

In the 1980s, the Swingfire received upgraded guidance systems, changing the Guidance and Difficulty below. Explosives and warhead design improvements made the warhead more effective. This advanced warhead became available in 1985.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Swingfire (Early)	(Launcher) 6 kg; (Missile) 27 kg	170mm	MCLOS Wire	925	(Launcher) \$2295; (Missile) \$3009
Swingfire (Late)	(Launcher) 6 kg; (Missile) 27 kg	170mm	SACLOS Wire	925	(Launcher) \$2695; (Missile) \$1063

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Swingfire (Early)	4	HEAT	150	4000	C29 B55	129C	AVG
Swingfire (Late)	4	HEAT	150	4000	C38 B60	197C	AVG

Vickers Vigilant

Notes: One of the first developed man-portable ATGMs, the Vigilant began as a private development by Vickers in 1956, and began service with the British Army and to a more limited extent, the US Marine Corps, in the early 1960s. In addition, Finland, Kuwait, Dubai, and Switzerland used the Vigilant during the same time period. The Vigilant, though effective for its time, had a short service like, as a greatly improved version of the Vigilant, the Swingfire, entered service in 1966.

The Vigilant was flexible in its setup, as the components included a launcher box, a sight/controller, a battery, and a controller with a joystick where the operator actually steers the missile and gives the launch commands. The operator could, therefore, be located 63 meters from where the missile is located and the launch signature occurs. This could make finding the operator difficult, even though he must stay in place until the Vigilant hits (or misses). The sight unit has a 3.2x sight and simple engraved stadia lines to aid in steering. The missile is fired, then steered into his line of sight, then the missile and the target steered into the same sight picture. The Vigilant was unusual for the time in that it's flight was gyroscopically stabilized. This was used to enable the shooter to be located so far from the launcher. An optional missile selection box allowed the crew to control up six emplaced missiles with one controller (IE, six missiles could be set up, but only one could be controlled at a time by a given gunner).

Normal HEAT warheads were not deployed with the Vigilant. Instead, one was developed with a HEAT warhead and standoff probe, and the other with a hardened steel nose containing a HEAT warhead. For game purposes, both function as a sort of tandem warhead, though neither are tandem warheads in the normal sense of the term.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Vigilant	(Launcher) 6 kg; (Missile) 14 kg	120mm	MCLOS Wire	778	(Launcher) \$1240; (Missile) HEAT-P \$231; HEAT-HP \$241

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Vigilant	3	HEAT-P	200	1375	C12 B40	20/65C	AVG
Vigilant	3	HEAT-HP	200	1375	C11 B30	23/65C	AVG

<u>HJ-73</u>

Notes: HJ-73 is a short-ranged ATGM built to replace the AT-3 Sagger in some roles in Chinese service. The Chinese felt that the Sagger was too heavy a system for general use in their army, and so developed a lighter, more portable system. The HJ-73 is also fired from vehicles in place of the Sagger. Later the Chinese developed an improved version, the HJ-73B, using a more advanced SACLOS interface and a better missile; however, the HJ-73B was only a stopgap measure until the HJ-8 production ramped up, and it is the rarest version of the HJ-73. The HJ-73C is a rather new development; it totally gives up the joystick controls, only requiring the gunner to keep the target in the crosshairs, and adds thermal imaging. It is also capable of firing AT-3 Sagger missiles of all types, giving it an even greater degree of flexibility.

Weapon		Weights			Missile Caliber		Guidance	Mis Spo	sile eed	Pri	ces
HJ-73	(Launc	her) 10 kg; (N 11.3 kg	er) 10 kg; (Missile) 11.3 kg		120mm		Vire MCLOS	60	00	(Launcher) \$900; (Missil \$566	
HJ-73B	(Launc	ier) 10 kg; (Missile) 11.2 kg			120mm V		Wire SACLOS		00	(Launcher) \$1700; (Missile \$648	
HJ-73C	(Launc	her) 10 kg; (N 11.2 kg	lissile)	120mm		W	/ire SACLOS	60	00		3700; (Missile) 972
Weap	on	Reload	Roun	d	Min Range	Э	Max Range		amage	Pen	Difficulty
HJ-73 M	issile	1	1 HEA ⁻		150		1000	С	14 B40	89C	DIF
HJ-73B N	lissile	1	HEA	Г	150		1900	С	17 B40	113C	AVG
HJ-73C N	lissile			-T	100		2200	С	19 B45	110/137C	ESY

<u>HJ-8</u>

Notes: HJ-8 is a newer ATGM also designed to be fired from tripods and vehicle mounts, and from helicopters. It usually replaces AT-3 and AT-4 missiles on Chinese vehicles, and has also been exported to several Mideast countries and to Yugoslavia. The basic HJ-8 launcher is similar to the TOW-1 launcher. Along with the HJ-8C missile, an upgraded launcher was introduced with an image intensifier for night use. When the HJ-8E missile was introduced, a new launcher that replaces the image intensifier with thermal imaging was also introduced. The latest version of the launcher came with the HJ-8L missile; it has a periscope that allows the gunner to fire and guide the weapon from a prone position.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
HJ-8	(Launcher) 47 kg; (Missile) 22.5 kg	120mm	Wire SACLOS	1000	(Launcher) \$2100; (Missile) \$932
HJ-8A	(Launcher) 47 kg; (Missile) 22.5 kg	120mm	Wire SACLOS	1000	(Launcher) \$2100; (Missile) \$900
HJ-8C	(Launcher) 49 kg; (Missile) 22.5 kg	120mm	Wire SACLOS	1000	(Launcher) \$3100; (Missile) \$1350
HJ-8E	(Launcher) 48 kg; (Missile) 22.5 kg	120mm	Wire SACLOS	1000	(Launcher) \$4100; (Missile) \$1322
HJ-8L	(Launcher) 49 kg; (Missile) 22.5 kg	120mm	Wire SACLOS	1000	(Launcher) \$4200; (Missile) \$1322

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
HJ-8 Missile	6	HEAT	100	2000	C17 B40	121C	AVG
HJ-8A Missile	6	HEAT	100	3000	C17 B40	126C	AVG
HJ-8C Missile	5	HEAT-T	100	3000	C19 B45	114C/143C	AVG
HJ-8E Missile	5	HEAT-T	100	4000	C19 B45	122C/153C	AVG
HJ-8L Missile	5	HEAT-T	100	4000	C19 B45	132C/165C	ESY

<u>ACCP</u>

Notes: ACCP (AntiChar Courte Portée, or portable antitank missile) is a short-range ATGM designed for urban warfare. The Frenchbuilt weapon has little backblast and can be safely fired from enclosed spaces. The missile is inexpensive, light, and disposable if necessary. This missile fell victim to budget cuts and the lighter Eryx ATGM and never went beyond the prototype phase.

Twilight 2000 Notes: In a desperation measure, the French government authorized the production of the ACCP; it is partially credited with helping them maintain their borders.

Weapon	Weights	Weights		Missile Caliber	¢	Guidance		Missile Speed		Prices	
ACCP	(Launcher) 12 kg; 11 kg	Launcher) 12 kg; (Missile) 11 kg		160mm		Wire SACLOS		1000 ((Launcher) \$1780; (Missile) \$392	
Weapon	Reload	Roun	d Min Ran		ge	Max Rang	е	Damage		Pen	Difficulty
ACCP	4	HEAT	Г	25		600		C30 B55		120C	AVG

Entac

Notes: This was one the first Western ATGMs, being introduced by France in the early 1960s. Today, it is used only in some Latin American and Southeast Asian countries, being locally produced in those countries or drawn from retired First World stocks. It is an old ATGM with limited effectiveness. Like many early ATGMs, the Entac is a rather slow missile.

Weapon	Weigh	Weights		Guidance	Missile Speed	Prices	;
Entac	· · · · · · · · · · · · · · · · · · ·	(Launcher) 14.8 kg; (Missile in box) 12.2 kg		Wire MCLOS	425	(Launcher) \$108 \$229	· · /
Weapon	Reload	Reload Round		Max Range	Damage	Pen	Difficulty
Entac	Entac 2 HEAT		400	2000	C19 B45	84C	DIF

<u>Eryx</u>

Notes: Eryx is another French-built ATGM designed for short-range urban warfare. It has very little backblast and a low launch velocity. NATO-standard thermal imagers or image intensifiers may be attached to the Eryx. Missile speed is 1225 meters per phase. The Eryx was first issued to French units in 1991; with orders shortly thereafter by Germany, Canada, the Netherlands, Norway, and Brazil; there are rumors of it also being used by Great Britain and the US in the recent fighting in Afghanistan and Iraq.

Twilight 2000 Notes: The Eryx was also used during the Twilight War by the Swiss and Austrians, as well as special operations units of the US, Great Britain, Mexico, Israel, and Jordan.

Merc 2000 Notes: Inexpensive and light, the Eryx is a popular missile worldwide, and it could turn up almost anywhere.

Weapon	Weights	Weights		Missile Caliber		Guidance	Missile Speed	Prices	
Eryx	(Launcher) 4.5 kg; 12 kg	Launcher) 4.5 kg; (Missile) 12 kg		160mm V		ire SACLOS	1425	(Launcher) \$166 \$356	0; (Missile)
Weapon	Reload	Round	d Min Rang		e	Max Range	Damage	Pen	Guidance
Eryx	3	HEAT	•	50		600	C34 B60	179C	Wire

<u>SS-11 Harpon</u>

Notes: One of the world's first ATGMs, the SS-11 is now an obsolete weapon, which is used only in smaller armies or in reserve stocks. It can be fired from helicopters (one per hardpoint, due to their size), from vehicle mounts, or ground box mounts. The SS-11 is a very difficult missile to use; the gunner must keep both the missile and target in his sights, and proper steering requires a light but steady touch on the joystick control, something that takes a lot of practice to do properly. The SS-11 is cheap, but it also huge and difficult to transport and reload.

Weapon		Weights		Missile Caliber	Guidance	Missile Speed		Prices			
SS-11 (HEAT Missile) (Launcher) 15 k (Missile) 29.9 k		•	164mm	Wire MCLOS	780	(Launcher) \$1000; (HEAT M (HEAT-FRAG Missile) \$31 Missile) \$277 k		, (FRAG-HE			
Weapon	Weapon Reload			Round	Min Range	Max Range		Damage	Pen	Difficulty	
SS-11 Harpon		3		HEAT	500	3000		C22 B45	102C	FOR	
		3	HE	AT-FRAG	500	3000		C17 B56	41C	FOR	
		3	F	RAG-HE	500	3000		C26 B75	14C	FOR	

<u>Cobra 2000</u>

Notes: This predecessor of the Mamba is very similar to that missile, but built using older technology. It uses an older, less accurate guidance method and a smaller, less powerful warhead. It is by virtue of its design a compact, fairly robust system that is very resistant to ECM and EMP. It has long been out of use in Europe, but can still sometimes be found in Central America and South America.

Weapon	Weights		Missile Caliber	Guidance	Missile Speed	Prices	
Cobra 2000	(Guidance Unit) 10.3 kg; (Missile) 10.3 kg		100mm	Wire MCLOS	425	(Launcher) \$93 \$224	· · /
Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Cobra 2000	2	HEAT	400	2000	C10 B30	73C	DIF

<u>Mamba</u>

Notes: This is a lightweight, man-portable ATGM used by Germany. The Mamba uses an unusual "jump-start" launch which requires no launcher--the missile's fins are extended and the missile is simply placed on the ground, and small jets throw the Mamba into the air before the rocket motor is started. The Mamba comes in HEAT and HE warheads. It is not a particularly advanced or effective missile by modern standards.

Twilight 2000 Notes: The Mamba is light and cheap, which is why it was retained; however, it is mostly used as a bunker-buster than an antiarmor weapon.

Merc 2000 Notes: The Mamba is primarily a Third World weapon.

Weapon	Weapon Weights		Missile Caliber		Guidan	Guidance			Prices			
Mamba	(Sight Unit) 7.5 kg; (Missile) 11 kg				Wire SACLC	700 S			(Sight Unit) \$800; (HEAT Missile) \$190, (HE Missile) \$164			
Weapon	Reload	R	ound Min		Range	Μ	ax Range	[Damage	Pen	Difficulty	
Mamba	Mamba 1		HEAT		300		2000	0	C14 B40	86C	AVG	
	1		HE	:	300		2000	C	C22 B45	11C	AVG	

<u>Flame</u>

Notes: This Indian ATGM launcher is a hybrid weapon, using the AT-5 Spandrel launcher to fire Milan-2 missiles. Two versions of this launcher are available: The Flame-G ground mount version, which may only fire Milan-2 series missiles, and the Flame-V vehicle-mounted launcher, which is used on the Indian version of the BMP-2 and may fire Milan-2, and AT-5 missiles. The Flame launcher in both cases is improved with the addition of an integral thermal imager for night use.

Twilight 2000 Notes: Close to 200,000 of the ground/light vehicle mount alone for these launchers were deployed during the Twilight War, which is many times the intelligence estimates said the Indians had.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Flame	(Ground/Light Vehicle Launcher) 35.5 kg; (Milan-2 Missile) 12.23 kg, (Milan-2T Missile) 12.62 kg, (9K113 Missile) 28.5 kg, (9K113M Missile) 26.5 kg	(Milan-2) 115mm, (Milan-2T) 117mm, (9K113/9K113M) 135mm	(All) Wire SACLOS	(Milan-2/2T) 1050, (9K113/9K113M)1350	(Ground/Light Vehicle Launcher) \$3760; (Milan-2 Missile) \$352, (Milan-2T Missile) \$527 kg, (9K113 Missile) \$409, (9K113M) \$613
					D D'''' I

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Flame (Milan-2)	1	HEAT	25	2000	C15 B40	121C	AVG
Flame (Milan-2T)	1	HEAT-T	25	2000	C16 B40	97C/122C	AVG
Flame (9K113/AT-5)	4	HEAT	75	4000	C21 B45	141C	AVG
Flame (9K113M/AT-5)	4	HEAT-T	75	4000	C21 B45	112C/141C	AVG

<u>Nag</u>

Notes: Nag (Serpent) is an Indian ATGM introduced just before the Twilight War. Development began as early as 1990, but delays plagued the program, and very few have actually been deployed. Nag is a third-generation, top attack, fire and forget missile using IR guidance. A millimetric wave guidance version that is not vulnerable to IR countermeasures such as flares was planned, but the guidance package gave the experts many problems and was never fielded. However, decoying the Nag with flares is one level more difficult. This missile is also used from helicopters and on a modified BMP-2 chassis.

Twilight 2000 Notes: Delays plagued the program, and the weapon was not introduced to combat units until 1998. The ground-mount for the Nag was extremely rare and more likely to be used mounted on a light vehicle.

Merc 2000 Notes: The MMW version became available in 2005.

Weapon	Weights		Missile Caliber		Guidan	ce		lissile Speed		Prices	
Nag-1	1 (Ground/Light Vehicle Mount) 42 kg; (Missile) 23.5 kg		130mm		IR Fire and Forget, Top Attack			1500		ount) \$6765; ssile) \$9250	
Nag-2	(Ground/Light Vehicle Mount) 42 kg; (Missile) 23.5 kg) 42	130mm		MMW Fire and Forget, Top Attack		2000		(Mount) \$6765; (Missile) \$18938	
Weapon	Reload	Round	Mi	in Range		Max Range	Damag	е	Per	I	Difficulty
Nag-1	3	HEAT-T		70		5400	C22 B4	5	134C/1	67C	AVG
Nag-2	3	HEAT-T		70		5400	C22 B4	5	134/16	67C	ESY

.... -1

EADS Trigat LR

Notes: This is a longer-ranged, heavier warhead version of the Trigat MR, primarily used as helicopter armament, but also fired from mast-mounted launchers on vehicles such as the Panther. The missile is able to make a top attack by climbing above the target or being launched from above it, then diving downwards. Budget difficulties are still delaying full deployment of the Trigat LR. Twilight 2000 Notes: This missile is much rarer than the Trigat MR, not being fielded until 1997.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Trigat LR	(Launcher) Vehicle Only; (Missile) 49 kg	150mm	Semi-Active Laser Homing	2000	(Launcher) Vehicle Only; (Missile) \$13098

_								
	Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
	Trigat LR	4	HEAT-T-TA	400	8000	C30 B55	162C/203C	ESY

EADS Trigat MR

Notes: This weapon is a joint project of France, Germany, and Great Britain. Belgium and the Netherlands also use the missile. It is a laser-guided missile with a tandem HEAT warhead. The missile is prepacked in a container, and the firing post has a thermal imager. The firing post electronics are not affected by EMP. The Trigat can be mounted on a pintle in vehicles and Warrior ICVs. In a pinch, the Trigat may be fired from Milan firing unit, but range is then limited to 2000 meters, and the Milan firing unit is not equipped with its own laser designator as the Trigat MR firing unit is.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Trigat MR	(Launcher) 17 kg; (Missile) 17 kg	152mm	Laser Designation	1150	(Launcher) \$12130; (Missile) \$2161

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Trigat MR	2	HEAT-T	50	2400	C30 B55	162C/202C	ESY

Euromissile HOT

Notes: HOT is a heavy antitank missile built by a collaboration of France and Germany. It is in service with those countries and at least 14 others, and can be used from tripod, vehicle, and helicopter mounts. The HOT launcher can fire the HOT-1, the HOT-2 with increased warhead and penetration, or the HOT-3 with a tandem HEAT top-attack warhead. HOT is normally a missile fired from vehicular or helicopter launchers; though a tripod mount exists, it is extremely rare. The HOT-1 Launcher is a basic launcher with a telescopic sight; HOT-2 launchers add an image intensifier; HOT-3 is very different as the guidance for a HOT-3 missile is different, and also uses a thermal imager for night vision. HOT-1 and HOT-2 launchers may use HOT-1 or HOT-2 missiles; a HOT-3 launcher may fire any sort of HOT missile.

Twilight 2000 Notes: HOT-3 is not available.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
HOT-1	(Tripod Launcher) 26.8 kg; (Missile) 23.5 kg	136mm	Wire SACLOS	1250	(Launcher) \$2335; (HE Missile) \$292, (HEAT Missile) \$322
HOT-2	(Tripod Launcher) 28.8 kg; (Missile) 23.5 kg	150mm	Wire SACLOS	1250	(Launcher) \$2835; (HE Missile) \$304, (HEAT Missile) \$345
HOT-3	(Tripod Launcher) 39.5 kg; (Missile)	165mm	CCD Fire and Forget	1175	(Launcher) \$6195; (HE Missile) \$2450, (HEAT-T-TA Missile) \$3396

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
HOT-1	2	HEAT	75	4000	C18 B45	137C	AVG
HOT-1	2	HE	75	4000	C28 B55	13C	AVG
HOT-2	2	HEAT	75	4000	C26 B50	198C	AVG
HOT-2	2	HE	75	4000	C39 B65	16C	AVG
HOT-3	3	HEAT-T-TA	75	4000	C36 B60	158C/198C	ESY
HOT-3	3	HE	75	4000	C54 B75	18C	ESY

Notes: Though Milan is a French acronym, the word *Milan* also means "kite" in French and "bird" in German. Design of the Milan began in 1962, was ready for trials in 1971, and entered service in 1972. The initial version was a wire-guided SACLOS missile, aimed by a large unitary firing post which may be ground or vehicle-mounted; Milan can also be fired from several models of helicopters. Though the firing post has no night-vision capability of itself, but a MIRA thermal imager can be added to it. Standard sights include a x7 day sight. Initially a French and German development, the Milan is now license-built by Italy, Spain, Britain, and India, and used by some 33 countries.

The Milan missile is packaged as a round of ammunition in a cylindrical container that is attached directly to the firing post; in most cases, the round of ammunition is 1.2 meters long. The missile fires using an ejection charge that kicks the missile away before the main rocket charge fires; this charge also kicks the expended missile tube backwards off of the firing post. Though quite accurate, range is short and a well-trained operator is required. The warhead is HEAT; later developments include progressively more effective warheads, tandem warheads, and an extended-range motor. The firing post is able to fire any of the different types of Milan missiles. Upgrading a Milan 1/2 firing post to the Milan 3 standard is a simple and inexpensive upgrade. Milan 1 and Milan 2 are basic, direct-action HEAT-warhead missiles, with Milan 2 having a heavier-caliber warhead that, due to better technology, is only fractionally heavier than Milan 1.

The Milan 2T has a pair of warheads (a tandem warhead) to help defeat ERA; the second warhead fires a few microseconds after the first one does, as the first warhead is primarily to detonate any ERA in the way. It is therefore a bit heavier than a standard Milan 2 missile. The Milan 2T uses a long stand-off fuze which carries only a 30mm warhead, and does not have much penetration by itself. The precursor warhead and its fuze to not extend until the missile has cleared its launch tube and has traveled its minimum range, to provide extra protection against a premature detonation.

The Milan 3 system uses a new firing post – it is still wire-guided, but it has a CCD localizer feature, which provides increased resistance from jamming (such as present in the various soft-kill APS systems today) and can also provide up to two seconds of self-guidance if the gunner's attention strays due to enemy fire or suchlike. The new firing post also has a thermal imager built in, which has a range of 7 kilometers. A Milan 3 missile, as such, does not exist – the improvements are in the launcher unit.

Twilight 2000 Notes: The Milan 3 firing post was not available in the Twilight 2000 timeline. The Italians and Greeks used the Milan, as well as many NATO countries – and because of this, low-level Milan production took place in the Ukraine (for Soviet use) and Czechoslovakia. In addition to most other NATO countries, US Marines in Europe and the Persian Gulf used small quantities of the Milan.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Milan 1	(Launcher) 16.4 kg (Missile) 11.5 kg	103mm	Wire SACLOS	1000	(Launcher) \$2460 (Missile) \$241
Milan 2	(Launcher) 16.4 kg (Missile) 11.5 kg	115mm	Wire SACLOS	1000	(Launcher) \$2460 (Missile) \$243
Milan 2T	(Launcher) 16.4 kg; (Missile) 11.7 kg	117mm	Wire SACLOS	1000	(Launcher) \$2460 (Missile) \$274

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Milan 1	2	HEAT	400	2000	C11 B30	75C	AVG
Milan 2	2	HEAT	400	2000	C15 B40	108C	AVG
Milan 2T	2	HEAT-T	400	2000	C1 B10/C16	23C/110C	AVG
					B40		

Hughes/Gyconsa TOW LWL

Notes: The TOW LWL (LightWeight Launcher) was developed jointly by Hughes Aerospace of the US and Gyconsa of Spain in the late 1980s and early 1990s. Initial development was done at the behest of the Spanish Army and Marines, but it was later picked for use by the US, particularly by light formations and special operations for use on small vehicles like Fast Attack Vehicles. The LWL

is basically a TOW launcher with miniaturized components that are smaller and lighter. The LWL includes an integral 2nd generation thermal imager with a magnification of 15.3x or 5.1x, and an optical sight with a magnification of 10x. It may operate from vehicle or battery power. Unlike a standard TOW launcher, the sight and guidance units are integrated into a single package. The LWL is not capable of firing TOW 3 missiles, but may fire any other sort of TOW series missile.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
TOW LWL	(Launcher) 73 kg; (Missile) See TOW Series	127mm or 152mm	Wire SACLOS	See TOW Series	(Launcher) \$12800; (Missiles) See TOW Series

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty

TOW-1 (BGM-71A)	3	HEAT	65	3000	C16 B40	104C	DIF
TOW-1A (BGM-71B)	3	HEAT	65	3750	C16 B40	104C	AVG
I-TOW (BGM-71C)	3	HEAT	65	3000	C16 B40	114C	AVG
TOW-2 (BGM-71D)	4	HEAT	65	3750	C23 B50	134C	AVG
TOW-2A (BGM-71E)	5	HEAT	65	3750	C27 B50	135C/169C	AVG
TOW-2B (BGM-71F)	5	EFP-T-TA	65	3750	C23 B70	147C/184C	AVG
TOW-2C (BGM-71G)	5	HEAT-T-TA	65	3750	C30 B55	147C/184C	AVG
TOW-BLAAM (BGM-71TBD)	7	EFP-HEDP	65	3750	C35 B70	96C	AVG

Oto-Melara/ORBITA MAF

Notes: This advanced man-portable ATGM was developed jointly by OTO-Melara of Italy and ORBITA of Brazil. The missile consists of a missile in its container and a firing post. There is an ejection charge that kicks the missile out of the launcher and a sustaining charge that powers the missile for flight. The missile is guided by laser, and has a high-resistance to jamming. The firing post incorporates thermal vision for night use. The MAF was designed for man-portable, vehicular, and helicopter use. The MAF is an ADATS missile, meaning is may also be used against low-flying, slower aircraft. In emergencies, the MAF can be fired as an unguided rocket. Though the MAF was developed in response to a Brazilian request for an advanced, lightweight ATGM, the development cost got away from them, and the project was eventually cancelled.

Twilight 2000 Notes: Most MAF's were actually used during the Twilight War by Italy. Some were also supplied to Libya, and there was reportedly some use of the MAF by Pact special operations units and by Iraq. The Brazilians probably had fewer than 40 of the launchers, with perhaps as little as 200 missiles total.

Merc 2000 Notes: The Italians were eventually able to interest the armies of Libya, Iraq, Iran, and Vietnam in the MAF, and did some pretty good business with the missile system. (Where the Vietnamese got the money is unknown; there may have been some oil concessions in the Spratelys made.)

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
MAF	(Launcher) 23 kg; (Missile) 20 kg	130mm	Laser SACLOS	1450	(Launcher) \$10780; (Missile) \$1413

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Guidance
MAF	2	HEAT	70	3000	C22 B45	149C	Laser
(Unguided)	2	HEAT	0	500*	C22 B45	149C	None

*When fired in this mode, the MAF is treated as a rocket launcher.

<u>RAAD</u>

Notes: This is an Iranian modification of the Russian AT-3 Sagger antitank missile. Penetration is improved, and the firing post has a sight equivalent to an image intensifier. The I-RAAD version adds a precursor charge to detonate reactive armor before the main charge detonates against the armor of the target. This system is used by Iranian forces and by Hezbollah guerillas in Lebanon.

Weapon	Weights		Missile Caliber	Guidance	Missile Speed		Prices	
RAAD	(Launcher) 16 kg; (RAAD Missile) 11.78 kg, (I-RAAD Missile) 11.78 kg		120mm	Wire MCLOS	600	(Launcher) \$2520; (RAAD Missile) \$178; (I-RAAD Missile \$267		
Weapon	Reload	Round	Min Range	Max Range	e Dama	ge	Pen	Difficulty
RAAD	1 HEAT		400	3000	C17 B40		93C	DIF
I-RAAD	D 1 HEAT-T		400	3000	C17 B	40	74C/93C	DIF

MAPATS

Notes: This Israeli laser-guided ADATS missile was developed in the early-1990s from the TOW series. A new engine, tandem warhead, and laser guidance replaced those components in the TOW II, and an HE-warhead bunker buster was developed as well. The MAPATS has thermal sights for night use. The MAPATS is a fire-and-forget weapon.

Weapon	Weights		Missile Caliber		Guidance		Missile Speed		Prices	
MAPATS	(Launcher) 51.5 (Missile) 29.5 k		IM		Laser Designation, Fire and Forget				uncher) \$12210; (HE Missile) 383; (HEAT-T Missile) \$5413	
Weapon	Reload	Round		Min Range	Max Range		Dama	ge	Pen	Difficulty
MAPATS	2	HEAT-T		65	5000		C29 B		129C/162C	AVG
	2	HE	IE		5000	5000 C44 B		65	15C	AVG

<u>Nimrod</u>

Notes: This is a large laser-guided missile that can be fired from towed launchers, vehicle launchers, or helicopters. The Israelis use vehicle launchers based on the Land Rover (known as a Hobbit in that configuration), or sometimes an Abir light vehicle. The trailermounted version is quite rare, as it was only an experiment. The primary helicopter launch platform for the Nimrod was modified CH-53 helicopters; this was not only due to the large size of the Nimrod missile (100 kilograms, and over 2.5 meters long), but because the CH-53 was a common delivery vehicle for Israeli special operations teams. Some limited aircraft launching was also carried out. Two versions of Nimrod exist: the standard ground-launched version, and the lighter and shorter-ranged version meant primarily for helicopter and light aircraft launches. The warhead is designed to be useful against armored vehicles, bunkers, ships, and personnel. The launching vehicle or aircraft may fire up to 4 Nimrods at once; the coding instructions for the corresponding laser designators are put into the missiles with the push of a button, and the missiles then seek their targets. If launched from the air, the missile will automatically dive beneath any obscuring cloud layer and then look for the laser designating beam. Twilight/Merc 2000 Story: As Notes.

Weapon		Weights			Missile Guidar Caliber		ance	nce Missile Speed		Prices		
Nimrod		(Launcher) Vehicle Only; (Missile) 100 kg		210mm		Semi-Active Laser Homing			2000 (I		auncher) Vehicle Launcher (Missile) \$5912	
Weap	Weapon Reload F		R	ound	М	in Range	Max Ran	ige	Damage	e	Pen	Difficulty
Nimrod (G	Ground)	26	26 HEAT			300	26000		C55 B10	6	245C/307C	VESY
Nimrod	Nimrod (Air) 23 H		HEAT	-FRAG-T		300	20000		C55 B10	6	245C/307C	VESY

NT-G Gill/NT-S Spike

Notes: This weapon is meant to replace the Dragon and TOW in some applications in Israeli service, but as it entered full-scale production in 1997, it is relatively rare. It may be shoulder-fired or tripod-fired as tactical requirements dictate. The firing post includes a thermal imager, and the Gill/Spike has a top-attack capability. The Gill is the shorter-range system, with a fire-and-forget capability, while the Spike uses a longer-range fiber-optic guidance system, which must be guided for its entire flight. The missile has a tandem warhead for defeating ERA.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
NT-G Gill	(Launcher) 11.9 kg; (Missile) 13 kg	115mm	CCD Fire and Forget	900	(Launcher) \$6520; (Missile) \$8533

NT-S Spike	(Launcher) 1 (Missile) 1	- 1	115mm		FOG	900	(Launcher) \$572 \$8533	
Weapon	Reload	Round	Min Rang	ge	Max Range	Damage	Pen	Difficulty
NT-G Gill	2	HEAT-T-TA	200		2500	C17 B40	117C/147C	ESY
NT-S Spike	2	HEAT-T-TA	200		4000	C17 B40	117C/147C	ESY

<u>Type 65 MAT</u>

Notes: This Japanese ATGM looks very much like the Russian AT-3 Sagger, and is launched from a rail or ground-mound, but is actually an independently designed weapon. The MAT is normally launched from a triple launcher mounted on a Jeep, but can be fired from a box launcher similar (but smaller) to that of the Swingfire. It can also be fired from helicopters. It is now obsolete and out of service.

Weapon		Weigh	ts	Missile Caliber	Guidance	Missile Speed		Prices
Type 65 MAT	(0	(Ground Launcher) 15 kg; (Missile) 15.7 kg Reload Round		120mm	Wire MCLOS	425		auncher) \$1420; ssile) \$222
Weapon		Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Type 65 MA	Г	2	HEAT	350	1800	C12 B35	65C	FOR

Type 79 Jyu-MAT

Notes: This Japanese ATGM is derived from the TOW-1 system, and has resulted in an ATGM similar to the TOW 2. The Jyu-MAT can be fired from a ground tripod and from various vehicular mounts, as well as from helicopters from mounts similar to the TOW 2. (A Jyu-MAT missile can actually be fired from the Bradley's TOW 2 launcher.) The Jyu-MAT uses an active/passive IR sight, similar again to the TOW 2; but its warhead is not as efficient as the TOW 2.

Weapon		Weights	Missile Caliber	Guidance	Missile Speed			
Type 79 Jyu- MAT	· ·	icher) 84.6 k ssile) 19.9 kç	- 11	Wire SACLOS	1000	(Launcher) \$3050; (HEAT Mi \$324, (HEAT-FRAG Missile)		
Weapon	I	Reload	Round	Min Range	Max Range	Damage	Damage Pen Difficu	
Type 79 Jyu-	МАТ	2	HEAT	320	4200	C27 B50	145C	AVG
		2	HEAT-FRAG	320	4200	C25 B72	60C	AVG

Type 87 Chu-MAT

Notes: This advanced ATGM was developed shortly before the start of hostilities. Production is cbeing carried out at a rather low rate until (about 24 launchers per year). The Chu-MAT uses a smaller missile, but with a more advanced warhead that is more effective than that of the Jyu-MAT. The warhead is a sort of general purpose type that can be used against armor and bunkers, and also has a fragmentation jacket for antipersonnel work. The missile is laser-guided, and may be guided by a separate laser designator or by the integral designator on the launcher. The use of a separate designator is preferred, as the exhaust gas of the missile tends to interfere with the launcher's laser beam. The launcher includes a periscope to allow the gunner to use a prone position while guiding the Chu-MAT.

Twilight 2000 Notes: Production of these weapons was tripled in 1996.

Merc 2000 Notes: Besides Japan, a small number of Chu-MATs were supplied to Filipino, Thai, and Taiwanese forces.

Weapon	Wei	ghts	Miss Cali		G	uidance	Missile Speed	Price	es
Type 87 Chu- MAT	· ·	r) 46.6 kg; e) 12 kg	120r	nm	De	Laser esignation	1500	(Launcher) (Missile)	
Weapon	Reload Round		d Min R		ange Max Range		Damage	Pen	Difficulty

Type 87 Chu-MAT	1	HEAT-DP-FRAG-T	100	6000	C18 B64	156C/195C	ESY
-----------------	---	----------------	-----	------	---------	-----------	-----

Baktar Shikan

Notes: This ATGM is basically a locally-produced version of the Chinese HJ-8 missile system. As such, the Baktar Shikan may fire both HJ-8 missiles of all types and locally-produced Baktar Shikan missiles. The Baktar Shikan launcher may be broken into several units for transport: the sight unit (goniometer), weighing 12.5 kg; the guidance unit, weighing 24 kg; and the tripod, weighing 23 kg. Thus, if you have enough people, the system may be manpacked. A night sight may be added to the Baktar Shikan, though it is not included in the basic cost of the launcher; any missile sight of Western or Chinese manufacture may be used. A rare variant of the Baktar Shikan is also able to fire TOW-1, TOW-2, or TOW-BLAAM series missiles; this version is very rare (about 10% of the launchers available), and more expensive than the standard Baktar Shikan launcher.

Weapon	Weigl	าts	Missile Caliber	Guidar	nce	Missi Spee			Prices	
Baktar Shikan	(Launcher) (Baktar Shika 11.2	an Missile)	(Baktar Shika Missile) 120mm	an Wire SACL		(Bakt Shika Missile)	an) Ì	auncher) \$2060; Shikan-1 Missile ttar Shikan-2 Mis	\$275,
Baktar Shikan (TOW-Capable)	(Launcher (Baktar Shika 11.2	an Missile)	(Baktar Shika Missile) 120mm	an Wire SACL		(Bakt Shika Missile)	an	Ì	auncher) \$3090; Shikan-1 Missile ttar Shikan-2 Mis	\$275,
Weapo	on	Reload	Round	Min Range	Ма	ix Range	Dam	nage	Pen	Difficulty
Baktar Shi	ikan-1	2	HEAT	100		3000	C17 B40		133C	AVG
Baktar Shi	kan-2	2	HEAT-T	100		3000	C17 B40		106C/133C	AVG
Baktar Shika	aktar Shikan (HJ-8)		HEAT	100		2000	C14	B30	121C	AVG
Baktar Shikar	Baktar Shikan (HJ-8A)		HEAT	100		3000	C14 B40		126C	AVG
Baktar Shikar	ו (HJ-8C)	2	HEAT-T	100		3000	C17	B40	114C/143C	AVG
Baktar Shikar	n (HJ-8E)	2	HEAT-T	100		4000		B40	122C/153C	AVG
Baktar Shikar	n (HJ-8L)	2	HEAT-T	100		4000	C19	B45	132C/165C	AVG
Baktar Shikan	(TOW-1)	3	HEAT	65		3000		B40	104C	AVG
Baktar Shikan	(TOW-1A)	3	HEAT	65		3000	C16	B40	104C	AVG
Baktar Shikan	(I-TOW)	3	HEAT	65		3000	C16	B40	114C	AVG
Baktar Shikan	(TOW-2)	4	HEAT	65		3000	C23	B50	134C	AVG
Baktar Shikan	(TOW-2A)	5	HEAT	65		3000	C27	B50	135C/169C	AVG
Baktar Shikan	(TOW-2B)	5	EFP-T-TA	65		3000	C23	B70	147C/184C	AVG
Baktar Shikan	(TOW-2C)	5	HEAT-T-TA	65		3000	C30	B55	147C/184C	AVG
Baktar Shikan (T	OW-BLAAM)	7	EFP-HEDP	65		3000	C35	B70	96C	AVG

AT-1 Snapper

Notes: The Soviet's first attempt at an ATGM, the Snapper is now considered an antique. Nevertheless, the Snapper can still be found in mobilization-only units and Third World nations like North Korea. The AT-1 can be used from a ground mount or from makeshift vehicle mounts; some of the original mountings include quadruple mounts on BRDM and UAZ-469 vehicles. The AT-1 is a very slow missile; on a smooth road, some vehicles may actually be able to outrun it.

Weapon			Weights		Missil Calibe		Guidanc	e	Missile Speed	Pric	ces
AT-1 Snapper (2K15 Shmel)		· ·	und Mount) 22.5 k I2 Missile) 22.25 l	•	140mr	n	Wire MCLOS	6	268	(Ground Mo (Missile	unt) \$2000; e) \$302
Weapon	F	Reload	I Round Min		n Range	Max Range		[Damage	Pen	Difficulty
AT-1 Snapper		3	HEAT		370 2700		2700	C13 B45 690		69C	FOR

AT-2 Swatter

Notes: This old ATGM currently has the same status as the AT-1. The AT-2 is occasionally found on some very old BRDMs or UAZ-469s on a 4-round mount. The 3M11 missile is radio-guided and thus susceptible to jamming; 9M17M and 9M17P missiles use IR guidance and cannot be jammed, but can be affected by flares or screening smoke.

Weapon		Weights		Missile Caliber	C	Guidance		ssile beed	Prices		
AT-2 Swatter-A (3K11 Fleyta)	· ·	icher) 29.4 kg missile) 26.5	· •	132mm		Radio MCLOS	7	50	(Launcher) \$2064; (3M1 Missile) \$398		
AT-2 Swatter-B (3K11M Fleyta)	· ·	auncher) 29.4 7M/9M17P M 26.5 kg	•	132mm	IR	IR SACLOS		50	(Launcher) \$2840; (9M1 Missile) \$477, (9M17) Missile) \$482		7, (9M17P
Weapon		Reload	Round	Min Range	e	Max Rar	nge	Dam	age	Pen	Difficulty
AT-2 (3M11 Miss	sile)	3	HEAT	600		2500		C11 B35		71C	FOR
AT-2 (9M17M Mis	AT-2 (9M17M Missile)		HEAT	500		3000		C11	B35	71C	FOR
AT-2 (9M17P Mis	AT-2 (9M17P Missile) 3		HEAT	300		4000		C14		98C	DIF

AT-3 Sagger

Notes: This is the Western designation for the 9K11 Malyutka ATGM. It was first introduced in the early 1960s, and over the years, there were several new versions of the missile to cope with increasing armor threats and to increase flexibility. It is a wire guided missile that is guided from a separate guidance unit that may be physically separated from the launcher by up to 3 meters, connected by wire. The missile is very difficult to guide and requires considerable operator skill and practice, since the operator must keep both the target and missile in his sights for the entire duration of the flight. The AT-3 has long been out of service in most Warsaw Pact armies as well as Russian Category 1 and 2 units, but is still issued to lower category units and the armies of many Third World countries.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
AT-3 Sagger	(Launcher) 10.9 kg; (9M14	125mm	(9M14, 9M14M	(9M14-2,	(Launcher) \$2074; (9M14
(9K11	Missile) 11.3 kg, (9M14M		Missiles) Wire	9M14G	Missile) \$190, (9M14M
Malyutka)	Missile) 10.9 kg, (9M14P		MCLOS;	Missiles)	Missile) \$186 kg, (9M14P

Missile) Missile)).9 kg, (9M 12.5 kg, (9N 13.5 kg, (9N ssile) 12 kg	И14-2 И14G	· ·	rs) Wire CLOS	650; (Others) 600	Missile) \$262, (9M14MP Missile) \$278, (9M14-2 Missile) \$458, (9M14G Missile) \$490	
Weapon	Reload	Round	Min Range	Max Rang	ge Damage	Pen	Difficulty
AT-3 (9M14 Missile)	1	HEAT	500	3000	C13 B35	70C	FOR
AT-3 (9M14M Missile)	1	HEAT	500	3000	C13 B35	70C	DIF
AT-3 (9M14P Missile)	1	HEAT	500	3000	C15 B40	89C	DIF
AT-3 (9M14MP1 Missile)	1	HEAT	500	3000	C18 B40	108C	DIF
AT-3 (9M14-2 Missile)	2	HEAT-T	500	3000	C21 B45	121C/152C	DIF
AT-3 (9M14G Missile)	1	Thermobaric	500	3000	C62 B40	48C	DIF

AT-4 Spigot

Notes: This man-portable replaced the AT-3 Sagger in most Russian units as well as those of most First World and Second World Soviet and Russian client states. It is a large improvement in terms of guidance over the Sagger, and many comparisons have been made between the AT-4 and the Milan with regards to form factor and method of guidance. Though the AT-4's tripod/sight unit are less bulky, they are heavier than that of the Milan; the AT-4 also lacks the toughness of the Milan's electronics and is quite easy to put out of commission by a stray bump or being dropped in the wrong way. Most AT-4's are sold with a clip-on night vision system; this is IR in the case of export systems, but usually thermal vision for Russian systems. A handicap of both of these night vision systems is that neither has the range of the 9M111-2 or 9M111M missiles that can be fired from it (2000 meters of range for the NOD, 2500 meters of range for the missiles mentioned). A later thermal imaging unit increases the observation range of the viewer to 3600 meters. Despite these shortcomings, the AT-4 has proliferated widely throughout the world. Note that the updated 9P135M-series firing units may also fire AT-5 Spandrel missiles.

Croatia has a variant with an alternate Wire MCLOS guidance system. This is for use in high-countermeasures environments.

Weapon	١	Veights			sile iber	Guid	ance	Missile Speed			Prices		
AT-4 Spigot (9P135 Fagot)	(9P135M/N kg, (9S451 kg; (9M1 (9M111-2	(9P135 Launcher) 22.5 kg, (9P135M/M3 Launchers) 35.5 kg, (9S451M2 Launcher) 31.5 kg; (9M111 Missile) 13 kg, (9M111-2 Missile) 13.4 kg, (9M111M Missile) 13.4 kg				Wire SACLOS		(9M111 Missile) 930, (Others) 900		(9P135 Launcher) \$1900, (9P135M Launcher) \$2900 (9P135M3 Launcher) \$3900 (9S451M2 Launcher) \$412 (9M111 Missile) \$417, (9M1 2 Missile) \$391 kg, (9M111 Missile) \$		er) \$2900, her) \$3900, her) \$4125; 17, (9M111- , (9M111M	
Weaj	pon	n Reload Round		Round Mir		Range	Max F	Range	Dama	age	Pen	Difficulty	
AT-4 (9M11	1 Missile)			AT ·		70	2000		C14 B40		79C	AVG	
AT-4 (9M111	-2 Missile)	2 Missile) 4 HEA		Т	7	70	25	00	C17 B40		113C	AVG	
AT-4 (9M111	IM Missile)	1 Missile) 4 HEA			7	70	25	00	C19 E	345	137C	AVG	

AT-5 Spandrel

Notes: The Spandrel was designed to replace older AT-1, 2, and 3 missiles on vehicular launchers. It was supposed to replace all vehicular AT-1, AT-2, and AT-3 missiles, there are still a lot of AT-3 and even in some smaller countries, AT-2 missiles in circulation. In some cases, the older missiles were in fact replaced by AT-4 ATGM. Also, in some cases, the deployment of the AT-5 has been

leapfrogged by the newer AT-14 system. In addition, provisions were made to allow the AT-5 to be fired from newer iterations of the AT-4 Spigot launcher.

Twilight 2000 Notes: Though the AT-5 was massively deployed, generations of missiles as early as AT-1 continued to be used by Mobilization-Only units and by Third World countries such as North Korea and Afghanistan.

Weapon		Weights		Missile Caliber	Guidance	Missile Speed	Pric	es
AT-5 Spandrel (9K113 Konkurs)	or AT-4 Missile	r) Vehicular Launchers;) 25.2 kg, (9 issile) 26.5 k	(9M113 V113M	135mm	Wire SACLOS	1000	(Launcher) Vehicular Launche or AT-4 Launcher; (9M113 Missile) \$568, (9M113M Missile) \$914	
Weapon	Weapon Reload		Round	Min Range	Max Range	e Dama	ge Pen	Difficulty
AT-5 (9M113 N	T-5 (9M113 Missile) 6		HEAT	70	4000	C17 B	40 129C	AVG
AT-5 (9M113M	AT-5 (9M113M Missile) 6 HE		HEAT	70	4000	C22 B	45 119C/1490	C AVG

<u>AT-6 Spiral</u>

Notes: This missile is designed for use as a helicopter and aircraft armament. It is designed as an antitank weapon, but has limited use as an air-to-air missile. The 9M114, 9M114M1, and 9M114G1 missiles use frequency-hopping radio guidance and must be guided throughout their entire flight; the 9M114M2 and 9M114G2 use IR Fire-and-Forget guidance, but can be decoyed by flares or screening smoke.

Weapon	v	Veights		Missi Calib		Guid	ance	Miss Spe			Prices	
AT-6 Spiral-A (9K114 Shturm)	(9M11) Vehicle N 4, 9M114N 1 Missiles)	Л1,	140m	m	Rad SAC	dio LOS	190	1900		(Launcher) Vehicle Mount; (9M11 Missile) \$606, (9M114M1 Missile \$999, (9M114G1 Missile) \$1092	
AT-6 Spiral-B (9K114 Shturm)	(9M114	(Launcher) Vehicle Mount; (9M114M2, 9M114G2 Missiles) 35 kg		140mm		IR Fire and Forget		190	0	(9	auncher) Vehicle M114M2 Missile M114G2 Missile) \$6912,
Weapo	n	Reload	Ro	und	Min	Range	Max Range		Dai	mage	Pen	Difficulty
AT-6 (9M114 I	Missile)	5	HEAT			400	50	00	C19	9 B45	118C	DIF
AT-6 (9M114M1	Missile)	5	HE	AT-T	400		5000		C19	9 B45	106C/133C	AVG
AT-6 (9M114M2	2 Missile)	5	HE	AT-T		400	50	00	C23	3 B50	122C/153C	AVG
AT-6 (9M114G1	Missile)	5	Thern	nobaric		400	50	00	C58	3 B40	53C	AVG
AT-6 (9M114G2	-6 (9M114G2 Missile) 5 Ther		Thern	nobaric		400	400 500		C68	3 B45	67C	AVG

AT-7 Saxhorn

Notes: Originally believed to be in form and function similar to the US Dragon ATGM, that missile was subsequently revealed to in fact be a captured Dragon that the Soviets were testing with the intent to reverse-engineer. They found the Dragon's performance as lacking as US troops did, and came up with their own missile instead. The actual AT-7 is a tube-launched missile mounted on a lightweight tripod launcher. It is small and light and can even be used against slow-moving helicopters or aircraft. It is normally issued with the 1PN86V/Mulat-115 thermal imaging sight, and I have included this as part of the AT-7's cost. The AT-7 can be fired from enclosed spaces, though Russian doctrine recommends at least 2 meters of space between the back of the weapon and the wall. If fired at a target less than 500 meters away, the AT-7 may be shoulder-fired.

Weapon		Weights		Missile Caliber	Guidance	Missile Speed	Р	rices
AT-7 Saxhorn (9K115 Metis)	(L	(Launcher) 10.2 kg; (Missile) 6.3 kg		94mm	Wire SACLOS	800		ner) \$3600; sile) \$284
Weapon		Reload	Round	Min Range	Max Range	e Damage	Pen	Difficulty
AT-7 (9M115 Missile	?)	2	HEAT	40	1000	C10 B30	90C	AVG

AT-8 Songster

Notes: Called Kobra in Russian service, this ATGM is fired through the gun tube of the T-64, T-72, T-80, T-86, T-90, and T-94 tanks, addressing their poor long-range gun accuracy. The Songster is carried in two stages, which click together in the gun tube. The autoloader cannot handle the Songster, so the gunner must leave his station and load the missile by hand, and this causes a long loading time. The Songster is guided by the tank's laser rangefinder. It can also be used to engage helicopters.

Weapon	W	/eights			ssile aliber	Gu	idance		ssile peed		Prices	
AT-8 (9K112 Kobra)	Missile) 3	r) NA; (9M1 0 kg, (9M11 sile) 32 kg		12	5mm		aser signation	2	000		Launcher) NA; ⁄lissile) \$558, (Missile) \$	9M112M
Weap	on	Reload	Rou	und	Min R	ange	Max Rar	nge	Dama	ige	Pen	Difficulty
AT-8 (9M112	2 Missile)	5	HE	AT	100)0*	4000		C15 E	840	113C	AVG
AT-8 (9M112	M Missile)	5	HEA	T-T			4000		C15 E	840	90C/113C	AVG

*The Songster may be fired at shorter ranges, but the guidance system may not acquire the missile in time to properly guide it. If fired at a target between 750-999 meters away, hitting the target is one level more difficult; if fired at a range of 500-749 meters, hitting is two levels more difficult; and if fired at a range of 100-499 meters, hitting is three levels more difficult.

AT-9 Spiral-2

Notes: This is known to the Russians as the 9M120 Ataka. The AT-9 is an upgraded AT-6, with a better guidance system that is more resistant to jamming, a somewhat faster speed of 2000 meters per phase, and a longer range and more effective warhead. Most use of the AT-9 is from helicopters, particularly the Mi-24, Mi-28, Mi-38, and Mi-40 series, the Helix series, and the Ka-50s. The AT-9 has sufficient speed and guidance capability that it can be used against helicopters and slower aircraft. The AT-9 is one of the rarer Russian ATGM, despite having not been introduced until 1990; the Russians developed a heavier and more advanced version of the AT-6/AT-9 series, the AT-16, soon thereafter.

Twilight 2000 Notes: Special operations variants of the Ka-60 and Ka-115 are also capable of using the AT-9. About 10% of the MT-LB AT-6 ATGM vehicles were also able to use the AT-9.

Merc 2000 Notes: Production of this missile was dropped within 4 months of its introduction in favor of the AT-16.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
AT-9 (9K120 Ataka)	(Launcher) Vehicle Launcher); (Missiles) 48.5 kg	140mm	Radio SACLOS	2000	(Launcher) NA; (9M120 Missile) \$670, (9M120F Missile) \$1095, (9M220 Missile) \$1004, (9A220 Missile) \$512

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
AT-9 (9M120 Missile)	6	HEAT	400	6000	C23 B50	153C	AVG
AT-9 (9M120F Missile)	6	Thermobaric	400	6000	C68 B45	67C	AVG
AT-9 (9M220 Missile)	6	HEAT-T	400	7000	C23 B50	122C/153C	AVG
AT-9 (9A2220 Missile)	6	FRAG-HE	400	7000	C26 B75	14C	AVG

AT-10/12 Stabber

Notes: This is a laser-guided ATGM fired from the gun barrel of a tank or IFV using a 100mm or 115mm gun and equipped with certain special equipment. There are seven versions of the Stabber, consisting four basic versions and three improved versions. The basic versions are the 9M117 Bastion (fired by a specially-equipped version of the T-55 tank known as the T-55 AM2), the 9M117 Kastet (fired by versions of the MT-12 field gun equipped with a laser guidance module), the 9M117 Basnya (fired by BMP-3 IFV's), and the 9M116 Sheksna (fired by a specially-modified T-62 tank known as the T-62M). The improved versions are the 9M117M1 Kan (fired by the MT-12 field gun, as above), the 9M117M1 Arkan (fired by the BMP-3), and the 9M116M1 Sheksna (fired by the T-62M). The difference between the basic and improved versions is the tandem warhead used by the improved models to allow a better result against ERA. The basic rounds are all virtually identical (except for the caliber difference between the 9M117 and 9M116), but are different enough that they cannot be interchanged; a Kastet cannot be fired from a BMP-3, an MT-12 cannot fire a Bastion, etc. The same is true for the improved missiles. The speed of the 9M116 and 9M117 missiles is 1850 meters per phase, while the heavier 9M116M and 9M117M fly at 1500 meters per phase.

Weapon	Weights		Missile Caliber	Guidance	Missi	le Speed	Prices (Launcher) NA; (9M116/9M117 Missiles) \$1432; (9M116M1/9M1171 Missiles) \$2148	ices
AT-10/12	(Launcher) NA; (9M Sheksna/9M117 Kaster Basnya/9M117 Bas Missiles) 24.5 kg (9M116M1Sheksna/9M Kan/9M117M1 Arkan M 26.3 kg	/9M117 tion J; 1117M1	(AT-10) 115mm, (AT-12) 100mm	Laser Designatior	Missi (9M116N	16/9M117 les) 1850; /1/9M117M1 les) 1500	(9M11) Missile (9M116M)	6/9M117 s) \$1432; 1/9M117M1
	Weapon		Round	Min Range	Max Range	Damage	Pen	Guidance
AT-10/12	AT-10/12 (9M116/117 Missile)		HEAT	100	4000	C12 B35	98C	AVG

<u>AT-11 Sniper</u>

AT-10/12 (9M116M1/117M1

Missile)

Notes: This is an improved gun-fired ATGM designed for later Russian tanks. There are three types of Sniper missiles: the 9M119 Svir, fired by the T-72B, T-72S, and 2A45M antitank gun; and the 9M119 Reflecks and 9M119M Reflecks-M, fired by the T-80B, T-80U, T-84, T-90, and T-94 tanks. The difference between the Reflecks and Reflecks-M is largely in the warhead, which is tandem for Reflecks-M, and a more powerful motor in the Reflecks-M. While a vehicle that is capable of firing the Reflecks may fire the Svir, a vehicle designed for the Svir cannot fire the Reflecks.

100

5500

C13 B45

90C/113C

AVG

3

HEAT-T

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
AT-11 Sniper	(Launcher) NA; (9M119 Svir/Reflecks Missiles) 28 kg; (9M119M1 Reflecks-M Missile) 24.5 kg	125mm	Laser Designation	1700	(Launcher) NA; (9M119 Svir/Reflecks Missiles) \$1464; (9M119M1 Reflecks-M Missile) \$2166

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Guidance
AT-11 (9M119 Missile)	3	HEAT	100	4000	C18 B40	126C	AVG
AT-11 (9M119M1 Missile)	3	HEAT-T	100	5000	C21 B45	110C/138C	AVG

AT-13 (9M131 Metis-M)

Notes: This ATGM is an improved version of the AT-7 Saxhorn ATGM. The AT-13 can use an add-on thermal sight, and the missile has a larger warhead with a choice of two warheads. The AT-13 can be fired from a confined space, though a minimum distance of 2 meters is recommended between the rear of the missile and any wall that may be present.

Weapon		Weights			lissile aliber	G	uidance	Missile Speed		Prices		
AT-13 (9K131 Metis-M)	Missile)	ner) 15 kg; 13.8 kg, (9 ssile) 14.15	9M131G	1	30mm	S	Wire ACLOS		1000	(Launcher) \$369 Missile) \$474, Missile) \$	(9M131G	
Weapo	n	Reload	Round		Min Rar	nge	Max Ran	ige	Damage	Pen	Difficulty	
AT-13 (9M131	Missile)	2	HEAT-	Г	80		1500		C22 B45	132C/165C	AVG	
AT-13 (9M131G	i Missile)	2	Thermoba	aric	80		1500		C68 B45	75C	AVG	

AT-14 Kornet

Notes: This weapon was intended to replace the AT-5 Spandrel ATGM, but as it was not introduced until 1994, it has not yet fully supplanted that system. It is a laser-guided system, and all the operator must do is to keep the crosshairs on target to ensure a hit. A thermal sight is added for night use.

Weapon		Weight	S		Missile Caliber	(Guidance		Missile Speed	Prices	
AT-14 Spriggan (9P163 Kornet)	· ·	Launcher) 63/9M163G kg	29 kg; Missile) 29	1	152mm		Laser SACLOS		1250	(Launcher) \$72 Missile) \$957, Missile) \$	(9M163G
Weapon		Reload	Round		Min Ran	ge	Max Range	•	Damage	Pen	Difficulty
AT-14 (9M163 Mis	sile)	6	HEAT-T		100		5500		C30 B55	165C/206C	ESY
AT-14 (9M163G Mi	ssile)	6	Thermobar	ic	100		5500		C92 B54	88C	ESY

AT-15 Springer

Notes: This is a new ATGM fired from the KBM tank destroyer. The AT-15 may be guided using millimeter-wave radar or laser guidance. The AT-15 comes in two warheads, a HEAT warhead and a thermobaric warhead for engaging troops and bunkers. The fate of the AT-15 is in doubt; the Russians don't have a lot of money for the program, and they haven't managed to attract any foreign buyers.

Twilight 2000 Notes: The first use of the AT-15 was in August of 1997 in the Ukraine, but it was not often seen during the Twilight War.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
AT-15 Springer	(Launcher) Vehicle	150mm	Laser SACLOS or	2000	(Launcher) NA; (9M123-2

(9P123 Khrizantema)	Launcher; (9 2/9M123F-2 Mis kg	Ra	adar SACLOS	Missile) \$3948 2 Missile)	· •
111				-	Diffi

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
AT-15 (9M123-2 Missile)	5	HEAT-T	100	6000	C30 B55	149C/187C	ESY
AT-15 (9M123F-2 Missile)	5	Thermobaric	100	6000	C90 B50	87C	ESY

AT-16 Scallion

Notes: Known as the 9M127 Vikhr to the Russians, the Scallion was introduced shortly after the AT-9 Spiral-2, and is a greatlyimproved version of that missile and the AT-6 Spiral. It is a fast, powerful missile that is used not only from the latest Russian attack helicopters, but also from aircraft such as the SU-25 and SU-39 Frogfoot, and the various versions of the Flanker. Several versions of the Scallion are available for the Twilight War, including a few experimental models that are rather rare. The Scallion has the speed and maneuverability to take down helicopters and slow-flying aircraft; the 9M227F is particularly useful for this, as it can be used as a conventional heat-seeking air-to-air missile in addition to being able to attack ground targets. Speed of the 9M127 series is 2000 meters per phase, while the speed of the 9M227 series is 2175 meters per phase.

Twilight 2000 Notes: The MiG-35, MiG-37, and Su-40 are also able to use the AT-16. Though it was not designed for firing from ground vehicles, some of the MT-LB AT-6 ATGM carriers were reportedly modified late in the war to use the Scallion.

Weapon	Weights	Miss Calil	-				Missile Speed			Prices	
AT-16 Scallion (9P127 Vikhr)	(Launcher) Vehicle Launcher; (Missiles) 60 kg	135n	mm (9M127, 9M227, 9M127F, 9M127G, 9M227G1 Missiles) Laser SACLOS; (9M227M1, 9M227F, 9M227G2 Missiles) IR Fire and Forget; (9M227M2 Missile) Antiradiation (9M227G1 Missile) (9M227G1 Missile) (9M227G1 Missile) (9M227G1 Missile) (9M227G2 Missile) (9M227G1 Missile) (9M227G2 Missile) (9M227G1 Missile) (9M227G2 Missile)				sile) \$2716,) \$14580, e) \$4983,) \$1652,) \$3304, \$17570,) \$35140,				
Wea	pon	Reload	eload Round		Min Range	M	ax Range	Dam	age	Pen	Guidance
AT-16 (9M1	27 Missile)	8	F	IEAT-T	400		10000	C24	B50	139C/174C	Laser
AT-16 (9M2	27 Missile)	8	F	IEAT-T	400		15000	C24	B50	139C/174C	Laser
AT-16 (9M22	7M1 Missile)	8	F	IEAT-T	300		15000	C24	B50	139C/174C	IRFF
AT-16 (9M22	7M2 Missile)	8	HEI	DP-FRAG	300		15000	C23 B70		63C	ARM
AT-16 (9M12	27F Missile)	8	н	E-FRAG	400		10000	C27 B75		13C	Laser
AT-16 (9M12	27G Missile)	8	The	ermobaric	400		10000	C72 B45		78C	Laser
AT-16 (9M22	27F Missile)	8	HE-FRAG		300		15000 C27		B75	13C	IRFF
AT-16 (9M22	7G1 Missile)	8	Thermobaric		400		15000		B45	78C	Laser
AT-16 (9M22	7G2 Missile)	8	The	ermobaric	300		15000	C72	B45	78C	IRFF

Notes: This weapon does not exist in real life.

Twilight/Merc 2000 Notes: When the Russians decided to use a 135mm main gun on the T-95 and Black Eagle tanks, most of the gun's designers felt the gun-fired ATGM was not necessary anymore, considering the variety of ammunition they developed for the gun, the gun's range advantage over the 125mm gun, and the superior fire control system on those tanks. However, the Army felt that new technology would also allow for a more effective missile that could be fired through the main gun, and also allow the T-95 and Black Eagle to do some things that other tanks could not. To this end, the 9M133 Rosomaha (Wolverine) was developed, known to the West by the NATO reporting name AT-17 Satchel. Like other gun-fired Russian ATGMs, the Satchel comes in a variety of warheads, including some normally found only in the West, to allow it to accomplish antivehicle, antipersonnel, antibunker, and antihelicopter attacks at extended range. With a speed of 2400 meters per phase, the missile is swift and deadly.

Weapon	Weigh	ts	Missile Caliber	(Guidance	Missile Speed			
AT-17 Satchel (9P133 Rosomha)	(Launcher (Missiles kg	· · .	135mm (9M133F2, 2400 9M233M2) IR Fire and Forget; (Others) Laser SACLOS		2400	(Launcher) NA; (9M133 Missile) \$2539, (9M133F1 Missile) \$2596, (9M133F2 Missile) \$2368, (9M133G Missile) \$3157, (9M133M1 Missile) \$3613, (9M233 Missile) \$2708, (9M233M1 Missile) \$2891, (9M233M2 Missile) \$3554			
Weapon		Reload	d Round		Min Range	Max Range	Damage	Pen	Guidance
AT-17 (9M133 M	Missile)	6	HEA	T-T	100	9800	C24 B50	150C/188C	Laser
AT-17 (9M133F1	Missile)	6	EFP-F	RAG	100	9800	C14 B75	84C	Laser
AT-17 (9M133F2	Missile)	6	HE-FF	RAG	100	9800	C27 B75	15C	IRFF
AT-17 (9M133G	Missile)	6	Thermo	obaric	100	9800	C72 B45	78C	Laser
AT-17 (9M133M1	Missile)	6	EFP	Р-Т	100	9800	C18 B60	150C/188C	Laser
AT-17 (9M233 M	Aissile)	6	HEAT-T-TA		100	9800	C24 B50	150C/188C	Laser
AT-17 (9M233M1	Missile)	6	6 EFP-T-TA		100	9800	C18 B60	150C/188C	Laser
AT-17 (9M233M2	Missile)	6	TERM	1-KE	100	9800	C11 B38	97C	IRFF

<u>Ingwe</u>

Notes: A South African ATGM, the Ingwe (Leopard) is normally fired from the launcher on the Ratel ZT-3 tank destroyer or by helicopters. It is a laser-guided with medium anti-armor performance, not too useful against heavily armored vehicles, but adequate against the armor fielded by its neighbors. There are two versions, the standard ZT-3 with a HEAT warhead, and the ZT-3B with a HEAT-Tandem warhead to defeat reactive armor. The Ingwe is basically an unlicensed copy of a prototype laser-guided TOW missile, and it is a mystery where the South Africans got the plans for that prototype TOW.

Weapon		Weight	S	Missile Caliber	Guidance	Missile Speed	Prices	
Ingwe	II `	ncher) Vehicle Launcher; (ZT- issile) 25 kg, (ZT-3B Missile) 26 kg		127mm	Laser Designation	1500	(Launcher) NA; (Z \$1688, (ZT-3B Mis	
Weapo	n	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Ingwe Z	T-3	6	HEAT	100	5000	C19 B45	157C	AVG
Ingwe ZT	-3B	6	HEAT-T	100	5000	C19 B45	125C/157C	AVG

<u>Aries</u>

Notes: This was Spain's first candidate to replace its aging MAWs with a light ATGM. The Aries was to be a light system to be fired from a small tripod similar to the later Israeli Gill/Spike System. The Missile was to be self-contained in a throwaway container, and have a tandem warhead with a fragmentation jacket for antipersonnel effect. The launcher includes an image intensifier. Further development led to the MACAM-3, which was much lighter and more advanced in design, and the Aries was passed by the wayside for later technology.

Twilight 2000 Story: The Aries was fielded in early 1993 and became one of the mainstays of Spanish and Portuguese light antitank forces.

Weapon	W	eights	Missile Caliber	Guidance	Missile Speed	Prices	5
Aries	· · ·	1.4 kg; (Missile) 5.9 kg	148.6mm	Wire SACLOS	1175	(Launcher) \$275 \$120	· /
Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Aries	5	HEAT-T-FRAG	65	2000	C22 B69	137C/171C	AVG

MACAM-3

Notes: This weapon is the new Spanish light ATGM, produced by Gyconsa. It is a rather new weapon, and is rather rare. The launcher unit clips on to the missile tube, which comes pre-packed from the factory. The firing unit is powered by a small battery that lasts for four hours in the "on" position. The missile is guided by fiberoptic strands that reel out from the missile, similar to a wire-guided missile, but more reliable and responsive. The firing unit incorporates a passive IR unit for night use. In an emergency, the MACAM-3 missile tube can be placed on a TOW missile launcher and launched and guided that way. The warhead is of the tandem HEAT variety, and is a top-attack missile. Once fired, the operator can then drop the missile and firing unit, and the missile will guide on a fire-and forget basis. Locking on in this manner requires 3 phases (15 seconds) of aiming. The missile may also be guided in a conventional manner (i.e. throughout its entire flight); this requires only one phase of aiming. Pintle mounts for this weapon exist.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
MACAM-3	(Guidance Unit) 9 kg; (Missile) 13.8 kg	147mm	FOG or IR Fire and Forget	1000	(Launcher) \$5490; (Missile) \$5925

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
MACAM-3 (FOG-Guided)	1	HEAT-T-TA	50	5000	C29 B55	136C/170C	ESY
MACAM-3 (Fire & Forget)	1	HEAT-T-TA	50	2500	C29 B55	136C/170C	AVG

Bantam

Notes: The Bantam ATGM is an old, first-generation ATGM that was one of the first successful ATGM ever produced. It is a small and lightweight missile that, when first designed, was used primarily by Swedish and Swiss forces, with some limited use by British, Norwegian, Danish, and US forces. As the Bantam initially got little combat use, but was produced in large numbers, they became popular "hand-me-down" weapons for client states of US and NATO countries. By 2000, the Bantam is found mostly in the Third World, and mostly in the poorer Third World countries at that. Bantam is fired from a box launcher, connected by wire to a control unit. The control unit may be directly connected to three launch boxes, and a distribution box may be added to allow the gunner to control up to 18 launch boxes. (Only one missile may be guided at a time, however.) The gunner may position himself up to 120 meters from the missiles. The Bantam has a maximum range of 2000 meters; at this point, the missile runs out of wire, and it automatically self-destructs by detonating the warhead.

Weapon	Weigh	ts	Missile Caliber	Guidance	Missile Speed	Prices	
Bantam	(Guidance Unit) 12 in Box) 25		100mm	Wire MCLOS	425	(Guidance Uni (Missile) \$	· · ·
Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Bantam	1	HEAT	300	2000	C13 B35	81C	FOR

<u>MBT LAW</u>

Notes: This is a light ATGM fielded by the Swedish in early 1998, and is now being used in growing numbers by the British, Dutch, and Norwegians. The MBT LAW combines features from the M-136 antitank rocket and the Bill-2 ATGM. The system uses a soft launch feature that kicks the missile clear of the launch tube before igniting the rocket motor. This allows the MBT LAW to be fired from confined spaces as well as minimizing launch signature. It may be employed as both an antiarmor weapon and as a bunker buster; for bunker busting, the weapon is fired without its top-attack capability, and penetrates the target before detonating the main warhead. The weapon is disposable, and can use a night sight if desired.

Weapon	Weights			issile aliber	Guidance		Missile Speed	Prices	
MBT LAW	(Launcher/Missile	e) 12 kg	15	50mm IR Fire and Forget 1500		1500	(Launcher/Missile) \$14781		
Weapon	Reload	Rou	nd	Min Rar	nge	Max Range	Damage	Pen	Difficulty
MBT LAW	0	HEAT-	T-TA	20		600	C30 B55	117C/147C	ESY

RBS-56 Bill

Notes: The RBS-56 Bill is the world's first operational top-attack missile. The Bill flies over the target and uses its canted warhead to attack the thin overhead armor. The Bill tracker automatically corrects for wind drift and has a computer that assists the gunner in steering the missile. The Bill can be ground-mounted, but is very heavy; it can also be vehicle or helicopter-mounted.

Weapon	We	eights	Missile Caliber	Guidance	Missile Speed	Prices	
RBS-56-1 Bill-1		er) 36.3 kg; ile) 20 kg	150mm	Wire SACLOS	770	(Launcher) \$22 \$49	
Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
RBS-56-1 Bill	4	HEAT-TA	150	2200	C26 B50	158C	AVG

RBS-56-2 Bill 2

Notes: This is externally similar to the RBS-56 Bill above; however the firing stand has been given a day/night capability and the electronics are more compact.

Weapon	We	eights	Missile Caliber	Guidance	Missile Speed	Price	S
RBS-56-2 Bill-2	(Launc	her) 20 kg	150mm	Wire SACLOS	770	(Launcher) \$46 \$70	, , ,
Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
RBS-56-2 Bill 2	4	HEAT-T-TA	150	2200	C30 B55	138C/173C	ESY

<u>Kuen Wu 1</u>

Notes: This Taiwanese ATGM is basically a reverse-engineered AT-3 Sagger; the antiquated guidance equipment was largely retained, but an improved engine and warhead were added. They have been almost completely replaced by later missiles. It can be used in conjunction with IR or thermal imaging.

Twilight 2000 Notes: By the Twilight War, these missiles were largely replaced by missiles from the US, France, and Great Britain; later the Kuen Wu 1's were pulled back out of storage.

Weapon	Weights		Missile Guida Caliber		nce	Missile Speed		Prices				
Kuen Wu 1	(Launcher) 15 (Missiles) 11.3	•	119	mm	Wire MC	CLOS	600			ther) \$1930; (HEAT Missile) 192, (HE Missile) \$165		
Weapon	Reload	Roi	ound Min R		Range M		< Range	C	amage	Pen	Difficulty	
Kuen Wu 1	1	HE	AT	5	500	0 30		00 C14 B35		91C	FOR	
	1	н	E	5	500	3000		C	21 B45	11C	FOR	

<u>Hellfire</u>

Notes: This is a large, long-range ATGM developed for use by helicopters against armored vehicles. Hellfire is laser-guided, and is actually able to climb out of cover and acquire a target illuminated by a third party. Only one phase of illumination is required for target lock-on. Some Hellfires were produced on an experimental basis as antiradar missiles, with IRFF guidance, and with ICM warheads. These variants are extremely rare. The Hellfire is supersonic and travels 1985 meters per phase. The ground mount is currently used only by Sweden, but other countries are evaluating it.

Twilight 2000 Notes: The Hellfire was adapted to vehicular mounts for use on the M-2A3 and M-3A3 Bradley Fighting Vehicles, the Hellfire HMMWV, and some other ground vehicle mounts.

Weapon	Weights	Missile Caliber	Guidance Missile Prices Speed					
Hellfire	(Ground Mount) 48 kg; (Missiles) 45 kg	178mm	(AGM-114D) IR Fire and Forget; (AGM-114E)1985(Ground Mount) \$31280; (114A/B/C Missile) \$1658; (AG Missile) \$1658; (AG Missile) \$6558; (AGM-114E \$3716; (AGM-114F Missile) (AGM-114K Missile) \$8453 114L Missile) \$19223				AGM-114D E Missile) e) \$8469; 53; (AGM-	
	Weapon	Reload	Round	Min Range	Max Range	Damage Pen Diffict		
Hellfire	(AGM-114A/B/C Missile)	5	HEAT	200	6000	C31 B45	136C	AVG
Hellfire (A	GM-114D Missile)	5	HEAT	200	6000	C32 B45	136C	AVG
Hellfire (A	GM-114E Missile)	6	ICMDP	200	7000	B80	Grenade*	ESY
Hellfire (A	GM-114F Missile)	5	HEAT-T	200	8000	C37 B60	152C/190C	AVG
Hellfire (A	Hellfire (AGM-114K Missile) 5		HEAT-T	200	10000	C42 B65	166C/207C	ESY
Hellfire (A	Hellfire (AGM-114L Missile) 6		HEAT-T-HE	200	10000	C63 B80	182C/227C	ESY

<u>Javelin</u>

Notes: This weapon is an upgraded version of the Tankbreaker ATGM listed in the *Twilight 2000 Version 2.2* rules. (The Tankbreaker was an experimental missile that led to the Javelin, but was never actually fielded). While the missile is heavier and more capable, the firing unit is lighter and easier to carry. The firing unit uses thermal imaging for night launches, and incorporates a 9x magnifying sight. Like the Tankbreaker, the Javelin is fire-and-forget and top-attacking. Unlike the Tankbreaker, the warhead is a tandem warhead.

Twilight 2000 Notes: The Javelin began to replace the Tankbreaker and Dragon just before the Twilight War in 1995, and a few were exported to friendly countries in Europe and to countries such as South Korea, Saudi Arabia, and Israel.

Weapon	Weights			lissile Caliber		Guidance	Missile Speed	Prices	
Javelin	(Launcher) 6.4 kg; 15.9 kg	(Missile)	1	27mm	FI	LIR Fire and Forget	1000	(Launcher) \$6520; (Missile \$8531	
Weapon	Reload	Round	b	Min Rar	nge	Max Range	Damage	Pen	Difficulty
Javelin	2	HEAT-T-	-TA	50		2500	C21 B45	116C/146C	ESY

<u>LOSAT</u>

Notes: LOSAT (Line-Of-Sight AntiTank) is due to be adopted around 2005 by NATO as an antiarmor and antiaircraft missile. It will initially be deployed from specially-modified HMMWVs, but may be adapted to other vehicles. The LOSAT is merely a tungsten slug powered by a high-velocity rocket engine, guided by a laser designator or fire-and-forget guidance. It uses its speed to penetrate virtually all armor and catch targets before they can dodge away. The LOSAT is launched from vehicle or aircraft pallets. The LOSAT also has the ability to be fired as an unguided rocket.

Twilight 2000 Notes: Only 22 examples of this weapon were available at the time of the Twilight War; all were deployed to the Middle East.

Weapon		Weights			sile liber		Guidance		Missile Speed		Prices		
LOSAT	· ·	cher) Vehicu cher; (Missil 80 kg		163	ßmm	Designation; (LOSAT-2) CCD					Launcher; (L	(Launcher) Vehicular Launcher; (LOSAT-1) \$12068; (LOSAT-2) \$5968	
Weapo	on	Reload	Rou	und	Min I	Range	Range Max Range Da		nage		Pen	Difficulty	
LOSAT	-1	19	KE	P	;	30	8800*	1	110 30		2/292/248/131*	AVG	
LOSAT	-2	19	KE	P		30 8800*		1	110 30		2/292/248/131*	ESY	
LOSAT (A	Any)	19	KE	P		0 550**		1	110 302**		302**	Rocket	

*Penetration is 302 at ranges from 30-2200 meters, 292 from 2201-4400 meters, 248 from 4401-6600 meters, and 131 from 6601-8800 meters.

**In the unguided mode, the LOSAT is aimed and fired like a rocket launcher. At this short range, penetration is always 302.

M-47 Dragon Series

Notes: The Dragon was developed in the late 1960s to replace the 90mm recoilless rifle in US service as a MAW (Medium Antiarmor Weapon). Early versions proved to be none too potent against armor, though hundreds were used as bunker busters by the US and Israelis. The Dragon PIP (Product Improvement Program) produced the M47A2 Dragon 2, M-47A3 Dragon 2T, and M47A4 Dragon 3, with the Dragon 2 improving penetration, the Dragon 2T using a heavier tandem warhead, and the Dragon 3 improving range and penetration as well as adding a day/night tracker. The Dragon's missile tube and launcher are disposable, and any tracker can fire any missile type. Though the Dragon 1 and 2 were widely fielded, the Dragon2T and Dragon 3 largely fell by the wayside in favor of the Javelin in the US and the Gill and Spike in Israel.

Twilight 2000 Notes: The Dragon 2T and 3 were produced in larger numbers than in the Notes; they were deployed mostly in the Continental US and in Canada.

Merc 2000 Notes: All four of these missiles were produced, but the 2T and 3 ended up mostly in Third World countries, and most stocks of the Dragon 1 and 2 were also sold off after the fielding of the Tankbreaker, and later the Javelin.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Dragon 1	(Sight Unit) 6.2 kg; (Missile) 14 kg	127mm	Wire SACLOS	445	(Sight Unit) \$1650; (Missile) \$228
Dragon 2	(Sight Unit) 6.97 kg; (Dragon 2 Missile) 15.4 kg, (Dragon 2T Missile) 16.16 kg	127mm	Wire SACLOS	435	(Sight Unit) \$2650; (Dragon 2 Missile) \$236, (Dragon 2T Missile) \$553
Dragon 3	(Sight Unit) 12.2 kg; (Dragon 3 Missile) 23.8 kg	127mm	Wire SACLOS	435	(Sight Unit) \$3650, (Missile) \$339

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Dragon 1 (M-47A1)	1	HEAT	65	1000	C16 B40	83C	AVG
Dragon 2 (M-47A2)	1	HEAT	65	1000	C19 B45	129C	AVG
Dragon 2T (M-47A3)	3	HEAT-T	65	750	C24 B50	103C/129C	AVG
Dragon 3 (M-47A4)	3	HEAT	65	1500	C19 B45	133C	AVG

Predator

Notes: This is a short-range ATGM designed for use in street fighting. It is designed to partially supplement the M-136 and M-72 rocket launchers, and provides a much superior weapon to either of those weapons. The Predator can be fitted with either an HEDP anti-bunker warhead (in which case it is known as the MPIM-SRAW or Predator-AB), or the standard top-attack EFP warhead. The missile comes pre-packed and is disposable. As of 2003, the Predator is being deployed in small numbers in the US, and the British, Norwegians, Israelis, and South Africans are looking at it.

Twilight 2000 Notes: This weapon began to equip US Army and Marines in 1997, and was rather rare in the Twilight War.

Merc 2000 Notes: Predator largely fell victim to budget cuts in the early 2000s.

Weapon	Weigh	nts	Miss Calil		Gui	idance	Miss	sile Speed	Prices				
Predator	(Launcher/Mis	ssile) 9 kg	140m	nm	IR Fire	and Forget	1500		(La	auncher/M	issile) \$5828		
Predator-AB	(Launcher/Mis	ssile) 9 kg	140m	nm	IR Fire and Forget			1500	(La	(Launcher/Missile) \$			
Weapon	Reload	Rou	ind	Min I	Range	Max Rar	ige	Damage		Pen	Difficulty		
Predator	0	EFP	-TA		17	600		C20 B65		111C	ESY		
Predator-AB	0	EFP-FR	AG-HE	17		AG-HE 1		600	600			48C	ESY

<u>Shillelagh</u>

Notes: An ATGM used in the 152mm gun/missile system of the M-60A2 and M-551 tanks. The Shillelagh is fired through the gun tube of the M-551 Sheridan (the M60A2 being long out of service) and uses IR guidance. There are significant disadvantages to the Shillelagh, such as its high minimum range, the tendency for the Sheridan's gun tube to crack after a large amount of Shillelagh launches (possibly as few as 100) unless using the MGM-51C version of the missile, and the tendency of the guidance system to lose track of the missile altogether. The first version of the Shillelagh is the MGM-51A, the MGM-51B increased range by 50%, but is longer and heavier; the MGM-51C is essentially identical to the MGM-51B is, but eliminates the gun barrel cracking and guides more reliably. With the removal of Sheridans from the 82nd Airborne, the Shillelagh also passed out of service.

Twilight 2000 Notes: The Sheridans put in a spectacular performance during the Twilight War, and the crews partially credit the Shillelagh for that. Most Shillelaghs used during the Twilight War were MGM-51C's.

Weapon	Weights			issile aliber	Guid	ance	ince Missile Speed			Prices		
Shillelagh	(Launcher) N Missile) 28.6 k Missile			15	52mm	IR SA	CLOS	CLOS 1645		(Launcher) NA; (MGM-51A Missile) \$1544, (MGM-51B/ \$2548		MGM-51B/C)
We	Weapon Reload Rour		nd	Min Ra	ange	Max F	Range	Da	mage	Pen	Difficulty	

Shillelagh (MGM-51A)	5	HEAT	730	4000	C23 B50	144C	FOR
Shillelagh (MGM-51B/C)	5	HEAT	730	6000	C27 B50	159C	AVG

Superdragon

Notes: This is the ultimate version of the M-47 Dragon ATGM series. Its day/night tracker is equipped with active/passive IR, and the tracker has digital electronics and test equipment that allows the user to test and repair many problems without special equipment. The missile has a tandem warhead with an increased propellant charge that allows it to defeat reactive armor and achieve greater range. The Superdragon tracker may fire all types of Dragon missiles. This missile fell victim to missiles with newer technology and lower cost.

Twilight 2000 Notes: This missile was not used much by the US, Israel, and most other countries formerly using the Dragon, as in most of those cases the Dragon was replaced by missiles such as Tankbreaker, Javelin, Predator, NT-S Spike/NT-G Gill, and other newer weapons. However, it was widely marketed in the Second and Third World, and was diverted to US and Canadian military use after the Mexican invasion of the Southwestern US and Russian Invasion of Alaska and Western Canada.

Weapon			Weights		Missile Caliber		Guidance	•	Missile Speed	Pric	es
M-47A5 Superdragon)		nt Unit) 13.39 kg; lissile) 11.21 kg		127mm		Wire SACLOS	;	870	(Sight Uni (Missile	
Weapon	R	eload	Round	N	Vin Range	N	lax Range		Damage	Pen	Difficulty
Superdragon		2	HEAT-T		65		2000		C21 B45	121C/151C	AVG

TOW Series

Notes: The TOW (Tube-launched, Optically-tracked, Wire-guided) is the standard heavy ATGM in nearly 20 nations. It is also used to arm dozens of APCs and tank destroyers, as well as helicopters. The TOW system has been continually updated since its first use in Vietnam in the early 70s; the newest versions are state-of-the-art. Differences between TOW versions are mostly in the missile, although launching equipment has been lightened. TOW-1 is the basic version, and can fire only TOW-1, TOW-1A, or I-TOW missiles; all other launchers can fire all types of missiles except the TOW-3 (only a TOW-3 launcher may fire that missile). There is no dedicated I-TOW ground mount launcher. The TOW-2 and TOW-3 launchers add a thermal imager as well as miniaturizing some of the electronics.

Weapon	Weights			Missile Caliber		Guidanc	e	Missile Speed		Prices	
TOW-1	Missile) 18.5 kg;	(Launcher) 87.5 kg; (TOW-1 Missile) 18.5 kg; (TOW-1A, I- TOW Missiles) 19 kg				Wire SACLO	S	1000	\$384, (1	(Launcher) \$2220; (TOW- \$384, (TOW-1A Missile) TOW Missile) \$39	
TOW-2	(Launcher) 93 kg; (21.4 kg; (TOW Missiles) 22.6 k Missile) 23.1 kg; (Missile) 2	-2A and 2B g; (TOW-20 (TOW-BLA)		152mm		Wire SACLO	S	1000	\$427, (TOW-2I	r) \$3960; (TOW (TOW-2A Missil B Missile) \$922, e) \$770, (TOW- Missile) \$1319	e) \$481, (TOW-2C BLAAM
TOW-3	(Launcher) 87 kg; (24.5 l		sile)	sile) 152mm		IR Fire and Forget		1000	(Launche	r) \$6760, (TOW \$8986	-3 Missile)
	Weapon	Reload R		Round	М	lin Range	Ma	ax Range	Damage	Pen	Difficulty
TOW-	-1 (BGM-71A)	3	ŀ	HEAT		65		3000	C16 B40	104C	DIF

TOW-1A (BGM-71B)	3	HEAT	65	3750	C16 B40	104C	AVG
I-TOW (BGM-71C)	3	HEAT	65	3750	C16 B40	114C	AVG
TOW-2 (BGM-71D)	4	HEAT	65	3750	C23 B50	134C	AVG
TOW-2A (BGM-71E)	5	HEAT	65	3750	C27 B50	135C/169C	AVG
TOW-2B (BGM-71F)	5	EFP-T-TA	65	3750	C23 B70	147C/184C	AVG
TOW-2C (BGM-71G)	5	HEAT-T-TA	65	3750	C30 B55	147C/184C	AVG
TOW-3 (BGM-71H)	5	EFP-T-TA	65	3750	C23 B70	155C/194C	ESY
TOW-BLAAM (BGM-71TBD)	7	EFP-HEDP	65	3750	C35 B70	96C	ESY

<u>Viper</u>

Notes: The XM-132 Viper was an early attempt at a Guided LAW (a very lightweight, disposable antitank missile). It is basically a rocket from an M-72 series LAW rocket equipped with a guidance package and a slightly larger, more effective warhead. As a first attempt, it was not too bad an effort, but the technology at the time it was designed (early 1980s) did not allow for a reliable guidance package in such a small missile. XM-132 missiles are therefore 25% likely to miss, even if the firer's roll to hit indicates a successful hit on the target. As it was, the project was shelved as being not possible with the technology of the time.

Twilight 2000 Notes: A later version, the M-132A1, does not have the problem with accuracy that the XM-132 has. Special operations liked the Viper, especially the M-132A1, but it was never produced in large quantities, and the small warhead meant that it was not very effective against even moderately-armored vehicles.

Weapon	Weights			Missile Caliber		Guidance	Missile Speed	Prices	
XM-132 Viper	(Launcher/Missile) 5.73 kg		70mm	IR	Fire and Forget	1000	•	her/Missile) \$6151	
M-132A1 Viper	(Laur	ncher/Missile)	5.73 kg	70mm	IR	Fire and Forget	1000	•	her/Missile) \$6151
Weapon		Reload	Round	d Min Rang	е	Max Range	Damage	Pen	Difficulty
XM-132 Vipe	er	0	HEAT	- 50		635	C6 B25	70C	FOR
M-132A1 Vip	M-132A1 Viper 0 HEAT 50		- 50		635	C6 B25	77C	AVG	

<u>Bumbar</u>

Notes: The Bumbar (Bumblebee) is a Yugoslavian ATGM based on the French Eryx, but is a significant improvement of that weapon. The missile features a soft-launch capability; it has an ejection charge that kicks the missile clear of the tube, and then starts the motor. This results in a low backblast (similar to Davis Countershot weapons) and little firing signature. The weapon has excellent counter-jamming abilities and is not likely to be decoyed (two levels harder). Development and production of the Bumbar appears to have stopped in the wake of the breakup of Yugoslavia; its status is now unknown.

Twilight 2000 Notes: This weapon was just being produced before the Twilight War and is little encountered.

Merc 2000 Notes: This weapon was of great interest throughout the world, but supply never nearly matched demand.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Bumbar	(Launcher) 6 kg; (Missile) 12 kg	136mm	CCD	1200	(Launcher) \$5860; (Missile) \$1246

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Bumbar	2	HEAT-T	60	600	C24 B50	140C/175C	ESY

<u>Maljutka</u>

Notes: This Yugoslavian ATGM is a development and improvement of the Russian AT-3 Sagger, and in fact the name "Maljutka" is simply the Yugoslavian version of the Russian name of the Sagger, "Malyutka." Improvements include a better guidance system and a standoff probe to provide better effect for its warhead. Up to four missiles may be connected to one guidance unit, but only one missile may be controlled at a time. The Maljutka-1 launcher is not very different from the standard AT-3 Sagger launcher; the Maljutka-2's launcher is more advanced. The Maljutka-1 may only fire the Maljutka-1 missile, while the Maljutka-2 launcher may fire either missile.

Weapon	Weights	Missile Caliber	Guidance	Missile Speed	Prices
Maljutka-1	(Launcher) 19.5 kg; (Missile) 11 kg	125mm	Wire MCLOS	600	(Launcher) \$1340; (Missile) \$172
Maljutka-2	(Launcher) 19.5 kg; (Missile) 11 kg	125mm	Wire SACLOS	600	(Launcher) \$2140; (Missile) \$266

Weapon	Reload	Round	Min Range	Max Range	Damage	Pen	Difficulty
Maljutka-1	1	HEAT	400	3000	C15 B40	95C	FOR
Maljutka-2	1	HEAT	250	3000	C18 B40	116C	DIF
	1	Thermobaric	250	3000	C41 B30	56C	DIF